# **Gaming Machine Approval 2013 (No 29)**

Notifiable instrument NI2013-414

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

#### 1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 29).

#### 2 Commencement

This instrument commences the day after the date of notification.

#### 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

17 September 2013

New Gaming Machine and Alte	New Gaming Machine and Alternate Button Deck					
Game Name Jewel Of The Dragon						
Specification Number		42.A0041				
Manufacturer		BGI Australia Pty Limited				
Gaming Machine Type		Conventional				
Game Type		Spinning Reels				
Game Identifier		302346A				
Technical Standards		NS 10.1 + NSW Appendix (	dated 24/11/11)			
Submission Standards		NSW CPTS Rev 2.3; TITO To	echnical Standards V4.20			
Maximum Bet Value		\$8.00				
Base Credit Value		1c, 2c				
Variation Details		Var	Min / Max PRTP%			
		99	88.23			
		1	90.02			
		2	92.12			
Platform/Cabinet Details  ALPHA II – Alpha Pro Upright AP-1 (V32 with / without ALPHA PRO TOPPER)  Device Details						
Device Details	AP-1 (V3	2 with / without ALPHA PRO TOP	PER)			
		2 with / without ALPHA PRO TOP utton Deck	PER)			
Device Details	Ві		PER)			
Device Details Device Name	Bı G	utton Deck	PER)			
Device Details Device Name Category	Bu G H	utton Deck aming Machine				
Device Details Device Name Category GM Type	Bu G H	utton Deck aming Machine ardware Component S 10.1 + NSW Appendix (dat				
Device Details Device Name Category GM Type Technical Standards	Bu Ga Ha N	utton Deck aming Machine ardware Component S 10.1 + NSW Appendix (dat				
Device Details Device Name Category GM Type Technical Standards Hardware Details	BI G H N	utton Deck aming Machine ardware Component S 10.1 + NSW Appendix (dat SW CPTS 2.3	ed 24/11/11)			
Device Details Device Name Category GM Type Technical Standards Hardware Details Device	Bu Ga Ha	utton Deck aming Machine ardware Component S 10.1 + NSW Appendix (dat SW CPTS 2.3	ed 24/11/11)  Part Number			
Device Details Device Name Category GM Type Technical Standards Hardware Details Device Button Deck	Bu Ga Ha	utton Deck aming Machine ardware Component S 10.1 + NSW Appendix (dat SW CPTS 2.3 escription itachi iDeck	Part Number 219621 Rev C			

#### **Specific Approval Conditions**

- Should Bally Gaming (BGI) supply / lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 2. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with a single 32" monitor assembly for the above identified game to operate.
- 3. The Bally Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with the iDeck button Panel for the above identified game to operate.
- 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 5. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
- 6. The optional Alpha Pro Topper must be used for the above identified game to operate.

#### **Operational Conditions**

1. The "Ticket-In' and "Cashless" facilities are not approved in the ACT

L	<u> </u>		TICKE TI	ı ana	Casiness	iacii	thes are not approved in the Ner	
	App	licat	ion Refe	rence	No.		42-A0062/S01	

New Gaming Machine					
Game Name		Andes Gold Hot 5			
Specification Number		39.BF018			
Manufactu	rer	Konami Australia Pty Ltd			
Gaming Ma	achine Type	iSAP			
Game Type	2	Spinning Reels			
Game Iden	tifier	L021SPB001XX_0213NCXX			
Technical S	Standards	NS 10.1 + NSW Appendix (d	ated 24/11/11)		
Submission	ո Standards	NSW CPTS Rev 2.3; TITO Ted	chnical Standards V4.20		
		NSW Jackpot Technical Stan	dard Rev 1.2		
Progressive	e Levels Supported	iSAP: Yes			
		Type: Standard			
		Levels: 2			
		Wins transferred to 'Total V	Wins transferred to 'Total Wins' meter: Yes		
Maximum	Bet Value	\$10.00			
Base Credi	t Value	1c, 2c, 5c	1c, 2c, 5c		
Variation D	<b>Details</b>				
Var	Game RTP%	iSAP RTP%	Min / Max PRTP%		
1	85.47	3.692914	89.17		
2	86.57	3.715390	90.28		
3	87.43	3.719007	91.15		
4	88.36	3.710375	92.08		
5	85.47	4.541088	90.01		
6	86.57	4.589251	91.16		
7	87.43	4.597001	92.03		
Diatform /C	ahinet Details				

#### **Platform/Cabinet Details**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium – Slant Top

## **Operational Conditions**

- 1. The Base Credit Value of 4c is not a subject of this approval.
- 2. The "Ticket-In' and "Cashless" facilities are not approved in the ACT

**Application Reference No.** 39-A1139/S01

New Gaming Machine & Topper Artwork		
Game Name Black Rose Rapid Fire		
Specification Number	39.BF016	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	iSAP	
Game Type	Spinning Reels	
Game Identifier	L034SPA001XX_0343NBXX	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	rds NSW CPTS Rev 2.3; TITO Technical Standards V4.20	
	NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	iSAP: Yes	
	Type: Standard	
	Levels: 2	
	Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value	\$6.00	
Base Credit Value 1c, 2c, 5c		
Variation Dataila		

#### **Variation Details**

Var	<b>Combination Setting</b>	Game RTP%	iSAP RTP%	Min / Max PRTP%
1	1		5.090049	90.25
2	2		5.100035	90.26
3	3	OF 16	5.110046	90.27
4	4	85.16	7.129996	92.29
5	5		7.140048	92.30
6	6		5.120050	90.28
7	1	87.10	5.090049	92.19
8	3	07.10	5.110046	92.21

## **Platform/Cabinet Details**

KP3 KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium - Slant Top

	- I-
Device Details	
Device Name	Topper Artwork
Category	Gaming Machine
GM Type	Generic Artwork
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Topper Artwork Details	L-RF5(PT)

#### **Platform/Cabinet Details**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium – Slant Top

## **Operational Conditions**

- 1. The Base Credit Value of 4c is not a subject of this approval.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	39-A1138/S01
ADDIICALIUII NEIELEILE NU.	1.3.3FA 1.1.30/30/1

New Gaming Machine, Updated Supporting Software & Updated Generic Artwork						
Game Name			<del>-</del>	Escape To Egypt Snow Stars		
Specification Number			3	39.BF009		
Manufac	turer		K	onami Australia	Pty Ltd	
Gaming I	Machine Type		iS	AP	-	
Game Ty	pe		Sı	pinning Reels		
Game Ide	entifier		L(	046SPF001XX_04	463NAXX	
Technica	l Standards		N	S 10.1 + NSW Ap	opendix (dated 24	1/11/11)
Submissi	on Standards		N	SW CPTS Rev 2.3	3; TITO Technical	Standards V4.20
			N	SW Jackpot Tecl	hnical Standard R	ev 1.2
Progressi	ive Levels Suppor	ted	iS	AP: Yes		
			T	ype: Standard		
			Le	evels: 2		
			W	/ins transferred	to 'Total Wins' m	eter: Yes
Maximur	n Bet Value		\$.	5.00		
Base Cre			1	c, 2c, 5c		
Variation	Details				1	
Var	Max Lines	BCV	,	Game RTP%	iSAP RTP%	Min / Max PRTP%
741	Configured			Guille IVII 70	13741 1411 70	
1		1c, 2	C		2.937062	90.16
2	20	5c			2.890567	90.11
3		1c, 2		87.22	4.724124	91.95
5	25	1c, 2			2.916256	90.14
7		1c, 2	C		4.590990	91.81
Platform/Cabinet Details						
	2.0 UVS Podium –	•				
		Jpgrade -	- Tall	Tall Top Box (with Snow Stars Door)		
Device D						
Device N				System / Game Control Software		
Category				Supporting Function		
GM Type				System Software		
Technica	l Standards			NS 10.1 + NSW Appendix (dated 24/11/11)		
					Technical Standar	
				NSW Jackpot Technical Standard Rev 1.2		
Software	Details		Func		Audit Screen Ide	
		-			KGI –LWPGCMV0	
			Wind	Vindows OS KGI_LWPSYSC012XX		
	Platform/Cabinet Details					
KP3 KGP 2.0 UVS Podium – Tall Top Box KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box						
KP3 KGP	2.0 UVS Podium L	pgrade -	- rall	тор вох		

#### continued

onunaca		
Device Details 2		
Device Name	Generic Belly Panel Artwork	
Category	Gaming Machine	
GM Type	Generic Artwork	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Artwork Details	Konami P/N: 780379B	

## **Platform/Cabinet Details**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box

#### **Operational Conditions**

- 1. The Base Credit Value of 4c is not a subject of this approval.
- 2. Variation Details 4 & 6 are not a subject of this approval.
- 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	39-A1135/S01			

New Gaming Machine				
Game Name	_	Indian Wolf Hot 5		
Specification Number		39.BF012		
Manufacturer		Konami Australia Pty Ltd		
Gaming Ma	chine Type	iSAP		
Game Type		Spinning Reels		
Game Ident	ifier	L020SPB001XX_0203NCXX		
Technical St	andards	NS 10.1 + NSW Appendix (d	lated 24/11/11)	
Submission	Standards	NSW CPTS Rev 2.3; TITO Te	chnical Standards V4.20	
		NSW Jackpot Technical Star	ndard Rev 1.2	
Progressive	Levels Supported	iSAP: Yes		
		Type: Standard		
		Levels: 2		
		Wins transferred to 'Total V	Vins' meter: Yes	
Maximum B		\$10.00		
Base Credit	Value	1c, 2c, 5c		
Variation De	etails			
Var	Game RTP%	iSAP RTP%	Min / Max PRTP%	
1	85.47	3.692914	89.17	
2	86.57	3.715390	90.28	
3	87.43	3.719007	91.15	
4	88.36	3.710375	92.08	
5	85.47	4.541088	90.01	
6	86.57	4.589251	91.16	
7	87.43	4.597001	92.03	
KP3 KGP 2.0	abinet Details   UVS Podium – Upper LCD   UVS Podium Upgrade – U	Box, Tombstone LCD Box pper LCD Box, Tombstone LC	CD Box	
KP3 KGP 3.0	SVRS Podium – Slant Top			
Device Deta	il			
Device Nam	e	Topper Artwork		
Category		Gaming Machine		
GM Type		Generic Artwork		
Technical St		NS 10.1 + NSW Appendix (dated 14/11/11)		
Topper Artv		L-GH5-2(PT)		
_	abinet Details			
	UVS Podium – Upper LCD			
KP3 KGP 2.0 UVS Podium Upgrade – U		pper LCD Box, Tombstone LC	CD Box	
	SVRS Podium – Slant Top			
Operational				
1. The Base Credit Value of 4c is not a subject of this approval.			A CT	
		lities are not approved in the ACT		
Application	Reference No.	39-A1147/S01		

New Gaming Machine	
Game Name	Jack's Gold Deluxe
Specification Number	39.BF015
Manufacturer	Konami Australia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	L013SPB001XX_0133NBXX
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standards V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive Levels Supported	iSAP: Yes
	Type: Standard
	Levels: 2
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$9.60
Base Credit Value	1c, 2c, 5c
Variation Details	

Var	BCV	Game RTP%	iSAP RTP%	Min / Max PRTP%
1	1c, 2c	85.66	3.517920	89.18
2	1c, 2c, 5c	65.00	3.540417	89.20
3	1c, 2c	86.66	3.530920	90.19
4	1c, 2c, 5c	80.00	3.540417	90.20
5	1c, 2c	87.59	3.530920	91.12
6	1c, 2c, 5c	87.59	3.540417	91.13
7	1c, 2c	88.48	3.517920	92.00
8	1c, 2c, 5c	88.48	3.540417	92.02

## **Platform/Cabinet Details**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium – Slant Top

## **Operational Conditions**

- 1. The Base Credit Value of 4c is not a subject of this approval.
- 2. The "Ticket-In' and "Cashless" facilities are not approved in the ACT

**Application Reference No.** 39-A1143/S01

New Gaming Machine		
Game Name	Dancing Drums	
Specification Number	35.BF119	
Manufacturer	SHFL entertainment (Australasia) Pty Limited	
Gaming Machine Type	iSAP	
Game Type	Spinning Reels	
Game Identifier	DDRNSW1C	
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)	
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standard V4.20	
	NSW Jackpot Technical Standard Rev 1.2	
Progressive Levels Supported	iSAP: Yes	
	Type: Standard	
	Levels: 4	
	Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value	\$6.00	
Base Credit Value	1c, 2c	
Variation Dotails		

#### **Variation Details**

Var	BCV	Game RTP%	Progressive RTP%	Min PRTP%	Max PRTP%
99	1c	81.87-81.97	10.019987	91.89	91.99
9	2c	81.87-81.97	7.567041	89.44	89.54
19	1c	81.87-81.98	7.542033	89.41	89.52
29	2c	81.87-81.98	8.432301	90.30	90.41
39	1c	81.87-81.97	8.407181	90.28	90.38
59	2c	81.87-81.97	9.349070	91.22	91.32
69	1c	81.87-81.98	9.243912	91.11	91.22
89	2c	81.87-81.97	10.010040	91.88	91.98

## **Platform/Cabinet Details**

PC4 – Equinox

## **Specific Approval Conditions**

The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to ensure it is consistent with the Artwork rules.

## **Operational Conditions**

1. The "Ticket-In' and "Cashless" facilities are not approved in the ACT

Application Reference No.	35-A0856/S01

New Gaming Machine				
Game Name	Golden Relics – Kings Coin			
Specification Number	35.BF120			
Manufacturer	SHFL entertainment (Australasia) Pty Limited			
<b>Gaming Machine Type</b>	iSAP			
Game Type	Spinning Reels			
Game Identifier	GKCNSW1B			
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)			
Submission Standards	NSW CPTS Rev 2.3; TITO Technical Standard V4.20			
	NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes			
	Type: Standard			
	Levels: 4			
	Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	5c, 10c			
Variation Details				
Var BCV Game RTP% P	rogressive RTP%	Min Total PRTP%	Max Total PRTP%	
99 5c	8.340123	90.14	90.29	

# **Platform/Cabinet Details**

10c

5c

PC4 - Equinox

10

89

90

91

92

## **Specific Approval Conditions**

The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to ensure it is consistent with the Artwork rules.

9.240168

7.947101

8.973744

9.342506

9.992807

91.04

89.75

90.78

91.15

91.80

91.19

89.90

90.93

91.30

91.95

#### **Operational Conditions**

1. The "Ticket-In' and "Cashless" facilities are not approved in the ACT

Application Reference No.	35-A0857/S01
ADDIICATION REFERENCE IVO.	1 33-AU03//3U1

81.80-81.95