Australian Capital Territory

# Gaming Machine Approval 2013 (No 2)

**Notifiable instrument NI2013–48**

made under the

**Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)**

---

**1        Name of instrument**

This instrument is the *Gaming Machine Approval 2013 (No 2).*


**2        Commencement**

This instrument commences the day after the date of notification.


**3        Approval**

I approve the gaming machine(s) described in the attached Schedule to this instrument.




Lesley Maloney
Delegate
ACT Gambling and Racing Commission

30 January 2013

| New Gaming Machine | |
|---|---|
| **Game Name** | White Tiger – Jackpot Reel Power |
| **Specification Number** | 1.BF033 |
| **Manufacturer** | Aristocrat Technologies Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | 10161987 |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes |
| **Maximum Bet Value** | $5.00 |
| **Base Credit Value** | 1c, 2c |

**Variation Details**

| Var | Game RTP% | iSAP RTP% | Min / Max Total PRTP% |
|---|---|---|---|
| 99 | 87.27-87.45 | 3.350218 | 90.62-90.80 |
| 1 | 85.55-85.69 | | 88.90-89.04 |
| 2 | 87.27-87.45 | 4.630218 | 91.90-92.08 |
| 3 | 86.86-87.01 | 3.350218 | 90.21-90.36 |
| 4 | 86.15-86.29 | | 89.50-89.64 |

**Platform/Cabinet**
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with ticket printer option)

**Operational Conditions**
The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 01-A1387/S01 |
|---|---|

| Additional Topper and Artwork | |
|---|---|
| **Device Name** | G-Topper |
| **Manufacturer** | Aruze Gaming Australia Pty Ltd |
| **Category** | Gaming Machine |
| **Category Type** | Hardware Component |
| **Submission Standards** **Technical Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) |
| **Hardware Details** • Gaming Machine Topper | Model Number: G-Topper (Type A) |
| **Platform/Cabinet** | G-ENEX Stepper |
| Game Details 1 | |
| **Game Name** | Shen Long Orbs |
| **Specification Number** | 6.F0042 |
| **Gaming Machine Type** | Conventional |
| **Game Type** | Spinning Reels |
| **Technical Standards** **Submission Standards** | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.20 |
| **Software Details 1** • **Game** • **Base** | 09KDRMG5 |
| **Platform/Cabinet** | G-ENEX Stepper |
| **Software Details 2** • **Game** • **Multi Base** | 09KDRMG5 ZANMS012 |
| **Platform/Cabinet** | GENX-WD00 (G-ENEX II) - Stepper |
| **Game artwork details** • **G-Topper** | PBZ11070XXLNAE |
| Game Details 2 | |
| **Game Name** | Bamboo Panda |
| **Specification Number** | 6.F0044 |
| **Gaming Machine Type** | Conventional |
| **Game Type** | Spinning Reels |
| **Technical Standards** **Submission Standards** | NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.20 |
| **Software Details** • **Game** • **Base** | 09BBPMG3 |
| **Platform/Cabinet** | G-ENEX Stepper GENX-WD00 (G-ENEX II) - Stepper |
| **Game artwork details** • **G-Topper** | PBZ11071XXLNAE |

| Game Details 3 | |
|---|---|
| **Game Name** | Chinese Delight |
| **Specification Number** | 6.F0056 |
| **Gaming Machine Type** | Conventional |
| **Game Type** | Spinning Reels |
| **Technical Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) |
| **Submission Standards** | NSW CPTS 2.3; TITO Technical Standard V4.20 |
| **Software Details** | |
| • **Game** | HUKMG003 |
| • **Base** | ZANGA001 |
| **Platform/Cabinet** | G-ENEX Stepper |
| | GENX-WD00 (G-ENEX II) - Stepper |
| **Game artwork details** | |
| • **G-Topper** | PBZ11115XXRNAE |
| **Application Reference No.** | 06-A0429/S01 |

| New Gaming Machine | |  |
|---|---|---|
| **Game Name** | Chimney Stacks | |
| **Specification Number** | 42.A0035 | |
| **Manufacturer** | BGI Australia Pty Ltd | |
| **Gaming Machine Type** | Conventional | |
| **Game Type** | Spinning Reels | |
| **Game Identifier** | 301798A | |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 | |
| **Maximum Bet Value** | $10.00 | |
| **Base Credit Value** | 1c, 2c, 5c | |
| **Variation Details** | **Variation Number** | **Min/Max PRTP%** |
| | 99 | 88.12 |
| | 1 | 90.12 |
| | 2 | 91.98 |

**Platform/Cabinet**
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)

**Specific Approval Conditions**

1. A single software chipset supports both the conventional and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
7. The optional Alpha Pro Topper must be used for the above identified game to operate.

**Operational Conditions**
The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 42-A0047/S01 |
|---|---|

| New Gaming Machine | |
|---|---|
| **Game Name** | Chimney Stacks Mystery Jackpots (3 iSAP Levels) |
| **Specification Number** | 42.B0011 |
| **Manufacturer** | BGI Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | 301798AS |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2 |
| **Progressive levels supported** | iSAP: Yes Type: Random Levels: 3 Wins transferred to 'Total Wins' meter: Yes |
| **Maximum Bet Value** | $10.00 |
| **Base Credit Value** | 1c, 2c, 5c |

**Variation Details**

| Var | Game RTP% | iSAP RTP% | Min / Max Total PRTP% |
|---|---|---|---|
| 3 | 88.12 | | 91.12 |
| 4 | 90.12 | 3.000000 | 93.12 |
| 5 | 91.98 | | 94.98 |

**Platform/Cabinet**
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)

**Specific Approval Conditions**
1. A single software chipset supports both the conventional and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
7. The optional Alpha Pro Topper must be used for the above identified game to operate.

**Operational Conditions**
The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 42-A0047/S01 |
|---|---|

| New Gaming Machine and Updated Supporting Software | | |
|---|---|---|
| **Game Name** | Pharaoh's Dream | |
| **Specification Number** | 42.A0033 | |
| **Manufacturer** | BGI Australia Pty Ltd | |
| **Gaming Machine Type** | Conventional | |
| **Game Type** | Spinning Reels | |
| **Game Identifier** | 301797B | |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 | |
| **Maximum Bet Value** | $10.00 | |
| **Base Credit Value** | 1c, 2c, 5c | |
| **Variation Details** | **Variation Number** | **Min/Max PRTP%** |
| | 99 | 88.12 |
| | 1 | 90.12 |
| | 2 | 91.98 |

**Platform/Cabinet**

ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER)

ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER)

**Specific Approval Conditions**

1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it
3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
7. The optional Alpha Pro Topper must be used for the above identified game to operate.

**Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| Device details | | |
|---|---|---|
| **Device name** | ALPHA II Base Software (OS, BIOS etc) | |
| **Category** | Supporting Function | |
| **Category Type** | Base software | |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 | |

| | |
|---|---|
| **Software Details** | |
| • OS | OS357D |
| • Media services | 194238G |
| **Platform/Cabinet** | |
| ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER) | |
| ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER) | |
| **Application Reference No.** | 42-A0042/S01 |

| New Gaming Machine | |
|---|---|
| **Game Name** | Pharaoh's Dream Mystery Jackpots (3 iSAP Levels) |
| **Specification Number** | 42.B0010 |
| **Manufacturer** | BGI Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | 301797BS |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11)<br>NSW CPTS 2.3; TITO Technical Standard V4.20<br>NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP  - Yes<br>Type - Random<br>Levels - 3<br>Wins transferred to 'Total Wins' – Yes |
| **Maximum Bet Value** | $10.00 |
| **Base Credit Value** | 1c, 2c, 5c |

**Variation Details**

| Var | Game PRTP% | iSAP RTP% | Min/Max Total PRTP% |
|---|---|---|---|
| 3 | 88.12 | | 91.12 |
| 4 | 90.12 | 3.000000 | 93.12 |
| 5 | 91.98 | | 94.98 |

**Platform/Cabinet**

ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER)

ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER)

**Specific Approval Conditions**

1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.
2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it
3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
7. The optional Alpha Pro Topper must be used for the above identified game to operate.

**Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 42-A0042/S01 |
|---|---|

| New Gaming Machine | |
|---|---|
| **Game Name** | Cortez |
| **Specification Number** | 18.B0634 |
| **Manufacturer** | IGT (Australia) Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | X63910GA |
| | X63910RA |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) |
| | NSW CPTS 2.3; TITO Technical Standard V4.20 |
| | NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP: Yes |
| | Type: Standard |
| | Levels: 2 |
| | Wins transferred to 'Total Wins' meter: Yes |
| **Maximum Bet Value** | $5.00 |
| **Base Credit Value** | 5c |

**Variation Details**

| Var | Game RTP% | iSAP RTP% | Min / Max Total PRTP% |
|---|---|---|---|
| 2 | | 3.437678 | 90.50 |
| 3 | 87.06 | 4.932137 | 91.99 |
| 4 | | 6.940040 | 94.00 |
| 7 | | 2.442003 | 89.50 |

**Platform/Cabinet**
AVP BC20 – Video Top
AVP ST22 – Video Slant Top

**Operational Conditions**
The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 18-A5263/S01 |
|---|---|

| New Gaming Machine | |
|---|---|
| **Game Name** | Diamond Strike Grand Panda |
| **Specification Number** | 18.B0649 |
| **Manufacturer** | IGT (Australia) Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | X69200GA |
| | X69200RA |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) |
| | NSW CPTS 2.3; TITO Technical Standard V4.20 |
| | NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP: Yes |
| | Type: Standard |
| | Levels: 4 |
| | Wins transferred to 'Total Wins' meter: Yes |
| **Maximum Bet Value** | $10.00 |
| **Base Credit Value** | 5c, 10c |

**Variation Details**

| Var | Game RTP% | iSAP RTP% | Min / Max Total PRTP% |
|---|---|---|---|
| 2 | 80.41 | 10.577099 | 90.99 |
| 3 | 81.41 | | 91.99 |
| 7 | 79.83 | 9.699799 | 89.53 |

**Platform/Cabinet**
AVP BC20 – Video Top
AVP ST22 – Video Slant Top

**Operational Conditions**
The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| **Application Reference No.** | 18-A5246/S01 |
|---|---|

| Updated Gaming Machine Game Software | | | |
|---|---|---|---|
| **Game Name** | Goddess of Gold | | |
| **Specification Number** | 18.B0606 | | |
| **Manufacturer** | IGT (Australia) Pty Ltd | | |
| **Gaming Machine Type** | iSAP | | |
| **Game Type** | Spinning Reels | | |
| **Game Identifier** | X70300GA | | |
| | X70300RA | | |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) | | |
| | NSW CPTS 2.3; TITO Technical Standard V4.20 | | |
| | NSW Jackpot Technical Standards Rev 1.2 | | |
| **Progressive levels supported** | iSAP: Yes | | |
| | Type: Standard | | |
| | Levels: 2 | | |
| | Wins transferred to 'Total Wins' meter: Yes | | |
| **Maximum Bet Value** | $10.00 | | |
| **Base Credit Value** | 1c, 2c, 5c | | |
| **Variation Details** | | | |
| **Var** | **Game RTP%** | **iSAP RTP%** | **Min / Max Total PRTP%** |
| 5 | 87.50 | 2.99300 | 90.50 |
| **Platform/Cabinet** AVPC – Video Top | | | |
| **Specific Approval Conditions** 1. Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear. 2. The BCV of 4c is not a subject of this approval. | | | |
| **Operational Conditions** The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | |
| **Application Reference No.** | 18-A5260/S01 | | |

| New Gaming Machine and Updated Supporting Software | | |
|---|---|---|
| **Game Name** | Big Africa | |
| **Specification Number** | 39.F0004 | |
| **Manufacturer** | Konami Australia Pty Ltd | |
| **Gaming Machine Type** | Conventional | |
| **Game Type** | Spinning Reels | |
| **Game Identifier** | L010MLC001XX_0103NBXX | |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 | |
| **Maximum Bet Value** | $10.00 | |
| **Base Credit Value** | 25c, 50c, $1.00 | |
| **Variation Details** | **Variation Number** | **Min/Max PRTP%** |
| | 2 | 85.16 |
| | 3 | 87.18 |
| | 4 | 88.09 |
| | 5 | 88.57 |
| | 7 | 90.19 |
| | 8 | 91.93 |
| | 9 | 94.06 |
| | 10 | 96.04 |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box,  Short Top Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box

KP3 KGP 3.0 SVRS Podium – Slant Top

Operational Conditions

1.  The "Ticket In" and "Cashless" facilities are not approved in the ACT.
2.  Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Device details

| **Device Name** | System/Game Control Software |
|---|---|
| **Category** | Supporting Function |
| **Category Type** | System Software |
| **Technical Standards** **Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 |
| **Software Details** • Game Common | KGI_LWPGCMV021N1 |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box,  Short Top Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box

KP3 KGP 3.0 SVRS Podium – Slant Top

| **Application Reference No.** | 39-A1121/S01 |
|---|---|

| New Gaming Machine and Additional Topper Artwork | |
|---|---|
| **Game Name** | Incan Treasure Full Steam Express |
| **Specification Number** | 39.BF003 |
| **Manufacturer** | Konami Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | L028SPA001XX_0283NAXX |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3l; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes |
| **Maximum Bet Value** | $10.00 |
| **Base Credit Value** | 1c, 2c, 5c |

**Variation Details**

| Var | BCV | Game RTP% | iSAP RTP% | Min/Max Total PRTP% |
|---|---|---|---|---|
| 1 | 1c, 2c, 5c | 82.79 | 7.120479 | 89.91 |
| 2 | | 82.70 | 8.443013 | 91.14 |
| 3 | 1c, 2c | 82.39 | 8.353045 | 90.74 |
| 4 | 1c, 2c, 5c | 85.72 | 5.170434 | 90.89 |
| 5 | | 85.70 | 5.907499 | 91.61 |
| 6 | | 85.37 | 5.513018 | 90.88 |
| 7 | | 88.36 | 3.594331 | 91.95 |
| 8 | | 88.24 | 2.743499 | 90.98 |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium – Slant Top

**Specific Approval Conditions**

The BCV of 4c is not a subject of this approval.

**Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

| Device details | |
|---|---|
| **Device Name** | Topper Artwork |
| **Category** | Gaming Machine |
| **Category Type** | Generic Artwork |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) |
| **Topper Artwork Details** | L-007(PT)3D |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box

KP3 KGP 3.0 SVRS Podium – Slant Top

| **Application Reference No.** | 39-A1123/S01 |
|---|---|

| Gaming Machine Bugfix | |
|---|---|
| **Game Name** | Magic Happens |
| **Specification Number** | 39.B0132 |
| **Manufacturer** | Konami  Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | MAH5NC50.ROM3<br>MAH5NC50.ROM4<br>MAH5NC50.ROM5 |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11)<br>NSW CPTS 2.3; TITO Technical Standard V4.20<br>NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP  - Yes<br>Type - Standard<br>Levels - 2<br>Wins transferred to 'Total Wins' – Yes |
| **Maximum Bet Value** | $10.00 |
| **Base Credit Value** | 1c, 2c |

**Variation Details**

| Var | Game PRTP% | Bonus RTP% | Setting Combination | | iSAP RTP% | Min/Max Total PRTP% |
|---|---|---|---|---|---|---|
| | | | **1c** | **2c** | | |
| 11 | 84.65 | 3.63 | 11 | 21 | 1.895538 | 90.18 |
| | | | 12 | 22 | | |
| | | | 13 | 23 | | |
| | | | 14 | | 1.899416 | |
| 12 | 86.39 | 3.63 | 15 | 25 | 1.895538 | 91.91 |
| | | | 16 | 26 | | |
| | | | 17 | 27 | | |
| | | | 18 | | 1.899416 | |

**Platform/Cabinet**

KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box

**Specific Approval Conditions**

1. The player selectable multi-denomination functionality contained in the system software 'NSW50350' is not a subject of this approval.
2. The 4c denomination is not a subject of this approval.

**Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Additional Information**

This approval of 'Magic Happens' replaces the approval of 'Magic Happens' referred to in Notifiable Instrument NI2012-594 of 19 November 2012.

| **Application Reference No.** | 39-A0995/S01 |
|---|---|

| New Gaming Machine and Updated Supporting Software | |
|---|---|
| **Game Name** | Wild Winter Snow Stars |
| **Specification Number** | 39.BF002 |
| **Manufacturer** | Konami Australia Pty Ltd |
| **Gaming Machine Type** | iSAP |
| **Game Type** | Spinning Reels |
| **Game Identifier** | L014MLA001XX_0143NAXX |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 |
| **Progressive levels supported** | iSAP  - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes |
| **Maximum Bet Value** | $5.00 |
| **Base Credit Value** | 1c, 2c, 5c |

**Variation Details**

| Var | Max Lines Configured | BCV | Game RTP% | iSAP RTP% | Min/Max Total PRTP% |
|---|---|---|---|---|---|
| 1 | 20 | 1c, 2c | | 2.937062 | 90.16 |
| 2 | | 5c | | 2.890567 | 90.11 |
| 3 | | 1c, 2c | 87.22 | 4.724124 | 91.95 |
| 5 | 25 | 1c, 2c | | 2.916256 | 90.14 |
| 7 | | 1c, 2c | | 4.590990 | 91.81 |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Tall Top Box (with Snow Stars Door)

KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box (with Snow Stars Door)

**Specific Approval Conditions**

The BCV of 4c is not a subject of this approval.

**Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Device details**

| Device name | System/Game Control Software |
|---|---|
| **Category** | Supporting Function |
| **Category Type** | System Software |
| **Technical Standards Submission Standards** | NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 |
| **Software Details** | KGI_LWPGCMV022N3 |

**Platform/Cabinet**

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box

KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box

KP3 KGP 3.0 SVRS Podium – Slant Top

| **Application Reference No.** | 39-A1119/S01 |
|---|---|