

Australian Capital Territory

# Gaming Machine Approval 2013 (No 39)

Notifiable instrument NI2013–585

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2013 (No 39)*.

## 2 Commencement

This instrument commences the day after the date of notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie  
Delegate  
ACT Gambling and Racing Commission

18 December 2013

New Gaming Machine				
<b>Game Name</b>		Jade Emperor		
<b>Specification Number</b>		44.BF163		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Game Identifier</b>		GDNSJE1C		
<b>Technical Standards Submission Standards</b>		NS Rev 10.3 + NSW Appendix Rev 10.3 NSW CPTS Rev 2.3; TITO Technical Standards V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b> iSAP / Type / Levels / Wins transferred to 'Total Wins' meter		Yes / Standard / 4 / Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min PRTP% - Max PRTP%</b>
51	1c, 2c	50.44	40.858660	91.30
53	1c, 2c	49.28	40.522561	89.80
54	1c, 2c	48.34	40.586467	88.93
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)				
A560-L – Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)				
A560-ST – Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)				
<b>Specific Approval Conditions</b>				
1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.				
<b>Operational Conditions</b>				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Application Reference No.</b>		44-A0823/S01		

New Gaming Machine					
<b>Game Name</b>		Peking Panda Oriental Fortune (5c – 1 Link, 2 iSAP)			
<b>Specification Number</b>		44.HF159			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		SFS-iSAP			
<b>Game Type</b>		Spinning Reels			
<b>LPJS</b>		44.YA007			
<b>Game Identifier</b>		GDNSP01D			
<b>Technical Standards</b>		NS Rev 10.3 + NSW Appendix Rev 10.3			
<b>Submission Standards</b>		NSW CPTS Rev 2.3; TITO Technical Standards V4.20 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive Levels Supported</b>					
iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 2 / Yes			
Linked / Type / Levels:		Yes / Standard / 1			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		5c			
<b>Variation Details</b>					
<b>Game Combination Number</b>	<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min PRTP% - Max PRTP%</b>
1	51	5c	86.00-86.06	4.462151	90.47-90.53
2	52	5c	86.61-86.67	4.719628	91.33-91.39
3	53	5c	85.30-85.36	4.105645	89.41-89.47
<b>Platform/Cabinet Details</b>					
A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper and A560 Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-L – Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-ST – Slant Top (with Primary LCD, Secondary LCD, 24" LCD Topper and optional Media Player, Configured with Ticket Printer)					
<b>Specific Approval Conditions</b>					
1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.					
2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).					
3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.					
<b>Operational Conditions</b>					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
<b>Application Reference No.</b>		44-A0825/S01			

New Gaming Machine					
<b>Game Name</b>		Peking Panda Oriental Fortune (10c – 1 Link, 2 iSAP)			
<b>Specification Number</b>		44.HF160			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		SFS-iSAP			
<b>Game Type</b>		Spinning Reels			
<b>LPJS</b>		44.YA007			
<b>Game Identifier</b>		GDNSP02D			
<b>Technical Standards</b>		NS Rev 10.3 + NSW Appendix Rev 10.3			
<b>Submission Standards</b>		NSW CPTS Rev 2.3; TITO Technical Standards V4.20 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive Levels Supported</b>					
iSAP / Type / Levels / Wins transferred to 'Total Wins' meter		Yes / Standard / 2 / Yes			
Linked / Type / Levels		Yes / Standard / 1			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		10c			
<b>Variation Details</b>					
<b>Game Combination Number</b>	<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min PRTP% - Max PRTP%</b>
1	51	10c	86.00-86.06	4.462151	90.47-90.53
2	52	10c	86.61-86.67	4.719628	91.33-91.39
3	53	10c	85.30-85.36	4.105645	89.41-89.47
<b>Platform/Cabinet Details</b>					
A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper and A560 Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-L – Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-ST – Slant Top (with Primary LCD, Secondary LCD, 24" LCD Topper and optional Media Player, Configured with Ticket Printer)					
<b>Specific Approval Conditions</b>					
1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.					
2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).					
3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.					
<b>Operational Conditions</b>					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
<b>Application Reference No.</b>		44-A0825/S01			

Updated Gaming Machine				
<b>Game Name</b>		Reels Of Wheels 1		
<b>Specification Number</b>		44.BF152		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Game Identifier</b>		GDNSX11J		
<b>Base Identifier</b>		NX1F2F9N		
<b>Technical Standards</b>		NS 10.3 + NSW Appendix (dated 24/04/13)		
<b>Submission Standards</b>		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b> iSAP / Type / Levels / Wins transferred to 'Total Wins' meter		Yes / Standard / 4 / Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min PRTP% - Max PRTP%</b>
1	1c	63.42	27.519434	90.93
2		63.68	29.122534	92.80
11		63.50	28.313055	91.81
31	2c	63.42	27.696951	91.11
32		63.68	29.706567	93.38
41		63.50	28.701818	92.20
<b>Platform/Cabinet Details</b>				
A560-L – Low Boy (with 32" Wide Boy Topper)				
A560-ST – Slant Top (with optional 24" LCD Topper)				
<b>Specific Approval Conditions</b>				
1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).				
2. The 32" Wide Boy Topper Cabinet must be installed on the A560 Low Boy platform when operating the above-mentioned game.				
<b>Operational Conditions</b>				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Application Reference No.</b>		44-A0826/S01		

Supporting Software	
<b>Device Name</b>	Game Shell / BIOS
<b>Manufacturer</b>	Ainsworth Game Technology Limited
<b>Category</b>	Supporting Function
<b>Type</b>	System Software
<b>Technical Standards</b>	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.3; TITO Technical Standards V4.20 NSW Jackpot Technical Standards Rev 1.2
<b>Software Details</b>	
<b>Base Compact Flash Card</b>	NX1F2F9N
<b>BIOS Flash ROM</b>	A003E002
<b>Platform/Cabinet Details</b>	
A560-H – High Boy (with / without A560 Topper)	
A560-L – Low Boy (with / without A560 Topper)	
A560-L – Low Boy (with 32" LCD Topper)	
A560-ST – Slant Top (with / without 24" LCD Topper)	
<b>Operational Conditions</b>	
The "Ticket In" and "Cashless" facilities are not approved in the ACT.	
<b>Application Reference No.</b>	44-A0826/S01

Updated Gaming Machine and Topper Assembly			
<b>Game Name</b>	Mystical Egypt		
<b>Specification Number</b>	6.BF026		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Game Identifier</b>	MEGMG001		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' Meter: Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min / Max PRTP%</b>
1	86.55	4.276879	90.83
2	87.55		91.83
3	88.65		92.93
4	91.62		95.90
<b>Platform/Cabinet Details</b>			
G-ENEX Stepper (with optional 'Mystical Egypt' Topper)			
GENX-WD00 (G-ENEX II) – Stepper (with optional 'Mystical Egypt' Topper)			
<b>Device Details</b>			
<b>Device Name</b>	'Mystical Egypt' Topper		
<b>Category</b>	Gaming Machine		
<b>Category Type</b>	Hardware Component		
<b>Technical Standards</b>	NS 10.1 + NSW Appendix (dated 14/11/11)		
<b>'Mystical Egypt' Topper Assembly</b>	Aruze P/N: MEG-1000		
<b>Platform/Cabinet Details</b>			
G-ENEX Stepper			
GENX-WD00 (G-ENEX II) -Stepper			
<b>Operational Conditions</b>			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
2. This approval of the above-mentioned game will replace the previous approval of "Mystical Egypt" as notified under 2013-395 (dated 4/9/13).			
<b>Application Reference No.</b>	06-A0450/S01		

New Gaming Machine			
<b>Game Name</b>	Ultra Stack Gorilla		
<b>Specification Number</b>	6.F0084		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Game Identifier</b>	pUGMG001		
<b>Technical Standards</b>	NS 10.3 + NSW Appendix (dated 24/04/13)		
<b>Submission Standards</b>	NSW CPTS 2.3; TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>BCV</b>	<b>Min / Max PRTP%</b>
	1	1c	90.29
	2	1c, 2c	92.02
	3		94.03
	4		96.01
	5		97.95
<b>Platform/Cabinet Details</b>			
G-ENEX-WD00 – Midway, Low Boy			
GENX-WD00 (G-ENEX II) - Midway, Low Boy			
G-Comfort			
G-Comfort II			
<b>Operational Conditions</b>			
The “Ticket In” and “Cashless” facilities are not approved in the ACT.			
<b>Application Reference No.</b>	06-A0468/S01		



New Gaming Machine			
<b>Game Name</b>		Hand Of The Devil	
<b>Specification Number</b>		42.B0019	
<b>Manufacturer</b>		BGI Australia Pty Limited	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Game Identifier</b>		302164D 7996FC62	
<b>Technical Standards Submission Standards</b>		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b> iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 4 / Yes	
<b>Maximum Bet Value</b>		\$8.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min / Max P RTP%</b>
99	84.07	7.875000	91.95
<b>Platform/Cabinet Details</b>			
ALPHA II – Alpha Pro Upright AP-1 (V22/22 with / without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (V22/26 with / without ALPHA PRO TOPPER)			
<b>Specific Approval Conditions</b>			
1. The Bally Alpha II Alpha Pro Upright Top AP-1 V22/22 and Alpha II Alpha Pro Slant Top AS-1 V22/26 gaming machines must be configured with the iDeck button Panel for the above identified game to operate.			
2. Should Bally Gaming (BGI) supply / lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.			
3. The Alpha Pro Topper must be installed for the above identified game to operate.			
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.			
5. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.			
<b>Operational Conditions</b>			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
<b>Application Reference No.</b>		42-A0068/S01, /S02	

Updated Bill Acceptor Firmware	
<b>Device Name</b>	Bill Acceptor
<b>Manufacturer</b>	Konami Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.3; TITO Technical Standards V4.20
<b>Bill Acceptor Identification</b>	CashCode Model FLS2310
<b>Hardware Details</b>	
<b>Description</b>	<b>Konami Part Number</b>
CashCode Model FLS2310	508 CAS (for K2V & KGP Platforms) 5082011A (for KP3 Platforms)
<ul style="list-style-type: none"> <li>Cashcode 1,000 Notes Cash Box (Stacker)</li> </ul>	310296
<ul style="list-style-type: none"> <li>Cashcode 500 Notes Cash Box (Stacker)</li> </ul>	5082007A
<b>Software Details</b>	
<b>Description</b>	<b>Firmware ID</b>
CashCode Banknote Acceptor Firmware	FLS-AU22-792536
<b>Platform/Cabinet Details</b>	
K2V – Casino Top, Lowboy, Casino Top with LCD	
K2V 500 – Casino Top, Lowboy, Casino Top with LCD	
K2V Upgrade – Casino Top, Lowboy	
K2V 500 Upgrade – Casino Top, Lowboy	
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box	
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box	
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box	
KP3 KGP 3.0 SVRS Podium – Slant Top	
KP3 KGP 2/3 MAGN Podium - Goliath	
<b>Operational Conditions</b>	
The “Ticket In” and “Cashless” facilities are not approved in the ACT.	
<b>Application Reference No.</b>	39-A1165/S01

New Gaming Machine					
<b>Game Name</b>		Flower Of Riches			
<b>Specification Number</b>		35.BF127			
<b>Manufacturer</b>		SHFL entertainment (Australasia) Pty Limited			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Spinning Reels			
<b>Game Identifier</b>		FORNSW1C			
<b>Technical Standards</b>		NS 10.3 + NSW Appendix (dated 24/04/13)			
<b>Submission Standards</b>		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>					
iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 4 / Yes			
<b>Maximum Bet Value</b>		\$6.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>Progressive RTP%</b>	<b>Min Total PRTP%</b>	<b>Max Total PRTP%</b>
99	1c	81.89-81.97	10.019987	91.91	91.99
9	2c		7.706843	89.59	89.67
19	1c		7.542033	89.43	89.51
29	2c		8.432301	90.32	90.40
39	1c		8.407181	90.29	90.37
59	2c		9.349700	91.24	91.32
69	1c		9.243912	91.13	91.21
89	2c		10.010040	91.90	91.98
<b>Platform/Cabinet Details</b>					
PC4 - Equinox					
<b>Specific Approval Conditions</b>					
The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to ensure it is consistent with the Artwork rules.					
<b>Operational Conditions</b>					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
<b>Application Reference No.</b>		35-A0876/S01, /S02			