Gaming Machine Approval 2013 (No 3)

Notifiable instrument NI2013-67

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 3).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

13 February 2013

Alternative MEI Bill Acce	eptor		
Device Name	Bill Acceptor		
Manufacturer	Aristocrat Techr	nologies Australia	Pty Ltd
Category	Gaming Machin	е	
Category Type	Hardware Comp	onent	
Submission Standards	NS 10.1 + NSW /	Appendix (dated	24/11/11)
Technical Standards	NSW CPTS 2.3;	TITO Technical Sta	andard V4.20
Hardware Details			
Description			Part Number
MEI SCN 83 Advance Un	-Programmed Un	it Assembly	ATA P/N: 442155_083
 ASY SC_ADV SCN 	183 ACCEPTOR UN	NIT	ATA P/N: 442155_183
 PASY CASHBOX S 	C MEI ROHS		ATA P/N: 442009
A FRAME WITH F	RS232 COMMS PC	BA AND	ATA P/N: 442005_001
HARNESS			
 Bezel 			
a) Bat Bezel for Ger	n7 Viridian & Gen	7 Viridian WS	ATA P/N: 442006_83
platforms			
b) Standard Bezel fo	or Gen7 Vii Slant	platform	ATA P/N: L42476
c) Standard Bezel fo	or Gen7 Slant pla	tform	ATA P/N: 442008_83
Loom			
a) Gen7 Viridian, G	en7 Viridian WS 8	& Gen7 Vii Slant	ATA P/N: 579123
platforms			
b) Gen7 Slant platfo	orm		ATA P/N: 579113
Software Details			
Firmware ID		Firmware File	
Application 286108320	(V3.20)	286108320_6EE	34_APPLICATION_EBDS_
		GAMING.bin	
Variant (Bill-Set) 510011	.201 (V2.01)	_	39_SCN83_AUD_FLASH.
		BIN	
DI-16/0-1-1 D-1-1	1 -		

Platform/Cabinet Details

Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)

Gen7 Slant – Round Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer only)

Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)

Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD)(Configured with Ticket Printer option)

Specific Approval Conditions

The MEI SCN 83 Advance Bill Acceptor, when operating in the Gen7 Viridian, Gen7 Viridian WS, Gen7 Slant and Gen7 Vii Slant EGMs, shall only be used in conjunction with the System Software versions "27012070" or "35802080" or any later System Software versions.

Application Reference No.	01-A1373/S01; S02

Updated Hardware Asse	embly	
Device Name	Cyclone Hopper	
Manufacturer	Aristocrat Technologies Australia	Pty Ltd
Category	Gaming Machine	
Category Type	Hardware Component	
Submission Standards	NS 10.1 + NSW Appendix (dated 2	24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Sta	ndard V4.20
Hardware Details 1		
Description		Part Number

HCCHCN1A00003 HC21AA0U00015

2. 210 Cyclone Hopper Platform/Cabinet Details

1. High Capacity Cyclone Hopper

Mk 6 Xtra — Highboy, Casino Top, Lowboy)(Configured with either Ticket Printer and/or Hopper option)

Mk 6 XCite — Casino Top, Lowboy)(Configured with either Ticket Printer and/or Hopper option)

Mk 6 (XTreme) – Casino Top (with in-machine LCD Display)(Configured with either Ticket Printer and/or Hopper option)

Gen7 Upgrade XCite — Lowboy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme — Casino Top (with in-machine LCD)((Configured with either Ticket Printer and/or Hopper option)

Hardware Details 2

Description	Part Number
Medium Capacity Cyclone Hopper	MCCHCN1A00005

Platform/Cabinet Details

Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)

Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)

Application Reference No. 01-	41389/S01
-------------------------------	-----------

New Gaming	Machine			
Game Name		5 Koi Legends		
Specification	Number	1.CF008		
Manufacture	r	Aristocrat Techn	ologies Austra	lia Pty Ltd
Gaming Mach	nine Type	MGGM		
Game Type		Spinning Reels		
Game Identif	ier	10261935		
Technical Sta	ndards	NS 10.1 + NSW A	Appendix (date	ed 24/11/11)
Submission S	tandards	NSW CPTS 2.3; T	TTO Technical	Standard V4.20
Maximum Be	t Value	\$4.80		
Base Credit V	alue	2c		
Component G	iame Set	Game Num	ber	Game Name
Details		1		5 Koi
		2		5 Koi deluxe
Multi-Game (Combination			
MGC	CRP%	Game Number	Variation	SDB PRTP%
99	88.54	1	99	88.54
	88.54	2	99	88.54
1	87.88	1	1	87.88
		2	1	87.88
2	86.87	1	2	86.87
		2	2	86.87
3	85.85	1	3	85.85
		2	3	85.85

Platform/Cabinet Details

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)

Gen7 Vii Slant — Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)

Operational Conditions

- 1 The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2 Multi-Game combination numbers 3 and 4 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
Variation Deta		·	
Base Credit Va	alue	1c, 2c	
Maximum Bet	t Value	\$10.00	
	\	Wins transferred to 'To	tal Wins' meter: Yes
	1	Levels: 2	
	-	Type: Standard	
Progressive le	vels supported i	iSAP: Yes	
	I	NSW Jackpot Technical	Standards Rev 1.2
Submission St	tandards	NSW CPTS 2.3; TITO Te	chnical Standard V4.20
Technical Star	ndards	NS 10.1 + NSW Append	ix (dated 24/11/11)
Game Identifi	er i	10162005	
Game Type		Spinning Reels	
Gaming Mach	i ne Type i	iSAP	
Manufacturer	. ,	Aristocrat Technologies	s Australia Pty Ltd
Specification	Number :	1.BF034	
Game Name	\	Where's the Diamonds	
New Gaming I	Machine		

Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	86.27	4.325210	90.60
1	84.55	4.325210	88.88
2	87.27	4.325210	91.60
3	85.87	4.325210	90.20
4	85.17	4.325210	89.50

Platform/Cabinet Details

Gen7 Viridian — Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 01-A1388/S01

Alternate Bill Acceptor		
Device Name	Bill A	cceptor
Manufacturer	Aruze	e Gaming Australia Pty Ltd
Category	Gami	ng Machine
Category Type	Hard	ware Component
Submission Standards	NS 10	0.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW	CPTS 2.3; TITO Technical Standard V4.20
Hardware Details		
MEI Bill Acceptor	P/N: (CFSCN83; Model SCN8347
Bill Acceptor	Part N	Number: CEK030500
Enclosure		
Wiring	Part N	Number: 3EK043600-G
Firmware Details		
Firmware ID		Firmware File
Application Firmware:		286108320_6eb4_application_ebds_gaming.bin
286108320 (V3.20)		
Variant (Bill-Set) Firmware		510011201_scn83_aud_flash.bin
510011201 V(2.01)		
Platform/Cabinet		
G-ENEX-WD00 – Midway, L	ow bo	y, G-Deluxe
G-Comfort		
G-ENEX Stepper		
GENX-WD00 (G-ENEX II) – N	Midwa	y, Lowboy, G-Deluxe, G-Comfort II, Stepper
Application Reference No.	0	6-A0425/S01, /S02

Updated Gaming Machine Gam	ne Software	
Game Name	Classics Platinum Golde	n Goddess
Specification Number	18.H0120	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Game Identifier	X67710GA	
	X67710RA	
LPJS	18.YA009	
Technical Standards	NS10.1 + NSW Appendi	x (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Ted	chnical Standard V4.20
	NSW Jackpot Technical	Standards Rev 1.2
Progressive levels supported	Linked: Yes	
	Type: Standard	
	Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c, 10c	
Variation Details	Variation Number	Min/Max PRTP%
	8	83.89

Platform/Cabinet

AVP BC20 - Video Top

AVP ST22 - Video Slant Top

Specific Approval Conditions

- 1. This game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA009, with the approved 'Classics Platinum' jackpot setting combinations.
- 2. Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear.
- 3. The BCV of 4c is not a subject of this approval.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 18-A5264/S01

New Gaming Machine Diamond Strike the Golden West		
Specification Number Manufacturer IGT (Australia) Pty Ltd Gaming Machine Type iSAP Game Type Spinning Reels Game Identifier A69300GA A69300RA Technical Standards NS 10.1 + NSW Appendix (dated 24/11/11) Submission Standards NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Manufacturer IGT (Australia) Pty Ltd Gaming Machine Type iSAP Game Type Spinning Reels Game Identifier A69300GA A69300RA Technical Standards NS 10.1 + NSW Appendix (dated 24/11/11) Submission Standards NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Gaming Machine Type Game Type Spinning Reels Game Identifier A69300GA A69300RA Technical Standards NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Game Type Game Identifier A69300GA A69300RA Technical Standards NS 10.1 + NSW Appendix (dated 24/11/11) Submission Standards NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported ISAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value Standard Stand		
Game Identifier A69300GA A69300RA Technical Standards NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Technical Standards Submission Standards NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Technical Standards Submission Standards NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Submission Standards NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2 Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Progressive levels supported iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Levels: 4 Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Wins transferred to 'Total Wins' meter: Yes Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Maximum Bet Value \$10.00 Base Credit Value 5c, 10c Variation Details War Game RTP% ISAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Base Credit Value 5c, 10c Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Variation Details Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
Var Game RTP% iSAP RTP% Min / Max Total PRTP% 2 80.72 90.99		
2 80.72 90.99		
2 91.64 10.265000 01.00		
3 81.04 10.205999 91.99		
7 79.24 89.51		
Platform/Cabinet		
AVP BC20 – Video Top		
AVP ST22 – Video Slant Top		
Operational Conditions		
The "Ticket In" and "Cashless" facilities are not approved in the ACT.		
Application Reference No. 18-A5249/S01		

This is Page 8 (of 11 pages) of the Schedule to the Gaming Machine Approval 2013 (No 3)

New Gaming Machine				
Game Name		Eastern Riches		
Specification Number	Specification Number		18.80650	
Manufacturer		IGT (Australia	IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		X64200GA		
		X64200RA		
Technical Standards		NS 10.1 + NSV	V Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3	3; TITO Technical Standard V4.20	
NSW Jac		NSW Jackpot	Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes		
		Type: Standard		
		Levels: 3		
		Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		10c		
Variation Details				
Var Game RTP%	iS	AP RTP%	Min / Max Total PRTP%	
2 88.03-88.21	3.275563 91.30-91.48		91.30-91.48	
Platform/Cabinet				
AVP BC20 – Video Top				
AVP ST22 – Video Slant Top				
Operational Conditions				
The "Ticket In" and "Ca	The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference	No.	18-A5202/S01	1	

New Gaming Machine			
Game Name	Summer Queen		
Specification Number	18.A0599		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	X68600GA		
	X68600RA		
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
Maximum Bet Value	\$9.60		
Base Credit Value	1c, 2c, 5c		
Variation Details	Variation Number	Min/Max PRTP%	
	99	87.50	
	2	90.80	
	3	91.99	
	5	88.51	
	7	89.91	
Diatform /Cabinat			

Platform/Cabinet

AVP BC20 - Video Top

AVP ST22 - Video Slant Top

Specific Approval Conditions

- 1 The BCV of 4c is not a subject of this approval.
- 2 Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 18-A5238/S01

New Gaming Machine			
Game Name	Winter Queen		
Specification Number	18.A0598		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	X67400GA		
	X67400RA		
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
Maximum Bet Value	Value \$9.00		
Base Credit Value	1c, 2c, 5c		
Variation Details	Variation Number Min/Max PRTP%		
99 87.50			
2 90.80			
3 92.00			
5 88.51			
7 89.91			
Platform/Cabinet			
AVP BC20 – Video Top			
AVP ST22 – Video Slant Top			
Specific Approval Conditions			
Touch-screen functionality must be enabled in the Configuration Menu after a			
RAM Clear.			
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			

18-A5224/S01

Application Reference No.

New Gaming Machine and Updated Supporting Software		
Game Name	Big Africa	
Specification Number	39.F0004	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	L010MLC001XX_0103NBXX	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	50c, \$1.00	

Variation Details

Variation	Min/Max PRTP%	Variation Number	Min/Max PRTP%
Number			
2	85.16	7	90.19
3	87.18	8	91.93
4	88.09	9	94.06
5	88.57	10	96.04

Platform/Cabinet

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box

KP3 KGP 3.0 SVRS Podium – Slant Top

Specific Approval Conditions

The BCV of 25c is not a subject of this approval.

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Device	detail	IC

Device Name	System/Game Control Software	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
	NSW Jackpot Technical Standards Rev 1.2	
Software Details		
Game Common	KGI_LWPGCMV021N1	

Platform/Cabinet

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box

KP3 KGP 3.0 SVRS Podium – Slant Top

Additional Information

This approval of 'Big Africa' replaces the approval of 'Big Africa' referred to in Notifiable Instrument 2013-48 of 4 February 2012.

Application Reference No.	39-A1121/S01
---------------------------	--------------