

Gaming Machine Approval 2014 (No 29)

Notifiable instrument NI2014–404

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 29)*.

2 Commencement

This instrument commences on the day after its notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes:

- 2010-422
- 2010-423
- 2010-462
- 2010-542
- 2010-547
- 2010-552

James Mullan
Delegate
ACT Gambling and Racing Commission

25 August 2014

Game Name	Aztec Jewels				
Specification Number	18.B0559				
Manufacturer	IGT (Australia) Pty Ltd				
Gaming Machine Type	iSAP				
Game Type	Spinning Reels				
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Progressive Levels Supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes				
Maximum Bet Value	\$5.00				
Base Credit Value	1c, 2c				
Percentage Return to Player (P RTP)					
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total P RTP
02	1c	SC1	81.35	9.550115	90.90
	2c	SC3			
03	1c	SC0	81.35	10.651299	92.00
	2c	SC2			
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top				
Application Reference No.	18-A5028/S01				

Game Name	Dragon Master		
Specification Number	18.B0561		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
02	85.07	5.401535	90.47
03	85.07	6.885465	91.96
07	85.07	4.401535	89.47
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Application Reference No.	18-A5040/S01		

Game Name	Duelling Progressives Dolphin Dreams		
Specification Number	18.B0560		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 4 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
02	81.81	9.130500	90.94
03	82.81	9.130500	91.94
07	80.36	9.130500	89.49
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Application Reference No.	18-A5027/S01		

Game Name	EC Cash Climb		
Specification Number	18.B0558		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP - Ante Bet		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
02	79.89-84.30	6.131310	86.02-90.43
03	79.89-84.30	7.672051	87.56-91.97
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions			
1. Gaming machine variation number 02 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
Application Reference No.	18-A5021/S01		

Game Name	Jade Dynasty
Specification Number	18.B0551
Manufacturer	IGT (Australia) Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Game Artwork Details	A731333PT Version 1* + A731333LBT Version 1** & A731333RBT Version 1** *Optional Poly Top, **Optional Halo Light Panel
Application Reference No.	18-A5051/S01

Game Name	Russian Riches
Specification Number	18.B0552
Manufacturer	IGT (Australia) Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Game Artwork Details	A731333PT Version 1* + A731333LBT Version 1** & A731333RBT Version 1** *Optional Poly Top, **Optional Halo Light Panel
Application Reference No.	18-A5051/S01

Game Name	A.D 79
Specification Number	35.BF036
Manufacturer	Shuffle Master Australasia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Technical Standards	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes
Platform/Cabinet	eStar PC4 - Low Top, Round Top, Square Top, Round Top (with in-machine 17" LCD) PC4 - MOJO ST (Slant Top)
Game Artwork Details:	
Slant Top:	On-screen artwork only
Software details 1:	
Compact Flash Label ID:	A79NWI01
Platform/Cabinet Details:	eStar PC4 - Round Top (with in-machine 17" LCD)
Display Theme:	Historical Volcano
Software details 2:	
Compact Flash Label ID:	A79NWS01
Platform/Cabinet Details:	PC4 - MOJO ST (Slant Top)
Display Theme:	Historical Volcano
Specific Approval Conditions	When the above-mentioned game operates on the eStar PC4 Round Top or the PC4 – Mojo ST cabinet with a Display Controller driving the in-machine LCD in the top box, the Display Controller must operate with the display software as specified above.
Application Reference No.	35-A0603/S01; 35-A0651/S01

Game Name 1	Archipelago Grand Central (BCV 1c)	
Game Name 2	Archipelago Grand Central (BCV 2c)	
Specification Number	35.HF014 35.HF015	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Gaming Machine Type	Secondary Supported Function	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels – 4	
Max Bet Value Game 1	\$4.80	
Max Bet Value Game 2	\$9.60	
Base Credit Value Game 1	1c	
Base Credit Value Game 2	2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	56	81.13
	57	83.59
Platform/Cabinet	eStar PC4 – Round Top (with in-machine 17" LCD)	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, specification Number 35.YA000, with the approved jackpot settings. 2. The touch-screen option must be enabled to allow the help pages to be accessible via the on-screen buttons. 3. When operating on the Round Top platform (with in-machine 17" LCD), the above-mentioned games must be installed in conjunction with the Stargames VGA ADD2 board (STG P/N: ASY-0175) and a 'DV1 to VGA' cable that connects the Top Box LCD to the DVI2 port on the EGM's Backplane Board. 		
Application Reference No.	35-A0663/S01	

Game Name	Ninja 3
Specification Number	35-BF018
Manufacturer	Shuffle Master Australasia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Technical Standards	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS Rev 2.2 NSW TS PGM & PS 1.0 TITO Technical Standard V4.18
Progressive levels supported	Progressive Type - Stand-alone Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes
Platform/Cabinet	eStar PC4 - Low Top, Round Top, Square Top, Round Top (with in-machine 17" LCD) PC4 - MOJO ST (Slant Top)
Game Artwork Details:	
Slant Top:	On-screen artwork only
Software details 1:	
Compact Flash Label ID:	N13NW101
Platform/Cabinet Details:	eStar PC4 - Round Top (with in-machine 17" LCD)
Display Theme:	Ninja 3
Software details 2:	
Compact Flash Label ID:	N13NWS01
Platform/Cabinet Details:	PC4 - MOJO ST (Slant Top)
Display Theme:	Ninja 3
Device Name	In-Machine LCD Display Controller
Category	Supporting Function (SF)
SF Type	In-Machine display software
In-Machine LCD Display Controller:	STG P/N: 48-432 Rev 4
Platform/Cabinet Details	PC4 - MOJO ST (Slant Top)
Specific Approval Conditions	When the above-mentioned game operates on the PC4 – Mojo ST cabinet with a Display Controller driving the in-machine LCD in the top box, the Display Controller must operate with the display software as specified above.
Application Reference No.	35-A0603/S01

Device Name	PC4 – MOJO ST (Slant Top)
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Platform
Submission Standards	NS 9.0 + NSW Appendix (dated 23/03/07)
Technical Standards	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2
Platform/Cabinet Details	PC4 - MOJO ST (Slant Top)
Application Reference No.	35.A0605/S01

Device Name	PC4 Equinox
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Platform
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) TITO Technical Standard V4.18 NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) TITO Technical Standard V4.18 NSW CPTS 2.2
Platform/Cabinet Details	PC4 - Equinox
Application Reference No.	35.A0657/S01

Game Name	African Diamond Double Deluxe	
Specification Number	39.A0296	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.17
	01	90.01
	02	91.99
	03	94.08
	04	96.09
	05	85.12
	06	88.50
	08	88.07
Platform/Cabinet		
K2V - Casino Top, Low Boy, Casino Top with LCD K2V Upgrade - Casino Top, Low Boy K2V 500 - Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval.		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When the game "African Diamond Double Deluxe" is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. When the game "African Diamond Double Deluxe" is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0850/S01	

Game Name	African Diamond Double Deluxe Lucky Garden		
Specification Number	39.B0084		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max P RTP
11	85.12	5.150000	90.27
12	85.12	5.200000	90.32
13	85.12	5.250000	90.37
14	85.12	5.400000	90.52
15	87.17	4.400000	91.57
16	87.17	4.450000	91.62
17	87.17	4.500000	91.67
18	87.17	4.600000	91.77
Platform/Cabinet			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of this approval.			
Application Reference No.	39-A0852/S01		

Game Name	African Diamond Double Deluxe Sport of Kings 2	
Specification Number	39.A0297	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Progressive levels supported	Linked - Yes Type - Random Levels - 4	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	05	85.12
	09	82.18
Platform/Cabinet	K2V - Casino Top with LCD K2V 500 - Casino Top with LCD	
Specific Approval Conditions		
Please note that player selectable multi-denomination functionality contained in the System Software NSW51240 is not a subject of this approval.		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation numbers 05 and 09 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. The above-mentioned game must operate in conjunction with the "Sport of Kings 2" Random Linked Progressive Jackpot System, Specification Number 39-YC002, Jackpot Controller software version 'XSK0207' or later. This game is to be operated on the 'K2V Casino Top with LCD' and the 'K2V 500 Casino Top with LCD' platforms only. 		
Application Reference No.	39-A0851/S01	

Game Name	Blade of Fortune	
Specification Number	39.A0300	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	20c, 50c, \$1.00	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.18
	01	90.19
	02	91.99
	03	94.05
	04	96.03
	05	85.17
	06	88.56
	08	88.10
Platform/Cabinet K2V - Casino Top, Low Boy, Casino Top with LCD K2V Upgrade - Casino Top, Low Boy K2V 500 - Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions 1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. When the game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 3. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.		
Application Reference No.	39-A0836/S01	

Device Name	Topper Artwork
Category	Gaming Machine (GM)
GM Type	Generic Artwork
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Oval Topper Artwork Details:	PSD-AW (PT) PSD-AW (E)
Platform/Cabinet Details	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box
Application Reference No.	39-A0836/S01

Game Name	Blade of Fortune (Multi Denom)	
Specification Number	39.G0003	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	20c, 50c, \$1.00	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.18
	01	90.19
	02	91.99
	03	94.05
	04	96.03
	05	85.17
	06	88.56
	08	88.10
Platform/Cabinet		
K2V - Casino Top, Low Boy, Casino Top with LCD K2V Upgrade - Casino Top, Low Boy K2V 500 - Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When the game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0836/S01	

Game Name	China Shores Free Spin Festival	
Specification Number	39.A0299	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	10	92.16
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box	
Application Reference No.	39-A0862/S01	

Game Name	Dynasty of Gold	
Specification Number	39.A0298	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.00
	01	90.18
	02	91.97
	03	93.99
	04	96.06
	05	85.04
	06	88.58
	08	88.06
Platform/Cabinet		
K2V - Casino Top, Low Boy, Casino Top with LCD K2V Upgrade - Casino Top, Low Boy K2V 500 - Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box		
Specific Approval Conditions		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval.		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When the game "Dynasty of Gold" is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. When the game "Dynasty of Gold" is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0863/S01	

Game Name	Dynasty of Gold Lucky Garden		
Specification Number	39.B0085		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max P RTP
11	85.04	5.150000	90.19
12	85.04	5.200000	90.24
13	85.04	5.250000	90.29
14	85.04	5.400000	90.44
15	87.00	4.400000	91.40
16	87.00	4.450000	91.45
17	87.00	4.500000	91.50
18	87.00	4.600000	91.60
Platform/Cabinet			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System software NSW56340 is not a subject of this approval.			
Application Reference No.	39-A0864/S01		

Game Name	Inca Legend Lucky Garden		
Specification Number	39.B0083		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max P RTP
11	85.19	5.150000	90.34
12	85.19	5.200000	90.39
13	85.19	5.250000	90.44
14	85.19	5.400000	90.59
15	87.02	4.400000	91.42
16	87.02	4.450000	91.47
17	87.02	4.500000	91.52
18	87.02	4.600000	91.62
Platform/Cabinet			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System software NSW56340 is not a subject of this approval.			
Application Reference No.	39-A0856/S01		

Game Name	Wolf Legend Prize Plus		
Specification Number	39.B0067		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP -Ante Bet		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP PRPT	Min/Max Total PRTP
01	83.26-87.34	3.770853	87.03-91.11
02	83.26-87.34	5.770853	89.03-93.11
Device Details			
Device Name	LCD Display Software (Native American)		
Category	Supporting Function (SF)		
SF Type	LCD Display Software		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2		
Platform/Cabinet K2V - Casino Top with LCD K2V 500 - Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
Application Reference No.	39-A0824/S01		

Game Name	Fortune Fountain (2 iSAP Levels)			
Specification Number	44.BF063			
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	Game RTP	BCV	iSAP RTP	Min/Max Total PRTP
02	88.80-88.98	1c, 2c, 5c	3.318842	92.12-92.30
11	88.09-88.27	1c, 2c, 5c	3.226414	91.32-91.50
31	87.14-87.31	1c, 2c, 5c	2.850102	89.99-90.16
51	88.09-88.27	1c, 2c, 5c	3.612630	91.70-91.88
52	88.80-88.97	1c, 2c, 5c	3.705057	92.51-92.68
53	87.13-87.31	1c, 2c, 5c	3.216512	90.35-90.53
61	87.14-87.32	5c	4.193603	91.33-91.51
62	88.09-88.27	5c	4.642536	92.73-92.91
Platform/Cabinet	A560 - High Boy			
Application Reference No.	44-A0594/S01			

Game Name	The Queen	
Specification Number	44.F0310	
Manufacturer	Ainsworth Game Technology Limited	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	88.46
	01	90.49
	02	91.89
	06	86.43
Platform/Cabinet	Ambassador Excell - Bench Top Ambassador SL	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	44-A0546/S01	

Game Name	The Queen (2 iSAP Levels)			
Specification Number	44.BF060			
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Var	BCV	Game RTP	iSAP RTP	Min/Max Total PRTP
16	1c	86.43	3.416667	89.85
19	1c	88.46	3.416667	91.88
26	2c	86.43	3.750000	90.18
29	2c	88.46	3.750000	92.21
56	5c	86.44	3.983333	90.42
59	5c	88.47	3.983333	92.45
Platform/Cabinet	Ambassador Excell – Bench Top Ambassador SL			
Application Reference No.	44-A0546/S01			

Game Name	Vegas Fantasy (BCV 1c)		
Specification Number	44.HF063		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$3.75		
Base Credit Value	1c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.96	3.374794	91.33
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0569/S01		

Game Name	Vegas Fantasy (BCV 2c)		
Specification Number	44.HF064		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$7.50		
Base Credit Value	2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.96	3.374794	91.33
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0569/S01		

Game Name	Vegas Fantasy (BCV 5c)		
Specification Number	44.HF065		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.96	3.374794	91.33
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0569/S01		

Game Name	Vegas Fever (BCV 1c)		
Specification Number	44.HF066		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$3.75		
Base Credit Value	1c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.23	4.184635	91.42
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0568/S01		

Game Name	Vegas Fever (BCV 2c)		
Specification Number	44.HF067		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$7.50		
Base Credit Value	2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.23	4.184635	91.42
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0568/S01		

Game Name	Vegas Fever (BCV 5c)		
Specification Number	44.HF068		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	87.23	4.184635	91.42
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0568/S01		

Game Name	Vegas Fortune (BCV 1c)		
Specification Number	44.HF069		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$3.75		
Base Credit Value	1c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	88.21	3.174534	91.38
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0567/S01		

Game Name	Vegas Fortune (BCV 2c)		
Specification Number	44.HF070		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$7.50		
Base Credit Value	2c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	88.21	3.174534	91.38
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0567/S01		

Game Name	Vegas Fortune (BCV 5c)		
Specification Number	44.HF071		
Manufacturer	Ainsworth Game Technology Limited		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	<ol style="list-style-type: none"> 1. iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes 2. Linked - Yes Type - Standard Levels - 1 		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (PRTP)			
Var	Min/Max Game PRTP	iSAP RTP	Min/Max Total PRTP
02	88.21	3.174534	91.38
Platform/Cabinet	A560 - High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0567/S01		

Game Name	Wild Splash	
Specification Number	1.F0064	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.87
	01	90.19
	07	88.74
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Application Reference No.	01-A1177/S01	

Game Name	Wild Splash (Bonus Link)	
Specification Number	1.HF015	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$10.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	06	85.71
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<p>1. The above-mentioned game 'Wild Splash (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.</p>	
Application Reference No.	01-A1177/S01	

Device Name	Touch Panel & Controller
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Gaming Machine (GM)
GM Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Platform/Cabinet Details	GENEX – Midway, Lowboy, G-Deluxe
Hardware Details:	
Touch Panel and Controller Assembly	Part number: PTD-7029-D-02 Manufacturer: Pentel
Application Reference No.	06-A0293/S01

Device Name	AVP BC20 Communications Board
Manufacturer	IGT (Australia) Pty Ltd
Category	Gaming Machine (GM)
GM Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Platform/Cabinet Details	AVP BC20 - Video Top
Hardware Details:	
Description	IGT Part Number
Super Communications Board	75446103W, Rev A
Application Reference No.	18-A1196/S01

Device Name	ST22 Slant Top Update #2
Specification Number	18.TPA18
Manufacturer	IGT (Australia) Pty Ltd
Category	Gaming Machine (GM)
GM Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Platform/Cabinet Details	AVP ST22 - Video Slant Top
Application Reference No.	18-A1198/S01

Game Name	Blue Whale (2 iSAP Levels)			
Specification Number	44.BF059			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - yes Type - Standard Levels – 2 Wins transferred to 'Total Wins' meter -Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
02	1c, 2c, 5c	88.25	3.718842	91.97
11	1c, 2c, 5c	87.54	3.626414	91.17
31	1c, 2c, 5c	86.58	3.250102	89.83
51	1c, 2c, 5c	87.54	4.012630	91.55
52	1c, 2c, 5c	88.25	4.105057	92.35
53	1c, 2c, 5c	86.58	3.616512	90.20
61	5c	86.58	4.593606	91.18
62	5c	87.54	5.042536	92.58
Platform/Cabinet	A560 – High Boy			
Application Reference No.	44-A0499/S01			

Game Name	Dragon Fish (2 iSAP Levels)			
Specification Number	44.BF058			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - yes Type - Standard Levels – 2 Wins transferred to 'Total Wins' meter -Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
51	1c, 2c, 5c	87.76	3.676942	91.44
52	1c, 2c, 5c	88.82	3.719855	92.54
53	1c, 2c, 5c	86.71	3.634029	90.34
61	5c	86.71	4.833771	91.54
62	5c	87.76	4.876684	92.64
Platform/Cabinet	Ambassador Excell – Bench Top Ambassador SL			
Operational Conditions				
1. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD monitor.				
Application Reference No.	44-A0583/S01			

Device Name	A560 Platform
Manufacturer	Ainsworth Game Technology Ltd
Category	Gaming Machine
Category Type	Hardware Platform
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Platform/Cabinet	A560 – High Boy
Application Reference No.	44.A0532/S01

Device Name	Game Shell / BIOS
Manufacturer	Ainsworth Game Technology Ltd
Category	Supporting Function
Category Type	System Software
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Platform/Cabinet	A560 – High Boy
Application Reference No.	44.A0499/S01

Game Name	Crusader's Heart – Power Pay	
Specification Number	1.F0063	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional- Ante Bet	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.51-92.60
	01	85.12-90.20
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	01-A1163/S01	

Game Name	Crusader's Heart – Power Pay (Bonus Link)	
Specification Number	1.HF014	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS – Ante bet	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Maximum Bet Value	\$6.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	03	83.27-88.38
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<ol style="list-style-type: none"> 1. Gaming machine variation number 03 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned game 'Crusaders Heart – Power Pay (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, specification number 1.YA002, with the approved 'Bonus Link' jackpot settings. 	
Application Reference No.	01-A1163/S01	

Game Name	Sirena's Gold	
Specification Number	1.F0062	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.90
	01	90.07
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Application Reference No.	01-A1178/S01	

Game Name	Sirena's Gold (Bonus Link)	
Specification Number	1.HF013	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - yes Type - standard Levels – 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	85.00
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<ol style="list-style-type: none"> 1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned game 'Sirena's Gold (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, specification number 1.YA002, with the approved 'Bonus Link' jackpot settings. 	
Application Reference No.	01-A1178/S01	

Game Name	Big Challenge Mammoth	
Specification Number	6.F0024	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante Bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.14-89.96
	02	86.13-90.97
	03	87.13-92.00
	04	88.08-92.95
	05	89.04-93.93
	06	90.98-95.91
	07	93.04-97.99
Platform/Cabinet	GENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01& 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0289/S01	

Game Name	Dragon's Fortune	
Specification Number	6.F0014	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.07
	02	87.92
	03	89.03
	04	89.97
	05	92.02
	06	93.93
	07	98.02
Platform/Cabinet	GENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0273/S01	

Game Name	Giant Panda	
Specification Number	6.F0025	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante Bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.18-89.95
	02	86.17-91.00
	03	87.10-91.95
	04	88.09-92.97
	05	89.27-94.19
	06	91.14-96.11
	07	93.00-98.04
Platform/Cabinet	GENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01& 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0285/S01	

Game Name	The Last Emperor	
Specification Number	6.F0022	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.18-89.95
	02	86.17-91.00
	03	87.10-91.95
	04	88.09-92.97
	05	89.27-94.19
	06	91.14-96.11
07	93.00-98.04	
Platform/Cabinet	GENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01& 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0284/S01	

Game Name	Princess in Glass Slippers		
Specification Number	6.BF003		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - yes Type - standard Levels – 1 Wins transferred to 'Total Wins' meter -Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min/Max Total PRTP
01	87.36	0.995158	88.35-88.38
02	88.38	0.995158	89.37-89.40
03	89.40	0.995158	90.39-90.42
04	91.38	0.995158	92.37-92.40
05	93.40	0.995158	94.39-94.42
06	95.39	0.995158	96.38-96.41
07	97.40	0.995158	98.39-98.42
Device Details - 1			
Device Name	GENEX G-Deluxe		
Category	Gaming Machine		
Category Type	Hardware Platform		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Device Details - 2			
Device Name	Title Board Assembly		
Category	Gaming Machine		
Category Type	Hardware Component		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Platform/Cabinet	GENEX – G-Deluxe		
Application Reference No.	06-A0276/S01		

Game Name	Rock You Queen	
Specification Number	6.F0027	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$2.50	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	86.09-90.13
	02	87.02-91.08
	03	87.89-91.98
	04	88.91-93.03
	05	89.92-94.08
	06	91.88-96.09
	07	93.71-98.03
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0288/S01	

Game Name	Sabre Toothed Tiger	
Specification Number	6.F0023	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.05-90.07
	02	86.01-91.02
	03	86.97-91.98
	04	88.01-93.02
	05	89.00-94.02
	06	90.89-96.00
	07	92.88-98.00
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01, 02 & 03 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0279/S01	

Game Name	San Guo Shi Dai (The Era of 3 Kingdoms)	
Specification Number	6.F0028	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$2.50	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	86.09-90.12
	02	87.04-91.10
	03	87.87-91.98
	04	88.94-93.06
	05	89.97-94.15
	06	91.88-96.10
	07	93.71-98.03
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0287/S01	

Game Name	Show Girl	
Specification Number	6.F0026	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.44-90.09
	02	86.39-91.05
	03	87.37-92.05
	04	88.34-93.04
	05	89.35-94.06
	06	91.28-96.03
	07	93.22-98.02
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01 & 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0286/S01	

Game Name	Wild Hunters Tiger	
Specification Number	6.F0021	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional – Ante bet	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	01	85.05-90.41
	02	86.52-91.91
	03	87.64-93.07
	04	88.62-94.08
	05	89.58-95.05
	06	90.52-96.01
	07	92.37-97.91
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions		
1. Gaming machine variation numbers 01 & 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	06-A0290/S01	

Game Name	Lucky 88 (FA FA FA)	
Specification Number	1.HF021	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS Specification Number	1.YA002	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 4	
Maximum Bet Value	\$4.50	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	78.08-83.11
Platform/Cabinet	Gen7 Viridian - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option). Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink)(Configured with ticket printer only).	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. The above mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Fa Fa Fa' jackpot settings. 	
Application Reference No.	01-A1191/S01	

Game Name	The Bullet and the Badge – Power Pay	
Specification Number	1.F0067	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$7.50	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	85.17-90.19
	01	87.62-92.69
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
1. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	01-A1189/S01	

Game Name	The Bullet and the Badge – Power Pay (Bonus Link)	
Specification Number	1.HF019	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS Specification Number	1.YA002	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$6.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	02	83.44-88.49
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<ol style="list-style-type: none"> 1. Gaming machine variation number 02 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned game 'The Bullet and the Badge - Power Pay (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings. 	
Application Reference No.	01-A1189/S01	

Game Name	Imperial Lion	
Specification Number	18.A0586	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$2.50	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.15
	02	90.90
	03	92.00
	05	88.58
	07	89.90
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top	
Application Reference No.	18-A5064/S01	

Game Name	Jack's Back	
Specification Number	18.A0585	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.23
	02	90.98
	03	91.72
	05	88.73
	07	89.88
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top	
Application Reference No.	18-A5056/S01	

Game Name	Tiki Queen		
Specification Number	18.B0563		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP – Ante Bet		
Game Type	Spinning Reels		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	5c, 10c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
03	79.22-83.22	8.770051	87.99-91.99
05	79.22-83.22	9.770416	88.99-92.99
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Application Reference No.	18-A5031/S01		

Device Name	Input/ Output Board
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Input/Output Board	SM P/N: ASY-0161AW
Platform/Cabinet Details	eStar PC4 – Round Top, Square Top, Low Top Round Top (with in-machine 17" LCD)
Application Reference No.	35-A0688/S01

Game Name	Lucky Panda – Pink Panther Returns			
Specification Number	35.BF059			
Manufacturer	Shuffle Master Australasia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$6.25			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
23	1c, 2c	88.67	4.333333	93.00
24	1c, 2c	88.67	5.333167	94.00
51	1c, 2c, 5c	86.66	4.533167	91.19
52	1c, 2c, 5c	86.66	5.533500	92.19
53	1c, 2c, 5c	88.67	4.533167	93.20
54	1c, 2c, 5c	88.67	5.533500	94.20
Platform/Cabinet	PC4 - Equinox			
Application Reference No.	35-A0674/S01			

Device Name	Power Supply Cooling Fan
Manufacturer	Konami Australia Pty Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Hardware Details	
• Power Supply Cooling Fan	Konami P/N: K-0485(A)
Platform/Cabinet Details	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box
Application Reference No.	39-A0890/S01

Game Name	Tokyo Rose	
Specification Number	6.F0013	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	01	85.07
	02	87.92
	03	89.03
	04	89.97
	05	92.02
	06	93.93
	07	98.02
Platform/Cabinet	G-ENEX – Midway, Lowboy	
Operational Conditions	1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.	
Application Reference No.	06-A0278/S01	

Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Manufacturer	IGT Australia Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Platform/Cabinet Details	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Games recommended for use with this version of Base software		
Game Name	Specification Number	Program Id
100 Pandas	18.A0571	X37800GA, RA
Savanna	18.A0574	X40500GA, RA
Flower of Mexico	18.A0575	X40400GA, RA
Wild Girls	18.A0576	X42400GA, RA
Apache Chief	18.A0579	X44400GA, RA
Triple Pot of Gold	18.B0539	X41100GA, RA
Gold Fever Apache Chief	18.B0545	X42100GA, RA
Treasures of the East	18.B0546	X41600GA, RA
Royal Heart	18.B0549	X43100GA, RA
Isis	18-A0570	X39600GA, RA
Celtic Riches	18-B0538	X40900GA, RA
Application Reference No.	18-A5042/S01	

Game Name		Diamond Club VIP			
Specification Number		18.B0557			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter -Yes			
Maximum Bet Value		\$10.00			
Base Credit Value		50c, \$1.00			
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total P RTP
02	50c	SC0	76.10%	14.203842%	90.30%
	\$1.00	SC3			
03	50c	SC1	76.10%	15.828375%	91.92%
	\$1.00	SC4			
07	50c	SC2	76.10%	13.120820%	89.22%
	\$1.00	SC5			
Platform/Cabinet		AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5043/S01			

Device Name	Kernal/Bios
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Supporting Function
Supporting Function Type	System Software
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Game Details:	
Game Name	Drifting Sands 4
Specification Number	35.BF043
Platform/Cabinet Details	eStar PC4 – Low Top, Round Top, Square Top, Round Top (With in-machine 17" LCD Display) PC4 – MOJO Slant Top PC4 - Equinox
Operational Conditions	
The following conditions apply to the eStar PC4 platforms only:	
<ol style="list-style-type: none"> When operating on the Round Top platform (with in-machine 17" LCD Display), the above mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N:ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 	
Application Reference No.	35-A0649/S01; 35-A0650/S01

Game Name	Tiki Totems		
Specification Number	35.BF054		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter -Yes		
Maximum Bet Value	\$8.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
99	90.00%	3.000000%	93.00%
01	85.14%	3.000000%	88.14%
02	87.15%	3.000000%	90.15%
03	88.13%	3.000000%	91.13%
07	86.17%	3.000000%	89.17%
Device Name			
	Kernal/Bios		
Category			
	Supporting Function		
Supporting Function Type			
	System Software		
Submission Standards			
	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards			
	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Platform/Cabinet			
	eStar PC4 – Round Top, Square Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top		
Operational Conditions			
	<ol style="list-style-type: none"> 1. When operating on the Round Top platform (with in-machine 17" LCD Display), the above mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N:ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. 2. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 		
Application Reference No.			
	35-A0675/S01, /S02		

Game Name	Player's Choice Class Act		
Specification Number	1.CF002		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	MGGM - Multi Denom - Ante Bet		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 50c, \$1		
Component Game Set Details			
Game Number	Game Name	Base Credit Value	Max Bet
1	Lucky 88	1c	\$8.40
2	5 Dragons	1c	\$4.50
3	Dollar Bear	50c	\$7.50
4	Dollar Bear	\$1	\$9.00
5	Top Banana	50c	\$7.50
6	Top Banana	\$1	\$9.00
Percentage Return to Player (PRTP)			
MGC	CRP	Game Number	Variation
99	89.47	01	99
		02	02
		03,04	02
		05,06	02
01	90.73	01	01
		02	01
		03,04	04
		05,06	09
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD; Stand-alone) (Configured with ticket printer only).			
Operational Conditions			
1. Multi-game combination 99 must be operated with a linked jackpot arrangement with a contribution rate of 0.13% or greater to ensure that the combined gaming machine percentage return to player and linked jackpot contribution for the game 5 Dragons is at least 87%.			
Application Reference No.	01-A1194/S01		

Game Name	Arctic Quest – Pink Panther Returns			
Specification Number	35.BF057			
Manufacturer	Shuffle Master Australasia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
21	1c, 2c	86.67	4.333333	91.00
22	1c, 2c	86.67	5.333167	92.00
23	1c, 2c	88.74	4.333333	93.07
24	1c, 2c	88.74	5.333167	94.07
51	1c, 2c, 5c	86.67	4.533167	91.20
52	1c, 2c, 5c	86.67	5.533500	92.20
53	1c, 2c, 5c	88.74	4.533167	93.27
54	1c, 2c, 5c	88.74	5.533500	94.27
Platform/Cabinet	PC4 - Equinox			
Application Reference No.	35-A0686/S01			

Game Name	Lakota – Pink Panther Returns			
Specification Number	35.BF055			
Manufacturer	Shuffle Master Australasia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
23	1c, 2c	88.73	4.333333	93.06
24	1c, 2c	88.73	5.333167	94.06
51	1c, 2c, 5c	88.66	4.533167	91.19
52	1c, 2c, 5c	88.66	5.533500	92.19
53	1c, 2c, 5c	88.73	4.533167	93.26
54	1c, 2c, 5c	88.73	5.533500	94.26
Platform/Cabinet	PC4 - Equinox			
Application Reference No.	35-A0685/S01			

Game Name	Texas Star – Pink Panther Returns			
Specification Number	35.BF056			
Manufacturer	Shuffle Master Australasia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total P RTP
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
23	1c, 2c	88.75	4.333333	93.08
24	1c, 2c	88.75	5.333167	94.08
51	1c, 2c, 5c	86.66	4.533167	91.19
52	1c, 2c, 5c	86.66	5.533500	92.19
53	1c, 2c, 5c	88.75	4.533167	93.28
54	1c, 2c, 5c	88.75	5.533500	94.28
Platform/Cabinet	PC4 - Equinox			
Application Reference No.	35-A0684/S01			

Device Name	Pink Panther Marquee Assembly
Manufacturer	Shuffle Master Australasia Pty Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Marquee Assembly	SM P/N: 106-000040
• Mounting Plate	SM P/N: 86-184
Platform/Cabinet Details	PC4 - Equinox
Application Reference No.	35-A0670/S01