

Gaming Machine Approval 2014 (No 30)

Notifiable instrument NI2014–405

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 30)*.

2 Commencement

This instrument commences on the day after its notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes:

- 2010-570
- 2010-588
- 2010-589
- 2010-609
- 2010-610
- 2010-616
- 2010-641
- 2010-642
- 2010-648
- 2010-657
- 2010-680
- 2010-682

James Mullan
Delegate
ACT Gambling and Racing Commission

25 August 2014

Game Name	Gold Lion Triple Shot (3 iSAP Levels)		
Specification Number	44.BF064		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 3		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
01	84.04	6.085410	90.12
02	84.85	6.567353	91.41
11	84.43	6.314278	90.74
21	84.08	6.514596	90.58
22	84.89	6.996540	91.88
Platform/Cabinet	A560 – High Boy		
Application Reference No.	44-A0600/S01		

Game Name	Vegas Frenzy (BCV 1c)		
Specification Number	44.HF072		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Linked – yes Type – Standard Levels - 1		
Maximum Bet Value	\$3.75		
Base Credit Value	1c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0575/S01		

Game Name	Vegas Frenzy (BCV 2c)		
Specification Number	44.HF073		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Linked – yes Type – Standard Levels - 1		
Maximum Bet Value	\$7.50		
Base Credit Value	2c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0575/S01		

Game Name	Vegas Frenzy (BCV 5c)		
Specification Number	44.HF074		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2 Linked – yes Type – Standard Levels - 1		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game P RTP	iSAP RTP	Min/Max Total P RTP
02	86.61	5.209041	91.82
Platform/Cabinet	A560 – High Boy		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the standard linked progressive jackpot system, specification number 44.YA004, with the approved jackpot settings.			
Application Reference No.	44-A0575/S01		

Game Name	Year of the Tiger (2 iSAP Levels)			
Specification Number	44.BF065			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c, 10c			
Percentage Return to Player (P RTP)				
Var	BCV	Game P RTP	iSAP RTP	Min/Max Total P RTP
51	1c, 2c, 5c	88.08	3.528684	91.61
52	1c, 2c, 5c	88.79	3.621111	92.41
53	1c, 2c, 5c	86.91	3.614509	90.52
61	5c	86.91	4.839921	91.75
62	5c	88.09	4.674872	92.76
71	10c	86.91	4.227215	91.14
72	10c	88.08	4.101778	92.18
Platform/Cabinet	A560 – High Boy			
Application Reference No.	44-A0596/S01			

Game Name	Year of the Ox (2 iSAP Levels)			
Specification Number	44.BF061			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c,			
Percentage Return to Player (P RTP)				
Var	BCV	Game P RTP	iSAP RTP	Min/Max Total P RTP
21	1c, 2c, 5c	87.89	3.776822	91.66
22	1c, 2c, 5c	88.60	3.850764	92.45
31	1c, 2c, 5c	86.93	3.449364	90.38
61	5c	86.93	4.501801	91.43
62	5c	87.89	4.882074	92.77
Platform/Cabinet	A560 – High Boy			
Application Reference No.	44-A0507/S01			

Device Name	Topper Artwork
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Game Artwork Details	A101259
Game Details 1	
Game Name	50 Dragons (Fa Fa Fa)
Specification Number	1.HF004
Game Details 2	
Game Name	5 Dragons (Fa Fa Fa)
Specification Number	1.HF005
Application Reference No.	01-A1192/S01

Game Name	Gold Fever Apache Chief		
Specification Number	18.B0545		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c,		
Percentage Return to Player (P RTP)			
Var	Game P RTP	iSAP RTP	Min/Max Total P RTP
99	85.28	5.716701	91.00
01	85.28	6.717041	92.00
02	85.28	3.971020	89.25
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Application Reference No.	18-A05067/S01		

Game Name	GF Ship Ahoy		
Specification Number	18.B0562		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	iSAP RTP	Min/Max Total P RTP
99	86.39	4.601361	90.99
01	86.39	5.606633	92.00
07	86.39	2.857680	89.25
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Application Reference No.	18-A05034/S01		

Game Name	Ship Ahoy	
Specification Number	18.A0584	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c,	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.51
	02	90.92
	03	91.99
	05	88.50
	07	89.88
Device Details		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.	18-A05057/S01, 18-A0981/S01	

Game Name	Aussie Wonders (2 iSAP Levels)			
Specification Number	44.BF071			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total PRTP
51	1c, 2c, 5c	88.45	3.226331	91.67
52	1c, 2c, 5c	89.13	3.297644	92.43
53	1c, 2c, 5c	87.38	3.186024	90.57
61	5c	88.45	4.226774	92.67
62	5c	89.13	4.298086	93.43
Platform/Cabinet	A560 - High Boy			
Application Reference No.	44-A0602/S01			

New Gaming Machine and Updated Game Shell Software				
Game Name		Enchanted World (2 iSAP Levels)		
Specification Number		44.BF070		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
02	1c, 2c, 5c	88.79	3.191290	91.98
11	1c, 2c, 5c	88.08	3.098863	91.18
31	1c, 2c, 5c	86.91	3.154979	90.06
51	1c, 2c, 5c	88.08	3.528684	91.61
52	1c, 2c, 5c	88.79	3.621111	92.41
53	1c, 2c, 5c	86.91	3.614509	90.52
61	5c	86.91	4.839921	91.75
62	5c	88.08	4.674872	92.76
Platform/Cabinet		A560 - High Boy A560 – Low Boy (plus A560 Topper)		
Operational Conditions				
1. The A560 topper is to be installed on the A560 Low boy platform when operating the game 'Enchanted World (2 iSAP levels)'.				
Device Details				
Device Name		Game Shell/BIOS		
Category		Supporting Function		
Platform/Cabinet		A560 - High Boy A560 – Low Boy (plus A560 Topper)		
Application Reference No.		44-A0566/S01		

New Gaming Machine				
Game Name		Inca King (2 iSAP Levels)		
Specification Number		44.BF068		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
51	1c, 2c, 5c	88.00	3.702325	91.70
52	1c, 2c, 5c	88.29	3.722956	92.01
53	1c, 2c, 5c	86.39	3.774534	90.17
61	5c	86.39	4.848421	91.24
62	5c	88.00	4.586406	92.59
Platform/Cabinet		A560 - High Boy		
Application Reference No.		44-A0606/S01		

New Gaming Machine		
Game Name	The Queen	
Specification Number	44.F0311	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	88.46
	01	90.49
	02	91.89
	06	86.43
Platform/Cabinet	A560 - High Boy A560 – Low Boy	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	44-A0586/S01	

New Gaming Machine				
Game Name		The Queen (2 iSAP Levels)		
Specification Number		44.BF072		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
16	1c	86.43	4.050000	90.48
19	1c	88.46	4.050000	92.51
26	2c	86.43	4.133333	90.57
29	2c	88.46	4.133333	92.60
56	5c	86.43	4.300000	90.73
59	5c	88.46	4.300000	92.76
Platform/Cabinet		A560 - High Boy A560 – Low Boy (plus A560 Topper)		
Operational Conditions				
1. The A560 topper is to be installed on the A560 Low boy platform when operating the game 'The Queen (2 iSap levels)'.				
Application Reference No.		44-A0586/S01		

New Gaming Machine			
Game Name	Treasure Tree Triple Shot (3 iSAP Levels)		
Specification Number	44.BF069		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
01	85.94	5.028616	90.97
02	87.13	5.450655	92.58
11	86.68	5.239636	91.92
21	86.01	5.820412	91.83
22	87.19	6.391406	93.58
Platform/Cabinet	A560 - High Boy		
Application Reference No.	44-A0607/S01		

Gaming Machine Cabinet, A560 Topper and Backlit Kit	
Device 1 Name	A560 Platform (Low Boy)
Manufacturer	Ainsworth Game Technology Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Platform
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITI Technical Standard V4.18
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Platform Cabinet Details	A560 – Low Boy
Device 2 Name	A560 Topper (with Optional Flares)
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Platform/Cabinet Details	A560 – Low Boy A560 – High boy
Device 3 Name	Player Tracking Interface Kit
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Platform/Cabinet Details	A560 – Low Boy A560 – High boy
Application Reference No.	44-A0588/S01

Updated Bill Acceptor Firmware	
Device Name	Bill Acceptor
Manufacturer	Ainsworth Game Technology Ltd
Category	Gaming Machine
Gaming Machine Type	Other (BNA Firmware)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
Platform Cabinet Details	Ambassador Excell – Bench Top Ambassador SL A560 – High Boy
Application Reference No.	44-A0603/S01

New Gaming Machine			
Game Name	The Bullet and the Badge (Beat the Bandits)		
Specification Number	1.HF020		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	SFS		
Game Type	Spinning Reels		
LPJS Specification Number	1.YA002		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes Type - Standard Levels – 4		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)	Var	Hit Rate (cr)	Min/Max P RTP
	04	22,500	79.43-84.47
		20,000	79.66-84.70
		17,500	79.94-84.99
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).			
Operational Conditions			
1. Gaming machine variation number 04 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
2. The above-mentioned game 'The Bullet and the Badge (Beat the Bandits) must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Beat the Bandits' jackpot settings.			
Application Reference No.	01-A1185/S01; S02		

New Gaming Machine			
Game Name	Party in Rio (Beat the Bandits)		
Specification Number	1.HF017		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	SFS		
Game Type	Spinning Reels		
LPJS Specification Number	1.YA002		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes Type - Standard Levels – 4		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)	Var	Hit Rate (cr)	Min/Max P RTP
	05	22,500	83.81-83.89
		20,000	84.03-84.12
	17,500	84.32-84.41	
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).			
Operational Conditions			
1. The above-mentioned game 'party in Rio (Beat the Bandits)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Beat the Bandits' jackpot settings.			
Application Reference No.	01-A1186/S01; S02		

New Gaming Machine			
Game Name	Wild Tooth		
Specification Number	1.BF014		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 3		
Maximum Bet Value	\$10.00		
Base Credit Value	\$1.00		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
99	73.28	17.335480	90.62
02	74.35	17.650480	92.00
03	75.41	18.085480	93.50
04	76.33	18.672480	95.00
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD for) (Configured with ticket printer only).			
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD: Stand-alone) (Configured with either ticket printer and/or hopper option)			
Application Reference No.	01-A1183/S01		

New Gaming Machine			
Game Name	Wild Tooth		
Specification Number	1.BF015		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels – 3		
Maximum Bet Value	\$5.00		
Base Credit Value	50c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
99	73.28	17.335480	90.62
02	74.35	17.650480	92.00
03	75.41	18.085480	93.50
04	76.33	18.672480	95.00
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD) (Configured with ticket printer only).			
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD: Stand-alone) (Configured with either ticket printer and/or hopper option)			
Application Reference No.	01-A1184/S01		

Alternate Oval Topper Artwork	
Device Name	Oval Topper Artwork
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Topper Artwork Details	Aristocrat Part Number: 273576_T
Platform/Cabinet Details	Gen7 Viridian – Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)
Application Reference No.	01-A1199/S01

New Gaming Machine and Updated Hardware Assemblies			
Game Name	Dance with Beast		
Specification Number	6.BF005		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	iSAP RTP	Min/Max Total P RTP
01	89.35	0.995158	90.35-90.38
02	91.39	0.995158	92.39-92.42
03	93.34	0.995158	94.34-94.37
04	95.34	0.995158	96.34-96.37
05	97.36	0.995158	98.36-98.39
Platform/Cabinet	GENEX – G-Deluxe		
Device Details 1			
Device Name	GENEX G-Deluxe		
Category	Gaming Machine		
Category Type	Hardware Platform		
Submission Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Mega Top Box	EET000800		
Platform/Cabinet	GENEX – G-Deluxe		
Device Details 2			
Device Name	Title Board Assembly		
Category	Gaming Machine		
Category Type	Hardware Component		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Title Board	CET013300		
Platform/Cabinet	GENEX – G-Deluxe		
Application Reference No.	06-A0280/S01		

New Gaming Machine			
Game Name		Avalon	
Specification Number		18.B0564	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning reels	
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Standard Levels – 2	
Maximum Bet Value		\$10.00	
Base Credit Value		2c, 5c, 10c	
Percentage Return to Player (P RTP)			
Var	Game P RTP	iSAP RTP	Min/Max Total P RTP
02	73.70	17.185344	90.89
07	73.70	15.567062	89.27
Platform/Cabinet		AU1 – Video Top (Casino Top with in-machine LCD display) AU1CII – Video Top	
Application Reference No.		18-A05030/S01	

Regression tested game with previously approved game shell software		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS10.00 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO technical standard V4.18 NSW Jackpot technical Standards Rev 1.1	
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
The following previously approved game is approved for operation with this Shell Version		
Game Name	Specification Number	Program ID
Clovers and gold	18.B0541	X42500GA, RA
Application Reference No.	18-A05079/S01	

New Gaming Machine			
Game Name	Duelling Progressives Lotus Flower		
Specification Number	18.B0565		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 4		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c, 10c		
Variation Details			
Var	Game P RTP	iSAP RTP	Min/Max Total P RTP
02	81.70	9.130500	90.83
03	82.75	9.130500	91.88
07	80.51	9.130500	89.64
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Application Reference No.	18-A5054/S01		

Updated Gaming Machine Game Software		
Game Name	Empress of the East Xtra Choice	
Specification Number	18.A0581	
Manufacturer	IGT (Australia) pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	50c, \$1.00	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	90.80
	03	91.70
	04	93.86
	06	95.39
Firmware	Program ID	
Game	X42910GA	
Game	X42910RA	
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.	18-A5080/S01	

New Multi-Game Gaming Machine				
Game Name		Multistar Wishes and Dreams		
Specification Number		18.C0026		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Machine Type		MGGM		
Game Type		Spinning reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Multi-Game Combination				
MGC	CRP	Game Number	Var	SDB PRTP
01	89.91	01	03	87.97
		02	03	91.85
		03	03	91.86
Details for Component Game 01				
Game Name		Genie of the Lamp 2		
Variation Details		Var		Min/Max PRTP
		03		87.97-91.97
Details for Component Game 02				
Game Name		Flower of Mexico		
Variation Details		Var		Min/Max PRTP
		03		91.85
Details for Component Game 03				
Game Name		Dolphin Dreams		
Variation Details		Var		Min/Max PRTP
		03		91.86
Platform/Cabinet		AVP BC20 – Video Top		
Application Reference No.		18-A5036/S01		

New Gaming Machine		
Game Name	Pirate's Coast	
Specification Number	18.A0587	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.47
	02	90.52
	03	91.88
	05	88.85
	07	89.58
Platform/Cabinet	AU1 – Casino Top , Lowboy, Video Top (Casino Top with in-machine LCD display) AU1C – Casino Top, Lowboy AU1CII – Video Top	
Application Reference No.	18-A5032/S01	

Updated Hardware Assembly	
Device Name	Top Box Monitor Assembly
Manufacturer	IGT (Australia) Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Top Box Monitor Details	
Description	Tovis L3220SG9GU 32" LCD Monitor Non-Touch Screen BC20 Top Box
IGT Part Number	A6000252 Rev B
Platform/Cabinet Details	AVP BC20 – Portrait 32IN Top Box
Application Reference No.	18-A1203/S01

New Gaming Machine			
Game Name		Kelly's Fortune (2 Fixed/2 iSAP)	
Specification Number		35.BF061	
Manufacturer		Shuffle Master Australasia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning reels	
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2	
Maximum Bet Value		\$10.00	
Base Credit Value		5c, 10c	
Percentage Return to Player (P RTP)			
Var	Min/MaxGame P RTP	Progressive RTP	Min/Max Total P RTP
13	88.53-88.55	3.440000	91.97-91.99
14	87.09-87.19	3.440000	90.53-90.63
Platform/Cabinet		PC4 – Equinox	
Application Reference No.		35-A0680/S01	

Updated Gaming Machine Game Software			
Game Name	Hey Presto – Potion Power		
Specification Number	35.BF051		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Min/MaxGame P RTP	Progressive RTP	Min/Max Total P RTP
99	86.16	3.944444	90.10-90.10
03	84.57	3.944444	88.51-88.60
15	87.65	3.944444	91.60-91.62
16	89.38	3.944444	93.32-93.32
Firmware		Program ID	
Game		HPWNSW2A	
Platform/Cabinet		PC4 – Equinox	
Application Reference No.	35-A0678/S01		

Gaming Machine Software Bugfix		
Game Name	Dolphin Magic – Power Pay	
Specification Number	1.F0059	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.99-93.06
	01	85.96-90.98
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	01-A1204/S01	

Gaming Machine Software Bugfix		
Game Name	Dolphin Magic – Power Pay (Bonus Link)	
Specification Number	1.HF012	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$6.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	03	83.56-88.61
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).		
Operational Conditions		
1. Gaming machine variation number 03 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
2. The above-mentioned game ‘Dolphin Magic – Power Pay (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings.		
Application Reference No.	01-A1204/S01	

Game Name	Fortune Princess	
Specification Number	1.F0058	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.99
	01	90.05
	07	88.53
	09	87.06
Platform/Cabinet		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).		
Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).		
Application Reference No.	01-A1151/S01	

Game Name	Fortune Princess (Bonus Link)	
Specification Number	1.HF011	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	85.71
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. The above-mentioned game 'Fortune Princess (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings. 	
Application Reference No.	01-A1151/S01	

Game Name	Jungle Joe Searching High and Low	
Specification Number	1.F0056	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.62-87.78
	01	90.03-90.20
	02	91.81-91.98
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Application Reference No.	01-A1169/S01	

Game Name	Jungle Joe Searching High and Low (Bonus Link)	
Specification Number	1.HF009	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	85.55-85.70
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<ol style="list-style-type: none"> 1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned game 'Jungle Joe Searching High and Low (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings. 	
Application Reference No.	01-A1169/S01	

Game Name	Werewolf Wild	
Specification Number	1.A0820	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.76-87.82
	01	90.13-90.18
	07	88.42-88.48
	09	87.12-87.19
Platform/Cabinet		
Mk 6 (XTra) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either ticket printer or hopper option)		
Mk 6 (SER1RX) – Casino Top (Configured with either ticket printer or hopper option)		
Mk 6 (XCite) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either hopper and/or ticket printer option)		
Slant Mk 6 – Round Top (Configured with ticket printer only)		
Application Reference No.	01-A1174/S01	

Game Name	Diamond Club				
Specification Number	18.B0555				
Manufacturer	IGT (Australia) Pty Ltd				
Gaming Machine Type	iSAP				
Game Type	Spinning Reels				
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes				
Maximum Bet Value	\$10.00				
Base Credit Value	5c, 10c, 20c				
Var	BCV	Setting Combination	Game RTP	iSAP RTP	Min/Max Total P RTP
02	5c	SC0	76.10%	14.367519%	90.46%
	10c	SC3			
	20c	SC6			
03	5c	SC1	76.10%	15.848185%	91.94%
	10c	SC4			
	20c	SC7			
07	5c	SC2	76.10%	13.013741%	89.11%
	10c	SC5			
	20c	SC8			
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top					
Application Reference No.	01-A5013/S01				

Game Name	Genie of the Lamp	
Specification Number	18.A0572	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	03	87.97-91.97
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.	18-A5053/S01	

Game Name	Asgard (2 iSAP Levels)		
Specification Number	35.BF053		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter- Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	50c, \$1, \$2		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max Total P RTP
99	81.63%	8.511111	90.14
03	79.76%	8.511111	88.27
15	81.64%	9.872222	91.51
16	83.68%	9.872222	93.55
Platform/Cabinet			
eStar PC4 – Round Top, Square Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top			
Operational Conditions			
<ol style="list-style-type: none"> When operating on the Round Top platform (with in-machine 17" LCD), the above-mentioned game must be installed in conjunction with the Stargames VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons) 			
Application Reference No.	35-A0656/S01		

Game Name	Party in Rio	
Specification Number	1.F0065	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.78-87.89
	01	90.12-90.19
	07	88.66-88.72
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Application Reference No.	01-A1176/S01	

Game Name	Party in Rio (Bonus Link)	
Specification Number	1.HF016	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$4.80	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	85.66-85.72
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<p>1. The above-mentioned game 'Party in Rio (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.</p>	
Application Reference No.	01-A1176/S01	

Game Name	Rose Tattoo		
Specification Number	1.DF002		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	MGGM – iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 50c, \$1.00 (selectable by player)		
Component Game Set Details			
Game Number	Game Name	BCV	
01	Rose Tattoo (Reel Power)	1c	
02	Rose Tattoo (Reel Power)	2c	
03	Rose Tattoo (Line Play)	50c	
04	Rose Tattoo (Line Play)	\$1.00	
Multi-Game combination			
MGC	CRP	Game Number	Variation SDB PRTP
99	91.57%	01, 02	99 91.55%
		03, 04	99 91.59%
Platform/Cabinet			
Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).			
Details for Component Games 01-02			
Game Name	Rose Tattoo (Reel Power)		
Game Number	01	02	
Max Bet	\$5.00	\$10.00	
Base Credit Value	1c	2c	
Variation Details			
Var	Game VRP	iSAP RTP	Min/Max Total VRP
99	90.27-90.33	1.283750	91.55-91.61

Continued...

Details for Component Games 03-04			
Game Name		Rose Tattoo (Line Play)	
Game Number		03	04
Max Bet		\$5.00	\$10.00
Base Credit Value		50c	\$1.00
Variation Details			
Var	Game VRP	iSAP RTP	Min/Max Total VRP
99	90.31	1.283750	91.59
Application Reference No.		01-A1190/S01, /S02	

Gaming Machine Software Bugfix			
Game Name		Wheel of Gold Dolphin Dreams	
Specification Number		18.H0108	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		SFS	
Game Type		Spinning Reels	
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		Linked - Yes Type - Standard Levels - 4	
Maximum Bet Value		\$5.00	
Base Credit Value		1c, 2c	
Percentage Return to Player (P RTP)		Variation Number	Min/Max P RTP
		08	83.89
Platform/Cabinet		AVP BC20 – Portrait Top	
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations.			
2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.			
3. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.			
Application Reference No.		18-A5085/S01	

Gaming Machine Software Bugfix		
Game Name	Wheel of Gold Eastern Empress	
Specification Number	18.H0105	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 4	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.89
Platform/Cabinet	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear. 		
Application Reference No.	18-A5086/S01	

Bugfix for AVP BC20 Supporting Software	
Device Name	AVP BC20 Shell (Shell, OS & BIOS)
Manufacturer	IGT (Australia) Pty Ltd
Category	Supporting Function
Category Type	System Software
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)NSW CPTS
Technical Standards	2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Software Details	
Shell	AP010603
OS XPe	OS000006
Platform/Cabinet Details	AVP BC20 – Portrait Top, Portrait Top AVP ST22 – Video Slant Top
Application Reference No.	18-A5093/S01

Gaming Machine Software Bugfix		
Game Name	Wheel of Gold Queen of Atlantis	
Specification Number	18.H0107	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	LINKED - Yes Type - Standard Levels - 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	08	83.89
Platform/Cabinet	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear. 		
Application Reference No.	18-A5084/S01	

Device Name	AVP BC20 Portrait 32IN Top Box
Manufacturer	IGT (Australia) Pty Ltd
Category	Gaming Machine
Category Type	Hardware Platform
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18
Platform/Cabinet Details	AVP BC20 – Portrait 32IN Top Box
Application Reference No.	18-A1195/S01

Game Name	Tanami Track – Potion Power		
Specification Number	35.BF048		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels -3		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	iSAP RTP	Min/Max Total PRTP
99	86.17	3.944444	90.11-90.21
03	84.07	3.944444	88.01-88.18
15	87.53	3.944444	91.47
16	89.59	3.944444	93.53-93.59
Platform/Cabinet	PC4 - Equinox		
Application Reference No.	35-A0668/S01		

Game Name	Tiger of Siam – Potion Power		
Specification Number	35.BF047		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	iSAP RTP	Min/Max Total PRTP
99	86.15	3.944444	90.10-90.20
03	84.20	3.944444	88.14-88.28
15	87.51	3.944444	91.45-91.54
16	89.29	3.944444	93.23-93.35
Platform/Cabinet	PC4 - Equinox		
Application Reference No.	35-A0662/S01		

Game Name	Tiki Totems		
Specification Number	35.BF054		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels – 2		
Maximum Bet Value	\$8.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (PRTP)			
Var	Game PRTP	iSAP RTP	Min/Max Total PRTP
99	90.00	3.000000	93.00
01	85.14	3.000000	88.14
02	87.15	3.000000	90.15
03	88.13	3.000000	91.13
07	86.17	3.000000	89.17
Platform/Cabinet	PC4 - Equinox		
Application Reference No.	35-A0679/S01		

New Gaming Machine			
Game Name	Drifting Sands Gold (3 Fixed / 2 iSAP)		
Specification Number	35.BF060		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value	\$9.00		
Base Credit Value	50c, \$1.00		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
99	81.13	9.077311	90.21
15	82.42	9.077311	91.50
16	84.44	9.077311	93.52
Platform/Cabinet	eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 Equinox		
Application Reference No.	35-A0676/S01		

Updated Kernel Software		
Device Name	Kernel/BIOS	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)NSW CPTS 2.2	
Technical Standards	TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Software Details		
Kernel	W4NWX02A	
BIOS	SBGEN024	
Platform/Cabinet Details	eStar PC4 – Low Top, Round Top, Square Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 Equinox	
Previously approved games suitable for use with this version of Kernel Software		
Game Name	Specification Number	Program ID
Drifting Sands 4	35.BF043	DS4NSW4C
Lakota – Pink Panther Returns	35.BF055	LPRNSW2A
Texas Star – Pink Panther Returns	35.BF056	TPRNSW2A
Arctic Quest – Pink Panther Returns	35.BF057	RPRNSW2A
Archipelago Grand Central (BCV 1c)	35.HF014	AGCNSW1B
Archipelago Grand Central (BCV 2c)	35.HF015	AGCNSW1B
Tiger of Siam – Potion Power	35.BF047	SPWNSW3B
Tanami Track – Potion Power	35.BF048	TPWNSW3B
Aztec Pyramid – Potion Power	35.BF058	APWNSW2C
Application Reference No.	35-A0671/S01, 35-A677/S01	

New Gaming Machine and Updated System Software			
Game Name	Blade of Fortune Lucky Garden		
Specification Number	39.B0097		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value	\$5.00		
Base Credit Value	20c, 50c, \$1.00		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.17	5.150000	90.32
12	85.17	5.160000	90.33
13	85.17	5.200000	90.37
14	85.17	5.400000	90.57
15	87.18	4.400000	91.58
16	87.18	4.440000	91.62
17	87.18	4.450000	91.63
18	87.18	4.590000	91.77
Device Details			
Device Name	System Software		
Category	Supporting Function		
SF Type	System Software		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Software Details			
Firmware	System Eprom		
EPROM/Flash Label ID	NSW56246.ROM1 NSW56246.ROM2		
Platform/Cabinet	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56246 is not a subject of this approval			
Operational Conditions			
1. This game must be installed with the touch-screen functionality enabled.			
Application Reference No.	39-A0891/S01, 39-A0892/S01		

New Gaming Machine			
Game Name		Fists of Fire Lucky Garden	
Specification Number		39.B0096	
Manufacturer		Konami Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Submission Standards Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Random Levels - 2	
Maximum Bet Value		\$8.00	
Base Credit Value		10c, 20c, 50c, \$1.00	
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.20	5.150000	90.35
12	85.20	5.160000	90.36
13	85.20	5.200000	90.40
14	85.20	5.400000	90.60
15	87.18	4.400000	91.58
16	87.18	4.440000	91.62
17	87.18	4.450000	91.63
18	87.18	4.590000	91.77
Platform/Cabinet		KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box	
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56340 is not a subject of this approval			
Application Reference No.		39-A0877/S01	

New Gaming Machine		
Game Name	Fortune Tiger	
Specification Number	39.A0290	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.07
	01	90.08
	02	91.86
	03	93.94
	04	96.00
	05	85.16
	06	88.58
	08	88.03
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Specific Approval Conditions		
The player selectable multi-denomination functionality contained in the base software NSW50240 is not a subject of this approval		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0829/S01	

New Gaming Machine			
Game Name		Fortune Tiger Lucky Garden	
Specification Number		39.B0076	
Manufacturer		Konami Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Submission Standards Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Random Levels - 2	
Maximum Bet Value		\$9.00	
Base Credit Value		1c, 2c, 5c	
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.16	5.150000	90.31
12	85.16	5.200000	90.36
13	85.16	5.250000	90.41
14	85.16	5.400000	90.56
15	87.07	4.400000	91.47
16	87.07	4.450000	91.52
17	87.07	4.500000	91.57
18	87.07	4.600000	91.67
Platform/Cabinet		KGP 2.0 UVS - Podium	
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56340 is not a subject of this approval			
Operational Conditions			
1. This game is to be installed without touch-screen functionality.			
Application Reference No.		39-A0830/S01	

New Gaming Machine			
Game Name	Fourteen Pearls Lucky Garden		
Specification Number	39.B0093		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.04	5.150000	90.19
12	85.04	5.200000	90.24
13	85.04	5.250000	90.29
14	85.04	5.400000	90.44
15	87.10	4.400000	91.50
16	87.10	4.450000	91.55
17	87.10	4.500000	91.60
18	87.10	4.600000	91.70
Platform/Cabinet	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56340 is not a subject of this approval			
Application Reference No.	39-A0870/S01		

New Gaming Machine		
Game Name	Ocean of Plenty	
Specification Number	39.A0307	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2, TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.01
	01	90.04
	02	91.98
	03	94.03
	04	96.04
	05	85.01
	06	88.52
	08	88.08
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD		
K2V Upgrade – Casino Top, Low Boy		
K2V 500 – Casino Top, Low Boy, Casino Top with LCD		
K2V 500 Upgrade – Casino Top, Low Boy		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
Operational Conditions		
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
2. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.		
3. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.		
Application Reference No.	39-A0881/S01	

New Gaming Machine			
Game Name	Ocean of Plenty Lucky Garden		
Specification Number	39.B0094		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.01	5.150000	90.16
12	85.01	5.200000	90.21
13	85.01	5.250000	90.26
14	85.01	5.400000	90.41
15	87.01	4.400000	91.41
16	87.01	4.450000	91.46
17	87.01	4.500000	91.51
18	87.01	4.600000	91.61
Platform/Cabinet	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56340 is not a subject of this approval			
Application Reference No.	39-A0882/S01		

New Gaming Machine		
Game Name	Rawhide Double Deluxe	
Specification Number	39.A0292	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	99	87.17
	01	90.01
	02	91.99
	03	94.08
	04	96.09
	05	85.12
	06	88.50
	08	88.07
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions		
The player selectable multi-denomination functionality contained in the base software NSW50240 is not a subject of this approval		
Operational Conditions		
<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0842/S01	

New Gaming Machine			
Game Name	Rawhide Double Deluxe Lucky Garden		
Specification Number	39.B0080		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.12	5.150000	90.27
12	85.12	5.200000	90.32
13	85.12	5.250000	90.37
14	85.12	5.400000	90.52
15	87.17	4.400000	91.57
16	87.17	4.450000	91.62
17	87.17	4.500000	91.67
18	87.17	4.600000	91.77
Platform/Cabinet	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
The player selectable multi-denomination functionality contained in the base software NSW56340 is not a subject of this approval			
Application Reference No.	39-A0843/S01		

New Gaming Machine and Updated System Software				
Game Name		Wiseman's Luck Plus		
Specification Number		39.B0095		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value		\$5.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	Game P RTP	Fixed Price RTP	Progressive RTP	Min/Max Total P RTP
01	85.20	0.883117	5.907853	91.99
Platform/Cabinet		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions				
The player selectable multi-denomination functionality contained in the base software NSW50246 is not a subject of this approval				
Device Details				
Device name		System Software		
Category		Supporting Function		
SF Type		System Software		
Submission Standards Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Software Details				
Firmware		System EPROM		
EPROM Label ID		NSW50246.ROM1 NSW50246.ROM2		
Platform/Cabinet				
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box				
Application Reference No.		39-A0888/S01, 39-A0889/S01		

New Gaming Machine		
Game Name	The Butler Did It!	
Specification Number	1.A0821	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.92
	01	90.16
	02	91.72
Platform/Cabinet		
Mk 6 (XTra) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either ticket printer or hopper option)		
Mk 6 (SER1RX) – Casino Top (Configured with either ticket printer or hopper option)		
Mk 6 (XCite) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either hopper and/or ticket printer option)		
Slant Mk 6 – Round Top (Configured with ticket printer only)		
Application Reference No.	39-A1193/S01	

Updated Hardware Parts		
Device Name	Hopper & Coin Shute Parts	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Component	
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)NSW	
Technical Standards		
Hardware Details		
Description	IGT Part Number	
Bracket Coin Mech Mounting BC20	A7001470, Rev A	
Chute Hopper Feed BC20	A7001471, Rev A	
Bracket Coin Mech Adaptor BC20	A7001472, Rev A	
Cover Large Hopper BC20	A7001473, Rev A	
Cover Hopper ALT Exit ACT BC20	A7001474, Rev A	
Chute Coin Entry BC20	A7001475, Rev A	
Platform/Cabinet Details	AVP BC20 – Video Top, Portrait32IN Top Box	
Application Reference No.	18-A1200/S01	

Updated Gaming Machine Game Software	
Game Name	China Shores Free Spin Festival
Specification Number	39.A0299
Manufacturer	Konami Australia Pty Ltd
Gaming Machine Type	Conventional
Game Type	Spinning Reels
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18
Software Details	
Firmware	EPROM/Flash Label ID
Game EPROM	CSF5NA46.ROM3
Game EPROM	CSF5NA46.ROM4
Game EPROM	CSF5NA46.ROM5
Platform/Cabinet Details	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box
Application Reference No.	39-A0900/S01

New Gaming Machine and Topper Artwork					
Game Name		Gardens of Gold			
Specification Number		39.B0099			
Manufacturer		Konami Australia Pty Ltd			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Submission Standards Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2			
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c			
Percentage Return to Player (P RTP)					
Var	Game RTP%	BCV	Setting Combination	iSAP RTP%	Min/Max Total P RTP#
01	75.19	1	1	15.000500	90.19
			2	15.000465	
		2c	5	15.000500	
			6	15.000465	
02	75.19	1c	3	17.000298	92.19
			4	17.000488	
		2c	7	17.000298	
			8	17.000488	
# Rounded values as transmitted in the SDB					
Platform/Cabinet		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
Device Details					
Device Name		Topper Artwork			
Category		Gaming Machine			
GM type		Generic Artwork			
Topper Artwork Details		RO-AW (PT)			
Platform/Cabinet		KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
Application Reference No.		35-A0799/S01			

Gaming Machine Software Bugfix		
Game Name	5 Fortunes	
Specification Number	35.F0185	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	90.31-90.36
	01	85.25-85.33
	02	87.16-87.28
	03	88.27-88.33
	07	86.17-86.23
	15	91.47-91.51
Platform/Cabinet	eStar PC4 – Round Top, Square Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top	
Software Details		
Firmware	Program ID	
Game	5FONSW3A	
Operational Conditions		
1. Gaming machine variation numbers 01 & 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	35-A0694/S01	

Gaming Machine Software Bugfix		
Game Name	5 Fortunes	
Specification Number	35.F0185	
Manufacturer	Shuffle Master Australasia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	90.31-90.36
	01	85.25-85.33
	02	87.16-87.28
	03	88.27-88.33
	07	86.17-86.23
	15	91.47-91.51
Platform/Cabinet	PC4 - Equinox	
Software Details		
Firmware	Program ID	
Game	5FONSW4A	
Operational Conditions		
1. Gaming machine variation numbers 01 & 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	35-A0693/S01	

Updated Gaming Machine Game software	
Game Name	Aztec Pyramid – Potion Power
Specification Number	35.BF058
Manufacturer	Shuffle Master Australasia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Software Details	
Firmware	EPROM/Flash Label ID
Game	APWNSW3A
Kernel	W4NWX02A
BIOS	SBGEN024
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 - Mojo ST (Slant Top)
Application Reference No.	35-A0690/S01

Updated Gaming Machine Game software	
Game Name	Kelly's Fortune (2 Fixed / 2 iSAP)
Specification Number	35.BF061
Manufacturer	Shuffle Master Australasia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
Software Details	
Firmware	EPROM/Flash Label ID
Game	KEFNSW2A
Kernel	W4NWX02A
BIOS	SBGEN024
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 - Mojo ST (Slant Top)
Application Reference No.	35-A0681/S01

Game Name	Royal Diamonds (2 iSAP Levels)			
Specification Number	44.BF062			
Manufacturer	Ainsworth Game Technology Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player (P RTP)				
Var	Game RTP	BCV	iSAP RTP	Min/Max Total P RTP
02	88.80-88.98	1c, 2c, 5c	3.318842	92.12-92.30
11	88.09-88.27	1c, 2c, 5c	3.226414	91.32-91.50
31	87.13-87.30	1c, 2c, 5c	2.850102	89.99-90.16
51	88.09-88.27	1c, 2c, 5c	3.612630	91.70-91.88
52	88.80-88.97	1c, 2c, 5c	3.705057	92.51-92.68
53	87.13-87.31	1c, 2c, 5c	3.216512	90.35-90.53
61	87.13-87.31	5c	4.193603	91.33-91.51
62	88.09-88.27	5c	4.642536	92.73-92.91
Platform/Cabinet	A560 - High Boy			
Application Reference No.	44-A0559/S01, /S02			

Device Name	LED RGB Topper Assembly
Manufacturer	Ainsworth Game Technology Ltd
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
LED RGB Topper Assembly	AGT P/N:220 109 The Bright Group
Platform/Cabinet Details	Ambassador SL A560 - High Boy
Application Reference No.	44-A0599/S01

Game Name	Aloha Paradise	
Specification Number	1.F0066	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.91
	01	90.19
	07	88.73
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with/without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone/Mystery Link) (Configured with either ticket printer and/or hopper option).</p>	
Application Reference No.	01-A1187/S01	

Game Name	Aloha Paradise (Bonus Link)	
Specification Number	1.HF018	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	1.YA002	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$5.00	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	06	85.67
Platform/Cabinet	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with/without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
Operational Conditions	<p>1. The above-mentioned game 'Aloha Paradise (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.</p>	
Application Reference No.	01-A1187/S01	

Game Name	Ye Grande Fortune		
Specification Number	1.B0620		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max P RTP
99	75.05	12.903705	87.96
01	75.05	15.117580	90.17
02	75.05	16.915609	91.97
03	75.05	19.911044	94.97
Platform/Cabinet	Mk 6 (XTreme) - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option) Slant Mk 6 - Casino Top (with in-machine LCD) (Configured with ticket printer only)		
Application Reference No.	01-A1188/S01		

Game Name	Pretty Pigs		
Specification Number	6.BF004		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
01	89.18	0.995158	90.18-90.28
02	91.19		92.19-92.29
03	93.19		94.19-94.29
04	95.20		96.20-96.30
05	97.29		98.29-98.39
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 1:			
Device Name	Genex G-Deluxe		
Category	Gaming Machine		
Gaming Machine Type	Hardware Platform		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Mega Top Box	EET000900		
Platform/Cabinet	GENEX – G-Deluxe		

Continued...

Device Details – 2:	
Device Name	Title Board Assembly
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Title Board Details	CET013400
Platform/Cabinet	GENEX – G-Deluxe
Device Details – 3:	
Device Name	SDRAM Memory Module
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
SDRAM Dynamic Memory Module	ARF5300D-1GE (ADTEC 1GB) or F0891-10241UN-PC2 (INSTEAD 1GB)
Platform/Cabinet	GENEX – Midway, Lowboy, G-Deluxe
Device Details – 4:	
Device Name	Compact Flash Card
Specification Number	06-TPA13
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Hardware Details	ARZ-CFX8BT1G (ADTEC 1GB)
Platform/Cabinet	GENEX – Midway, Lowboy, G-Deluxe
Application Reference No.	06-A0282/S01

Game Name	Memories of Love		
Specification Number	6.BF006		
Manufacturer	Aruze Gaming Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
01	89.44	0.995158	90.44-90.47
02	91.43		92.43-92.46
03	93.43		94.43-94.46
04	95.42		96.42-96.45
05	97.43		98.43-98.45
Platform/Cabinet	GENEX – G-Deluxe		
Device Details – 1:			
Device Name	Genex G-Deluxe		
Category	Gaming Machine		
Gaming Machine Type	Hardware Platform		
Technical Standards	NS 8.0 + NSW Appendix (dated 28/04/05)		
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)		
Mega Top Box	EET000600		
Platform/Cabinet	GENEX – G-Deluxe		

Continued...

Device Details – 2:	
Device Name	Title Board Assembly
Category	Gaming Machine
Gaming Machine Type	Hardware Component
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)
Title Board Details	CET013200
Platform/Cabinet	GENEX – G-Deluxe
Application Reference No.	06-A0281/S01

Game Name	Gold Fever Dolphin Dreams		
Specification Number	18.B0548		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
99	84.34	6.661667	91.00
01	84.34	7.665000	92.00
02	84.34	4.915000	89.25
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Application Reference No.	18-A5068/S01		

Game Name	Jade Dynasty Link		
Specification Number	18.H0110		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	18.YA008		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
	Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
02	81.35	8.881355	90.23
03	81.35	9.982540	91.33
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot settings combinations.			
2. An overhead display must be used as part of the Linked Progressive Jackpot System.			
3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear.			
Application Reference No.	18-A5017/S01		

Game Name	Russian Riches Link		
Specification Number	18.H0109		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	18.YA008		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter – Yes		
	Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game RTP	iSAP RTP	Min/Max Total P RTP
02	81.35	8.881355	90.23
03	81.35	9.982540	91.33
Platform/Cabinet	AVP BC20 - Video Top AVP ST22 - Video Slant Top		
Operational Conditions			
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot settings combinations. 2. An overhead display must be used as part of the Linked Progressive Jackpot System. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 			
Application Reference No.	18-A5018/S01		

Game Name	African Diamond Double Deluxe Cash Carriage			
Specification Number	39.B0089			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$5.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (P RTP)				
Var	Game P RTP	Setting Combination	Progressive P RTP	Min/Max Total P RTP
01	82.18	1	7.800361	89.98
02	82.18	2	7.790464	89.97
03	82.18	3	7.780489	89.96
04	82.18	4	7.770470	89.95
05	82.18	5	7.760451	89.94
06	82.18	6	7.750028	89.93
07	82.18	7	8.020500	90.20
08	82.18	8	8.000470	90.18
Platform/Cabinet	K2V - Casino Top with LCD K2V 500 - Casino Top with LCD KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Application Reference No.	39-A0880/S01			

Game Name		Black Rose Pirate's Jackpot					
Specification Number		39.B0091					
Manufacturer		Konami Australia Pty Ltd					
Gaming Machine Type		iSAP					
Game Type		Spinning Reels					
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1					
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1					
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes					
Maximum Bet Value		\$6.00					
Base Credit Value		1c, 2c, 5c					
Percentage Return to Player (P RTP)							
Var	Game RTP	Bonus RTP	Setting Combination			iSAP RTP	Min/Max Total P RTP
			1c	2c	5c		
01	82.16	2.58	11	21	31	5.422448	90.16
		1.83	12	22	32	6.169049	
		1.53	13	23	33	6.467008	
		1.46	14	24	34	6.538096	
		1.27	15	25	35	6.728300	
02	82.16	2.77	16	26	36	7.016695	91.95
		2.03	17	27	37	7.756641	
		1.75	18	28	38	8.037953	
		1.51	19	29	39	8.275246	
		1.31	20	30	40	8.483919	
Platform/Cabinet			KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box				
Device Details:							
Device Name		Topper Artwork					
Category		Gaming Machine					
Gaming Machine Type		Generic Artwork					
Technical Standards		NS 10.0 + NSW Appendix (dated 14/01/09)					
Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09)					
Topper Artwork Details		a) PIR-AW (PT) b) PIR-AW (E)					
Application Reference No.		39-A0860/S01					

Game Name	Double Tiki	
Specification Number	39.A0304	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.16
	01	90.18
	02	91.99
	03	94.03
	04	96.06
	05	85.11
	06	88.50
08	88.00	
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box	
Operational Conditions		
<ol style="list-style-type: none"> 1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. 		
Application Reference No.	39-A0886/S01	

Game Name	Double Tiki Lucky Garden		
Specification Number	39.B0092		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.11	5.150000	90.26
12	85.11	5.200000	90.31
13	85.11	5.250000	90.36
14	85.11	5.400000	90.51
15	87.16	4.400000	91.56
16	87.16	4.450000	91.61
17	87.16	4.500000	91.66
18	87.16	4.600000	91.76
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56146 is not a subject of this approval.			
Application Reference No.	39-A0887/S01		

Game Name	Egyptian Sunset	
Specification Number	39.A0303	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.16
	01	90.03
	02	91.98
	03	94.06
	04	96.04
	05	85.11
	06	88.57
08	88.09	
Platform/Cabinet	<p>K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When the game “Egyptian Sunset” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. When the game “Egyptian Sunset” is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 	
Application Reference No.	39-A0878/S01	

Game Name	Egyptian Sunset Lucky Garden		
Specification Number	39.B0088		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.11	5.150000	90.26
12	85.11	5.200000	90.31
13	85.11	5.250000	90.36
14	85.11	5.400000	90.51
15	87.16	4.400000	91.56
16	87.16	4.450000	91.61
17	87.16	4.500000	91.66
18	87.16	4.600000	91.76
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of this approval.			
Application Reference No.	39-A0879/S01		

Game Name	Fists of Fire	
Specification Number	39.A0306	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$8.00	
Base Credit Value	10c, 20c, 50c, \$1.00	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.18
	01	90.19
	02	91.99
	03	94.05
	04	96.06
	05	85.20
	06	88.53
08	88.10	
Platform/Cabinet	<p>K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 	
Application Reference No.	39-A0876/S01	

Game Name	Fourteen Pearls	
Specification Number	39.A0305	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.10
	01	90.20
	02	91.93
	03	93.94
	04	95.91
	05	85.04
	06	88.56
08	88.01	
Platform/Cabinet	<p>K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When this game is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 	
Application Reference No.	39-A0869/S01	

Game Name	Genie's Reward	
Specification Number	39.A0301	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.17
	01	90.19
	02	91.90
	03	94.08
	04	96.10
	05	85.19
	06	88.50
	08	88.10
Device Details:		
Device Name	System Software	
Category	Supporting Function (SF)	
SF Type	System Software	
Platform/Cabinet		
K2V – Casino Top, Low Boy, Casino Top with LCD		
K2V Upgrade – Casino Top, Low Boy		
K2V 500 – Casino Top, Low Boy, Casino Top with LCD		
K2V 500 Upgrade – Casino Top, Low Boy		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		

Continued...

Operational Conditions

1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
2. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot.
3. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot.

Application Reference No.

39-A0872/S01, 39-A0873/S01

Game Name	Genie's Reward Lucky Garden		
Specification Number	39.B0086		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.19	5.150000	90.34
12	85.19	5.200000	90.39
13	85.19	5.250000	90.44
14	85.19	5.400000	90.59
15	87.17	4.400000	91.57
16	87.17	4.450000	91.62
17	87.17	4.500000	91.67
18	87.17	4.600000	91.77
Device Details:			
Device Name	System Software		
Category	Supporting Function (SF)		
SF Type	System Software		
Platform/Cabinet			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW50146 is not a subject of this approval.			
Application Reference No.	39-A0874/S01, 39-A0875/S01		

Game Name	Straight and Arrow Cash Carriage			
Specification Number	39.B0090			
Manufacturer	Konami Australia Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player (P RTP)				
Var	Game P RTP	Setting Combination	Progressive P RTP	Min/Max Total P RTP
01	82.18	1	7.800361	89.98
02	82.18	2	7.790464	89.97
03	82.18	3	7.780489	89.96
04	82.18	4	7.770470	89.95
05	82.18	5	7.760451	89.94
06	82.18	6	7.750028	89.93
07	82.18	7	8.020500	90.20
08	82.18	8	8.000470	90.18
Platform/Cabinet	K2V - Casino Top with LCD K2V 500 - Casino Top with LCD KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box			
Application Reference No.	39-A0884/S01			

Game Name	Wiseman's Luck	
Specification Number	39.A0302	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.19
	01	90.20
	02	91.93
	03	94.09
	04	96.09
	05	85.20
	06	88.59
08	88.10	
Platform/Cabinet	<p>K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
Operational Conditions	<ol style="list-style-type: none"> Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. When the game "Wiseman's Luck" is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. When the game "Wiseman's Luck" is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a level 2 mystery jackpot. 	
Application Reference No.	39-A0865/S01	

Game Name	Wiseman's Luck Lucky Garden		
Specification Number	39.B0087		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive RTP	Min/Max Total P RTP
11	85.20	5.150000	90.35
12	85.20	5.200000	90.40
13	85.20	5.250000	90.45
14	85.20	5.400000	90.60
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
Platform/Cabinet	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
Specific Approval Conditions			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56146 is not a subject of this approval.			
Application Reference No.	39-A0866/S01		

Game Name	Aztec Pyramid - Potion Power		
Specification Number	35.BF058		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game RTP	Progressive RTP	Min/Max Total P RTP
99	86.33-86.33	3.944444	90.27-90.27
03	84.24-84.33	3.944444	88.18-88.27
15	87.49-87.61	3.944444	91.43-91.55
16	89.55-89.64	3.944444	93.49-93.58
Software Details		Firmware	Program ID
		Game:	APWNSW1C
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in machine 17” LCD Display) PC4 – Mojo ST (Slant Top)		
Operational Conditions			
<ol style="list-style-type: none"> 1. When operating on the Round Top platform (with in-machine 17” LCD Display), the above-mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to DVI2 port on the EGM's Backplane Board. 2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons). 			
Application Reference No.	35-A0666/S01		

Game Name	Aztec Pyramid - Potion Power		
Specification Number	35.BF058		
Manufacturer	Shuffle Master Australasia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value	\$6.00		
Base Credit Value	1c, 2c		
Percentage Return to Player (P RTP)			
Var	Min/Max Game RTP	Progressive RTP	Min/Max Total P RTP
99	86.33-86.33	3.944444	90.27-90.27
03	84.24-84.33	3.944444	88.18-88.27
15	87.49-87.61	3.944444	91.43-91.55
16	89.55-89.64	3.944444	93.49-93.58
Software Details		Firmware	Program ID
		Game:	APWNSW2C
Platform/Cabinet	PC4 - Equinox		
Application Reference No.	35-A0667/S01		

New Gaming Machine		
Game Name	Rumble Reels	
Specification Number	1.A0822	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$6.25	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.99
	01	90.19
	07	88.74
Platform/Cabinet		
Mk 6 (XTra) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either ticket printer or hopper option)		
Mk 6 (SER1RX) – Casino Top (Configured with either ticket printer or hopper option)		
Mk 6 (XCite) – Low Boy, Casino Top (Configured with either ticket printer and/or hopper option)		
Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either hopper and/or ticket printer option)		
Slant Mk 6 – Round Top (Configured with ticket printer only)		
Application Reference No.	39-A1198/S01	

New Gaming Machine		
Game Name	Exotic Nights	
Specification Number	18.A0589	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.20
	02	90.91
	03	91.86
	05	88.61
	07	89.59
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.	18-A5071/S01	

New Gaming Machine		
Game Name	Red Lions	
Specification Number	18.A0588	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	87.90
	02	90.92
	03	92.00
	05	88.52
	07	89.89
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.	18-A5074/S01	

New Gaming Machine		
Game Name	Wheel of Gold Wild Girls	
Specification Number	18.H0112	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2; TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.88
Platform/Cabinet	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the 32IN Top Box. 3. Touch-screen functionality must be enabled in the Configuration Menu after RAM Clear 		
Application Reference No.	18-A5050/S01	

New Gaming Machine			
Game Name		Tritons Treasure	
Specification Number		18.B0566	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards		NSW CPTS 2.2; TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2	
Maximum Bet Value		\$5.00	
Base Credit Value		1c, 2c, 5c	
Percentage Return to Player (P RTP)			
Var	Game RTP%	iSAP RTP%	Min/Max Total P RTP#
02	84.64	6.319647	90.96
03	84.64	7.257065	91.90
07	84.64	4.744810	89.39
Platform/Cabinet		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Application Reference No.		18-A5066/S01	

Updated Ticket Printer Assembly			
Device Name		Thermal Ticket Printer	
Manufacturer		Konami Australia Pty Ltd	
Category		Gaming Machine	
Category Type		Hardware Component	
Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards		NSW CPTS 2.2; TITO Technical Standard V4.18	
Hardware Details			
Description			
Thermal Ticket Printer		Future Logic / PSA-66-STRU (GEN2U) Konami P/N: 733	
Platform/Cabinet Details			
K2V - Casino Top, Lowboy, Casino Top with LCD			
K2V 500 - Casino Top, Low Boy, Casino Top with LCD			
K2V Upgrade - Casino Top, Lowboy			
K2V 500 Upgrade - Casino Top, Lowboy			
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box, Short Top Box			
Application Reference No.		39-A0883/S01	

New Gaming Machine		
Game Name	Dolphins	
Specification Number	44.F0314	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	88.12
	01	90.27
	02	91.92
	06	86.30
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy(with/without A560 Topper)	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	44-A0591/S01	

New Gaming Machine				
Game Name		Dolphins (2 iSAP Levels)		
Specification Number		44.BF075		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
16	1c	86.30	4.050000	90.35
19		88.12		92.17
26	2c	86.30	4.133333	90.43
29		88.12		92.25
Platform/Cabinet		A560-H - High Boy A560-L - Low Boy (with A560 Topper)		
Operational Conditions				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Dolphins (2 iSAP Levels)				
Application Reference No.		44-A0591/S01		

New Gaming Machine			
Game Name	Dragon Fish Classic (BCV 5c)		
Specification Number	44.HF077		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	SFS – iSAP		
Game Type	Spinning Reels		
LPJS	44.YA005		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max Total P RTP
01	87.00	1.925150	88.92
Platform/Cabinet	Ambassador Excell - Bench Top Ambassador SL		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings			
Application Reference No.	44-A0584/S01		

New Gaming Machine			
Game Name		Dragon Fish Classic (BCV 10c)	
Specification Number		44.HF078	
Manufacturer		Ainsworth Game Technology Ltd	
Gaming Machine Type		SFS – iSAP	
Game Type		Spinning Reels	
LPJS		44.YA005	
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported		iSAP - Yes Type - Standard Levels - 1 Linked - Yes Type - Standard Levels - 1	
Maximum Bet Value		\$10.00	
Base Credit Value		10c	
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max Total P RTP
01	87.00	1.925150	88.92
Platform/Cabinet		Ambassador Excell - Bench Top Ambassador SL	
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.			
Application Reference No.		44-A0584/S01	

New Gaming Machine and Additional Topper Artwork		
Game Name	Dragon Lines	
Specification Number	44.F0317	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	88.12
	01	90.27
	02	92.32
	06	86.30
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy (with/without A560 Topper)	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Device Details		
Device Name	Topper/Player Tracking Panel Artwork	
Category	Gaming Machine	
Technical Standards	NS10.00 + NSW Appendix dated (14/01/09)	
Submission Standards		
Topper Artwork	401131 Rev A Dragon Lines	
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy (with/without A560 Topper)	
Application Reference No.	44-A0502/S01	

New Gaming Machine				
Game Name		Dragon Lines (2 iSAP Levels)		
Specification Number		44.BF079		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP -Yes Type -Random Levels -2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
16	1c	86.30	4.050000	90.35
19		88.12		92.17
26	2c	86.30	4.133333	90.43
29		88.12		92.25
Platform/Cabinet		A560-H - High Boy A560-L - Low Boy (with A560 Topper)		
Operational Conditions				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Dragon Lines (2 iSAP Levels)				
Application Reference No.		44-A0502/S01		

New Gaming Machine		
Game Name	Rio Express (BCV 1c)	
Specification Number	44.HF082	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$3.75	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.24-86.41
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy (plus A560 Topper)	
Operational Conditions		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.		
2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.		
Application Reference No.	44-A0610/S01	

New Gaming Machine		
Game Name	Rio Express (BCV 2c)	
Specification Number	44.HF083	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$7.50	
Base Credit Value	2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.24-86.41
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy (plus A560 Topper)	
Operational Conditions		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.		
2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.		
Application Reference No.	44-A0610/S01	

New Gaming Machine		
Game Name	Rio Express (BCV 5c)	
Specification Number	44.HF084	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$10.00	
Base Credit Value	5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.24-86.41
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy (plus A560 Topper)	
Operational Conditions		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.		
2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.		
Application Reference No.	44-A0610/S01	

New Gaming Machine		
Game Name	Roaming Reels	
Specification Number	44.F0315	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	88.21
	01	90.20
	02	92.20
	06	86.14
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy(with/without A560 Topper)	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	44-A0590/S01	

New Gaming Machine				
Game Name		Roaming Reels (2 iSAP Levels)		
Specification Number		44.BF077		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
16	1c	86.14	4.050000	90.19
19		88.21		92.26
26	2c	86.14	4.133333	90.27
29		88.21		92.35
Platform/Cabinet		A560-H - High Boy A560-L - Low Boy (with A560 Topper)		
Operational Conditions				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Roaming Reels (2 iSAP Levels)'.				
Application Reference No.		44-A0590/S01		

New Gaming Machine		
Game Name	The King	
Specification Number	44.F0312	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	99	88.26
	01	90.37
	02	91.93
	06	86.24
Platform/Cabinet	A560-H - High Boy A560-L - Low Boy(with/without A560 Topper)	
Operational Conditions		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	44-A0585/S01; /S02	

New Gaming Machine				
Game Name		The King (2 iSAP Levels)		
Specification Number		44.BF073		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Random Levels - 2		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	iSAP RTP	Min/Max Total P RTP
16	1c	86.24	4.050000	90.29
19		88.26		92.31
26	2c	86.24	4.133333	90.37
29		88.26		92.40
56	5c	86.24	4.300000	90.54
59		88.26		92.56
Platform/Cabinet		A560-H - High Boy A560-L - Low Boy (plus A560 Topper)		
Operational Conditions				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'The King (2 iSAP Levels)				
Application Reference No.		44-A0585/S01; /S02		

New Gaming Machine			
Game Name	Year of the Tiger Classic (BCV 5c)		
Specification Number	44.HF075		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	44.YA005		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max Total P RTP
01	87.29	1.839325	89.13
Platform/Cabinet	Ambassador Excell - Bench Top Ambassador SL		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.			
Application Reference No.	44-A0573/S01		

New Gaming Machine			
Game Name	Year of the Tiger Classic (BCV 10c)		
Specification Number	44.HF076		
Manufacturer	Ainsworth Game Technology Ltd		
Gaming Machine Type	SFS - iSAP		
Game Type	Spinning Reels		
LPJS	44.YA005		
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	iSAP - Yes Type - Standard Levels - 1 Linked - Yes Type - Standard Levels - 1		
Maximum Bet Value	\$10.00		
Base Credit Value	10c		
Percentage Return to Player (P RTP)			
Var	Game P RTP	Progressive P RTP	Min/Max Total P RTP
01	87.29	1.839325	89.13
Platform/Cabinet	Ambassador Excell - Bench Top Ambassador SL		
Operational Conditions			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.			
Application Reference No.	44-A0573/S01		

New Gaming Machine		
Game Name	Golden Lamp	
Specification Number	18.A0590	
Manufacturer	IGT (Australia) Pty Ltd (IGT)	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$10.00	
Base Credit Value	20c, 50c, \$1.00	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	90.94
	03	91.97
	04	94.12
	07	89.92
Platform/Cabinet	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Operational Conditions		
1. IGT must inform any purchaser / lessee of the game ‘Golden Lamp’ in writing at the time of purchase / lease that the \$2.00 denomination is not a subject of this approval and must not be configured in the field.		
Application Reference No.	18-A5055/S01	

New Gaming Machine		
Game Name	Wheel of Gold Ancient Troy	
Specification Number	18.H0113	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.89
Platform/Cabinet	AVP BC20 – Portrait Top	
Operational Conditions		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations		
2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 31IN Top Box		
3. Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.		
Application Reference No.	18-A5039/S01	

New Gaming Machine and Additional Topper Artwork				
Game Name		Megataur – Pink Panther Returns		
Specification Number		35.BF066		
Manufacturer		Shuffle master Australasia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value		\$6.25		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total P RTP
19	1c, 2c	84.77	4.333333	89.10
21	1c, 2c	86.66	4.333333	91.00
22	1c, 2c	86.66	5.333167	92.00
24	1c, 2c	88.66	5.333167	93.99
49	1c, 2c, 5c	84.77	4.533167	89.30
51	1c, 2c, 5c	86.66	4.533167	91.20
52	1c, 2c, 5c	86.66	5.533500	92.20
54	1c, 2c, 5c	88.66	5.533500	94.19
Platform/Cabinet		PC4 - Equinox		
Device Details				
Device Name		Topper Artwork		
Category		Gaming Machine		
Technical Standards		NS10.00 + NSW Appendix (dated 14/01/09)		
Submission Standards				
Artwork Details		ARW-PP2/E Rev A		
Platform/Cabinet		PC4 - Equinox		
Application Reference No.		35-A0700/S01		

New Gaming Machine and Additional Player Tracking Panel Artwork		
Game Name	Rio Gold (BCV 1c)	
Specification Number	44.HF088	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$3.75	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.45
Device Details		
Device Name	Topper/Player Tracking Panel Artwork	
Category	Gaming Machine	
Artwork	470120 Rev A	
Platform/Cabinet	A560 -H – High Boy A560 -L – Low Boy (with A560 Topper)	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game. 		
Application Reference No.	44-A0616/S01	

New Gaming Machine		
Game Name	Rio Gold (BCV 2c)	
Specification Number	44.HF089	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$7.50	
Base Credit Value	2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.45
Platform/Cabinet	A560 –H – High Boy A560 –L – Low Boy (with A560 Topper)	
Operational Conditions		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.		
2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.		
Application Reference No.	44-A0616/S01	

New Gaming Machine		
Game Name	Rio Gold (BCV 5c)	
Specification Number	44.HF090	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$10.00	
Base Credit Value	5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.45
Platform/Cabinet	A560 –H – High Boy A560 –L – Low Boy (with A560 Topper)	
Operational Conditions		
<ol style="list-style-type: none"> The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game. 		
Application Reference No.	44-A0616/S01	

New Gaming Machine		
Game Name	Rio Sunset (BCV 1c)	
Specification Number	44.HF079	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$3.75	
Base Credit Value	1c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.20
Platform/Cabinet	A560 –H – High Boy A560 –L – Low Boy (with A560 Topper)	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game. 		
Application Reference No.	44-A0605/S01; /S02	

New Gaming Machine		
Game Name	Rio Sunset (BCV 2c)	
Specification Number	44.HF080	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$7.50	
Base Credit Value	2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.20
Platform/Cabinet	A560 –H – High Boy A560 –L – Low Boy (with A560 Topper)	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game. 		
Application Reference No.	44-A0605/S01; /S02	

New Gaming Machine		
Game Name	Rio Sunset (BCV 5c)	
Specification Number	44.HF081	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	44.YA005	
Submission Standards Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
Progressive levels supported	Linked - Yes Type - Standard Levels - 3	
Maximum Bet Value	\$10.00	
Base Credit Value	5c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	02	86.20
Platform/Cabinet	A560 –H – High Boy A560 –L – Low Boy (with A560 Topper)	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game. 		
Application Reference No.	44-A0605/S01; /S02	

New Gaming Machine				
Game Name		Dragon Charm Cash Carriage		
Specification Number		39.B0100		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value		\$5.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	Game RTP	Setting Combination	Progressive RTP	Min/Max Total P RTP
01	82.19	1	7.800361	89.99
02	82.19	2	7.790464	89.98
03	82.19	3	7.780489	89.97
04	82.19	4	7.770470	89.96
05	82.19	5	7.760451	89.95
06	82.19	6	7.750028	89.94
07	82.19	7	8.020500	90.21
08	82.19	8	8.000470	90.19
Platform/Cabinet		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Application Reference No.		39-A0902/S01		

New Gaming Machine				
Game Name		Wiseman's Luck Cash Carriage		
Specification Number		39.B0101		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2		
Maximum Bet Value		\$9.00		
Base Credit Value		1c, 2c		
Percentage Return to Player (P RTP)				
Var	Game RTP	Setting Combination	Progressive RTP	Min/Max Total P RTP
01	82.19	1	7.800361	89.99
02	82.19	2	7.790464	89.98
03	82.19	3	7.780489	89.97
04	82.19	4	7.770470	89.96
05	82.19	5	7.760451	89.95
06	82.19	6	7.750028	89.94
07	82.19	7	8.020500	90.21
08	82.19	8	8.000470	90.19
Platform/Cabinet		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
Application Reference No.		39-A0904/S01		

New Gaming Machine				
Game Name		Arctic Quest – Pink Panther Returns		
Specification Number		35.BF064		
Manufacturer		Shuffle Master Australasia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total P RTP
19	1c, 2c	84.75	4.333333	89.08
21	1c, 2c	86.67	4.333333	91.00
22	1c, 2c	86.67	5.333167	92.00
24	1c, 2c	88.74	5.333167	94.07
49	1c, 2c, 5c	84.75	4.533167	89.28
51	1c, 2c, 5c	86.67	4.533167	91.20
52	1c, 2c, 5c	86.67	5.533500	92.20
54	1c, 2c, 5c	88.74	5.533500	94.27
Platform/Cabinet		PC4 - Equinox		
Application Reference No.		35-A0699/S01		

New Gaming Machine				
Game Name		Lakota – Pink Panther Returns		
Specification Number		35.BF062		
Manufacturer		Shuffle Master Australasia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total P RTP
19	1c, 2c	84.73	4.333333	89.06
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
24	1c, 2c	88.73	5.333167	94.06
49	1c, 2c, 5c	84.73	4.533167	89.26
51	1c, 2c, 5c	86.66	4.533167	91.19
52	1c, 2c, 5c	86.66	5.533500	92.19
54	1c, 2c, 5c	88.73	5.533500	94.26
Platform/Cabinet		PC4 - Equinox		
Application Reference No.		35-A0696/S01		

New Gaming Machine				
Game Name		Lucky Panda – Pink Panther Returns		
Specification Number		35.BF063		
Manufacturer		Shuffle Master Australasia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value		\$6.25		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (P RTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total P RTP
19	1c, 2c	84.74	4.333333	89.07
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
24	1c, 2c	88.67	5.333167	94.00
49	1c, 2c, 5c	84.74	4.533167	89.27
51	1c, 2c, 5c	86.66	4.533167	91.19
52	1c, 2c, 5c	86.66	5.533500	92.19
54	1c, 2c, 5c	88.67	5.533500	94.20
Platform/Cabinet		PC4 - Equinox		
Application Reference No.		35-A0698/S01		

New Gaming Machine				
Game Name		Texas Star – Pink Panther Returns		
Specification Number		35.BF065		
Manufacturer		Shuffle Master Australasia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)		
Technical Standards		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 3		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Percentage Return to Player (PRTP)				
Var	BCV	Game RTP	Progressive RTP	Min/Max Total PRTP
19	1c, 2c	84.70	4.333333	89.03
21	1c, 2c	86.66	4.333333	90.99
22	1c, 2c	86.66	5.333167	91.99
24	1c, 2c	88.75	5.333167	94.08
49	1c, 2c, 5c	84.70	4.533167	89.23
51	1c, 2c, 5c	86.66	4.533167	91.19
52	1c, 2c, 5c	86.66	5.533500	92.19
54	1c, 2c, 5c	88.75	5.533500	94.28
Platform/Cabinet		PC4 - Equinox		
Application Reference No.		35-A0697/S01		