

# Gaming Machine Approval 2014 (No 33)

Notifiable instrument NI2014–408

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 33)*.

## 2 Commencement

This instrument commences on the day after its notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

## 4 Revocation

This instrument revokes:

- 2011-393
- 2011-394
- 2011-411
- 2011-422
- 2011-430
- 2011-431
- 2011-432
- 2011-435
- 2011-455
- 2011-467
- 2011-468
- 2011-510
- 2011-531
- 2011-557
- 2011-559
- 2011-566
- 2011-574

James Mullan  
Delegate  
ACT Gambling and Racing Commission

25 August 2014

New Poker Machine Game			
<b>Game Name</b>	Chinese Phoenix III		
<b>Specification Number</b>	6.F0036		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	01	87.91%	87.93%
	02	88.91%	88.93%
	03	89.91%	89.94%
	04	90.90%	90.92%
	05	91.91%	91.94%
	06	92.91%	92.94%
	07	95.90%	95.93%
<b>Platform/Cabinet</b>	G-ENEX – Midway, Low Boy		
<b>Application Reference No.</b>	06-A0330/S01		

New Poker Machine Game Including Updated Hardware Assemblies			
<b>Game Name</b>	Chinese Queen		
<b>Specification Number</b>	6.F0030		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>	
	01	91.98%	
	02	93.90%	
	03	95.92%	
	04	97.97%	
<b>Platform/Cabinet</b>	GENEX – G-Deluxe		
<b>Application Reference No.</b>	06-A0302/S01, /S02		

Updated Poker Machine Game and Base Software					
<b>Game Name</b>		Dance With Beast			
<b>Specification Number</b>		6.BF005			
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 1 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$9.00			
<b>Base Credit Value</b>		1c, 2c, 5c			
<b>Variation Details</b>					
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>	
01	89.35%	0.995158%	90.35%	90.38%	
02	91.39%		92.39%	92.42%	
03	93.34%		94.34%	94.37%	
04	95.34%		96.34%	96.37%	
05	97.36%		98.36%	98.39%	
<b>Software Details</b>					
<b>Firmware</b>	<b>ID</b>	<b>Position</b>	<b>Media</b>	<b>HMAC-SHA1</b>	<b>SDB PID</b>
Compact Flash Card Security	097D	GMEM Casette PCB (U1)	GAL	f0784c8f b12fff77 23beb6b3 3480e24f 96eecea3	N/A
Game	09BSTMG6	GMEM Casette PCB (Master Slot)	Compact Flash Card	764aec8 446330c4 3a1e3fdc 4d29a2e0 f386c15c	09BSTMG6
Base					
BIOS	AP75	Motherboard (U22)	Flash Memory	53197a9b 9722ff5a 6aac453b e54d649e e38273c4	G08AAP75
X Series Communication Interface	SMOCX067	Auscom PCB (U3)	Flash Memory	02bfe2b5 959c0025 265093ad fa138b58 9febb68c	000001X7
Peripheral I/O Control	uYDOB035	Body PCB (IC15)	Flash Memory	e6f6ed28 8f9dec9d bf21f36a b3ae43a2 6c034c5d	16B501D5
Peripheral I/O Control	SPMRD055	Door PCB (IC4)	Flash Memory	1d96b42f d9b55c5d c53b61a9 cc31abe0 8c49a3fe	
Mega topper Control	Topper-BNB-0011-AU	Topper Sub Control PCB	Flash Memory	79f67228 e1654152 f3d11bd5 b1342abb 5a9f4341	N/A
<b>Platform/Cabinet</b>		GENEX – G-Deluxe			
<b>Application Reference No.</b>		06-A0309/S01			

New Poker Machine Game			
<b>Game Name</b>	Love On The Nile		
<b>Specification Number</b>	1.F0078		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$9.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	05	85.09%	90.14%
	06	87.58%	92.66%
<b>Platform/Cabinet Details</b>	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>			
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1260/S01		

New Poker Machine Game			
<b>Game Name</b>	More Chilli		
<b>Specification Number</b>	1.F0077		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	86.96%	91.99%
	01	87.89%	92.97%
	02	85.96%	90.95%
<b>Platform/Cabinet Details</b>	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>			
1. Gaming machine variation numbers 99 & 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1262/S01		

Additional List of Regression Tested Games			
<b>System/Device Name</b>		AU1 Shell	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2, TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
Software Details			
Firmware	EPROM Label	POSITION	HMAC-SHA1
Game Shell EPROM	AP010403	U12 – Primary	a59a4301 aeead556 705abcd7 a24ad5e6 355caf75
Game Shell EPROM	BP010403	U12 - Secondary	089c192b 0b51fc5d 1b87e9b4 bca495a4 e2014cc5
<b>Platform/Cabinet Details</b>		AU1 – Casino Top, Lowboy, Video Top, Progressive Top (Casino Top with in-machine LCD & Graphics Display Controller) AU1C – Casino Top, Lowboy & WOF Top (SAGMs only) AU1CII – Video Top AU1 Stepper – Video Top	
List of previously approved games recommended for operation with this Game Shell Version:			
Game Name	Specification Number	Program ID	
Thor's Hammer	18-B0515	X23820GA, RA, MA X23821RA	
Wolf Run ProX	18-B0516	X27600GA, RA, MA X27601RA	
Silver Falls	18-B0527	X34900GA, RA, MA X34901RA	
Flying Ace	18-B0550	X44900GA, RA, MA X44901RA	
Avalon	18-B0564	X47500GA, RA, MA X47501RA	
Pot of Gold	18-B0500	X01200GA, RA, MA X01201RA, MA	
Aztec Adventure (5c)	18-B0501	A09300GA, RA, MA A09301RA, MA	
Aztec Adventure (10c)	18-B0502	A09400GA, RA, MA A09401RA, MA	
Silver Knight	18-B0503	X08420GA, RA, MA X08421RA, MA	
Wings of Egypt	18-B0505	X16010GA, RA, MA X16011RA, MA	
Burning Sands	18-B0509	X21200GA, RA, MA X21201RA	
Extra Chance Jetsetter Sydney	18-B0512	X39900GA, RA, MA X39901RA	
Wild Treasure	18-B0514	X21010GA, RA, MA X21011RA, MA	
Sundance	18-B0517	X21500GA, RA, MA X21501RA	

*Continued*

<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Diamond Express	18-B0518	A21400GA, RA, MA A21401RA
Extra Chance Jetsetter London	18-B0519	X24600GA, RA, AM X24601RA
Extra Chance Jetsetter New York	18-B0521	X25500GA, RA, MA X25501RA
Extra Chance Jetsetter Paris	18-B0522	X25600GA, RA, MA X25601RA
Oriental Treasures	18-B0523	X17210GA, RA, MA X17211RA
Secret Tomb	18-B0524	X29900GA, RA, MA X29901RA
Jungle Quest	18-B0525	X27300GA, RA, MA X27301RA
Shogun Returns	18-B0526	X31300GA, RA, MA X31301RA
Incan Queen	18-B0528	X35800GA, RA X35801RA, RB
Gypsy Moon	18-B0529	X36100GA, RA, MA X36101RA
Spartan	18-B0530	X36000GA, RA, MA X36001RA
Jewels of Africa	18-B0531	X34600GA, RA, MA X34601RA
EC Major Jackpots in Egypt	18-B0533	X39500GA, RA, MA X39501RA
Clovers and Gold	18-B0534	X35910GA, RA, MA X35911RA
Cooee Country	18-B0535	X40310GA, RA, RB, MA X40311RA
EC Major Jackpots in Australia	18-B0536	X40100GA, RA, MA X40101RA
<b>Specific Approval Conditions</b>		
1. The use of 'Bluetooth' capability is not approved.		
<b>Application Reference No.</b>	18-A5126/S01	

New Poker Machine Game					
<b>Game Name</b>		Marie Antoinette			
<b>Specification Number</b>		18.B0556			
<b>Manufacturer</b>		IGT (Australia) Pty Ltd			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards Submission Standards</b>		NS 9.0 + NSW Appendix (dated 14/01/07) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$5.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Min / Max Game P RTP</b>	<b>iSAP P RTP</b>	<b>Min Total P RTP</b>	<b>Max Total P RTP</b>
05	1c	80.94% - 84.94%	8.055813%	89.00%	93.00%
	2c		8.055815%		
<b>Platform/Cabinet</b>		AVP BC20 – Video top AVP ST22 – Video Slant Top			
<b>Application Reference No.</b>		18-A5015/S01			

Poker Machine Game Software Bugfix					
<b>Game Name</b>		Treasure Bounty			
<b>Specification Number</b>		18.B0537			
<b>Manufacturer</b>		IGT (Australia) Pty Ltd			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1			
<b>Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		5c, 10c, 20c			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game PRTP</b>	<b>iSAP PRTP</b>	<b>Total PRTP</b>
03	5c	SC0	75.42%	16.583824%	92.00%
	10c	SC1			
	20c	SC2			
<b>Platform/Cabinet</b>			AVP BC20 – Video top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>			18-A5052/S01		



New Poker Machine Game				
<b>Game Name</b>		Honey Bee (2 iSAP Levels)		
<b>Specification Number</b>		44.BF096		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>BCV</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
51	88.02%	1c, 2c, 5c	3.543608%	91.56%
52	88.72%	1c, 2c, 5c	3.636035%	92.36%
53	87.05%	1c, 2c, 5c	3.147490%	90.20%
61	87.06%	5c	4.362759%	91.42%
62	88.01%	5c	4.811693%	92.82%
<b>Platform/Cabinet</b>		Ambassador Excell – Bench Top Ambassador SL		
<b>Application Reference No.</b>		44-A0632/S01		

New Poker Machine Game				
<b>Game Name</b>		Inca King (2 iSAP Levels)		
<b>Specification Number</b>		44.BF095		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
51	1c, 2c, 5c	87.60%	3.731937%	91.33%
52	1c, 2c, 5c	88.17%	3.950627%	92.12%
53	1c, 2c, 5c	86.21%	3.965069%	90.17%
61	5c	86.21%	5.044046%	91.25%
62	5c	87.88%	4.819166%	92.70%
<b>Platform/Cabinet</b>		Ambassador Excell – Bench Top Ambassador SL		
<b>Application Reference No.</b>		44-A0655/S01		

New Poker Machine Game Including Updated Topper and Player Tracking Panel Artwork			
<b>Game Name</b>	Panda King		
<b>Specification Number</b>	44.F0319		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	20c, 50c, \$1.00		
<b>Variation Details</b>	<b>Var</b>	<b>Min P RTP</b>	<b>Max P RTP</b>
	99	88.25%	88.43%
	01	90.08%	90.27%
	02	91.95%	92.14%
	03	94.01%	94.20%
	06	86.22%	86.41%
<b>Platform/Cabinet</b>	A560-H – High Boy A560-L – Low Boy (with / without A560 Topper)		
<b>Operational Conditions</b>			
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	44-A0650/S01, /S02		

New Poker Machine Game Including Updated Topper and Player Tracking Panel Artwork					
<b>Game Name</b>		Panda King (2 iSAP Levels)			
<b>Specification Number</b>		44.BF093			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive levels supported</b>		iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		20c, 50c, \$1.00			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
66	20c	85.79-85.98%	4.300000%	90.09%	90.28%
69		87.92-88.01%		92.12%	92.31%
76	50c	85.79-85.98%	4.533333%	90.32%	90.51%
79		87.82-88.01%		92.35%	92.54%
86	\$1.00	85.79-85.98%	4.550000%	90.34%	90.53%
89		87.82-88.01%		92.37%	92.56%
<b>Platform/Cabinet</b>			A560-H – High Boy A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b>					
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Panda King (2 iSAP Levels)'.					
<b>Application Reference No.</b>			44-A0650/S01, /S02		

New Poker Machine Game			
<b>Game Name</b>		Treasure Tree Deluxe (3 iSAP Levels)	
<b>Specification Number</b>		44.BF094	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
51	83.82%	7.621175%	91.44%
53	83.50%	6.929792%	90.43%
54	83.24%	6.261454%	89.50%
<b>Platform/Cabinet</b>		A560-H – High Boy A560-L – Low Boy (with A560 Topper)	
<b>Operational Conditions</b>			
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>		44-A0651/S01	

New Poker Machine Game			
<b>Game Name</b>	5 Koi (Fa Fa Fa)		
<b>Specification Number</b>	1.HF026		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	1.YA002		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>	Linked: Yes Type: Standard Levels: 4		
<b>Maximum Bet Value</b>	\$4.50		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	05	78.14%	83.23%
<b>Platform/Cabinet Details</b>	Gen7 Viridian – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Fa Fa Fa' jackpot settings where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1242/S01		

New Poker Machine Game			
<b>Game Name</b>	Fortune Princess (Beat The Bandits)		
<b>Specification Number</b>	1.HF027		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	1.YA002		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	Linked: Yes Type: Standard Levels: 4		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>	<b>Var</b>	<b>Hit Rate (cr)</b>	<b>Min / Max P RTP</b>
	05	22,500	83.80%
		20,000	84.03%
		17,500	84.32%
<b>Platform/Cabinet Details</b>	Gen7 Viridian – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only)		
<b>Operational Conditions</b>			
1. The above-mentioned game 'Fortune Princess (Beat The Bandits)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Beat The Bandit' jackpot settings.			
<b>Application Reference No.</b>	01-A1239/S01		

New Poker Machine Game		
<b>Game Name</b>	Soaring Eagle	
<b>Specification Number</b>	44.F0320	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	88.26%
	01	90.43%
	02	91.93%
	06	86.29%
	17	85.07%
	18	86.96%
<b>Platform/Cabinet Details</b>		
<ul style="list-style-type: none"> <li>• A560-H – High Boy</li> <li>• A560-L – Low Boy (with / without A560 Topper)</li> </ul>		
<b>Operational Conditions</b>		
1. Multi-Game Combination numbers 06, 17 & 18 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0659/S01	



New Poker Machine Game				
<b>Game Name</b>		Soaring Eagle (2 iSAP Levels)		
<b>Specification Number</b>		44.BF097		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels: 2 Wins Transferred to 'Total Wins' Meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
36	1c	86.29%	4.050000%	90.34%
37		84.94%		88.99%
46	2c	86.29%	4.133333%	90.42%
47		84.94%		89.07%
56	5c	86.29%	4.300000%	90.59%
57		84.94%		89.24%
<b>Platform/Cabinet Details</b>				
<ul style="list-style-type: none"> <li>• A560-H – High Boy</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Soaring Eagle (2 iSAP Levels)'.				
<b>Application Reference No.</b>		44-A0659/S01		

New Poker Machine Game		
<b>Game Name</b>	Tiger Princess	
<b>Specification Number</b>	1.F0080	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	87.75%
	01	90.10%
	02	91.90%
	07	88.50%
<b>Platform/Cabinet Details</b>		
<ul style="list-style-type: none"> <li>• Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</li> <li>• Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</li> <li>• Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</li> <li>• Gen7 Upgrade XCite – Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</li> <li>• Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</li> </ul>		
<b>Application Reference No.</b>	01-A1263/S01	

New Poker Machine Game			
<b>Game Name</b>	Aztec Beauty		
<b>Specification Number</b>	6.F0035		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$4.50		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min P RTP</b>	<b>Max P RTP</b>
	01	87.92%	87.99%
	02	88.91%	88.99%
	03	89.92%	89.97%
	04	90.91%	90.97%
	05	91.91%	91.96%
	06	92.90%	92.96%
	07	95.92%	95.97%
<b>Platform/Cabinet Details</b>			
<ul style="list-style-type: none"> <li>G-ENEX – Midway, Low Boy</li> </ul>			
<b>Application Reference No.</b>	06-A0333/S01		

New Poker Machine Game				
<b>Game Name</b>		Princess In Glass Slippers		
<b>Specification Number</b>		6.BF010		
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 1 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$9.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
01	87.04% - 87.07%	0.995158%	88.04%	88.07%
02	88.05% - 88.08%		89.05%	89.08%
03	89.06% - 89.09%		90.06%	90.09%
04	91.06% - 91.09%		92.06%	92.09%
05	93.09% - 93.12%		94.09%	94.12%
06	95.06% - 95.09%		96.06%	96.09%
07	97.08% - 97.11%		98.08%	98.11%
<b>Platform/Cabinet Details</b>				
<ul style="list-style-type: none"> <li>GENEX – G-Deluxe</li> </ul>				
<b>Application Reference No.</b>		06-A0313/S01		

New Poker Machine Game			
<b>Game Name</b>	Firework Fortune Imperial Lion		
<b>Specification Number</b>	18.B0588		
<b>Manufacturer</b>	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$2.50		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
99	88.20%	1.916667%	90.12%
03	88.20%	3.166667%	91.37%
<b>Platform/Cabinet Details</b>			
<ul style="list-style-type: none"> <li>AVP BC20 – Portrait Top</li> </ul>			
<b>Application Reference No.</b>	18-A5099/S01		

New Poker Machine Game					
<b>Game Name</b>		Bingo Redraw			
<b>Specification Number</b>		35.BF074			
<b>Manufacturer</b>		Shuffle Master Australasia Pty Ltd			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Number Draw			
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		20c, 50c, \$1.00			
<b>Variation Details:</b>					
<b>Var</b>	<b>Min Game RTP</b>	<b>Max Game RTP</b>	<b>Progressive RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	86.11%	86.31%	3.971018%	90.08%	90.28%
03	84.58%	84.77%		88.55%	88.74%
15	87.74%	87.92%		91.71%	91.89%
<b>Platform/Cabinet Details</b>					
<ul style="list-style-type: none"> <li>PC4 – Equinox, Equinox Low Boy</li> </ul>					
<b>Application Reference No.</b>		35-A0711/S01			

Coin Validator Bugfix	
<b>Device Details</b>	Coin Validator
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Coin Validator</b>	ATA P/N: 442078_01 Microcoin QL Coin Validator Model Q7710-DO Config version AU006_C4
<b>Platform/Cabinet Details</b>	
<ul style="list-style-type: none"> <li>• Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</li> <li>• Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</li> </ul>	
<b>Application Reference No.</b>	01-A1277/S01

Updated Game Shell and List of Regression Tested Games		
<b>Device Name</b>	Game Shell	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Category</b>	Supporting Function	
<b>Category Type</b>	System Software	
<b>Submission Standards Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Platform/Cabinet Details</b>	Ambassador Excell – Bench Top Ambassador SL	
<b>Software Details</b>		
<b>Firmware</b>	<b>PSD Label ID</b>	
Base Compact Flash Card	NX0D1H7K	
BIOS Flash ROM	D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2 D686 BIOS – Phoenix (PID: AGTX0004) Ver – R1.00.C3	
<b>List of previously approved games recommended for operation with this Shell Version</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Game Program ID</b>
Wonder World (2iSAP Levels)	44-BF020	GANSWN1D
Solid Gold (2iSAP Levels)	44-BF022	GANSSO1D
Royal Diamonds (2iSAP Levels)	44-BF025	GANSRD1G
Wolf King (2iSAP Levels)	44-BF033	GANSWK1F
Blue Whale (2iSAP Levels)	44-BF035	GANSBW1F
Year Of The Ox (2iSAP Levels)	44-BF037	GANSYO1E
Inca Reef Triple Shot (2iSAP Levels)	44-BF038	GANSIS1G
Fortune Fountain (2iSAP Levels)	44-BF041	GANSFO1D
Royal Diamonds Deluxe(2iSAP Levels)	44-BF042	GANSRX1C
<b>Application Reference No.</b>	44-A0626/S01; 44-A0629/S01	



Updated Gen7 Base Software	
<b>Device Name</b>	Gen7 Base Software (System Software, Linux OS, BIOS)
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Supporting Function
<b>Category Type</b>	System Software
<b>Submission Standards Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2, TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1
<b>Software Details 1</b>	
<b>Firmware</b>	<b>Program ID</b>
System Software	26902070
Linux OS	3042
Boot Loader	0401
MBR	0401
BIOS Flash	590176 1.00.0 Bios_1.00 0signed.bin
BIOS Flash	590176_01 1.00.7 Bios_1.00 7signed.bin
FPGA Configuration EEPROM	590175 1.0000 M7I_EP2C20@01_0000.bin
FPGA Configuration EEPROM	590175 1.0002 M7I_EP2C20@01_0002.bin
<b>Platform/Cabinet Details</b>	
Gen7 Viridian – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only)	
Gen7 Upgrade XCite – Lowboy (Configured with either a ticket printer and/or hopper option)	
Gen7 Upgrade Xtreme – Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
<b>Software Details 2</b>	
<b>Firmware</b>	<b>Program ID</b>
System Software	26902070
Linux OS	3042
Boot Loader	0401
MBR	0401
BIOS Flash	590422 2.02.0 Bios_2.02 0signed.bin
FPGA Configuration EEPROM	590324 2.0 590324_v2-0.bin
<b>Platform/Cabinet Details</b>	
Gen7 Viridian Widescreen – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
<b>Application Reference No.</b>	01-A1211/S01; 01-A1212/S01

New Gaming Machine		
<b>Game Name</b>	Stuck On You	
<b>Specification Number</b>	1.F0068	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$7.50	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	99	88.00
	01	90.14
	02	91.96
	07	88.71
<b>Platform/Cabinet</b>		
Gen7 Viridian Widescreen – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)		
<b>Application Reference No.</b>	01-A1211/S01; 01-A1212/S01	

New Gaming Machine		
<b>Game Name</b>	Dragon Emperor	
<b>Specification Number</b>	1.F0070	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	99	87.69-87.88
	01	90.13-90.24
	07	88.65-88.85
<b>Platform/Cabinet</b>		
Gen7 Viridian Widescreen – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)		
<b>Application Reference No.</b>	01-A1220/S01	

New Gaming Machine		
<b>Game Name</b>	Dragon Emperor (Bonus Link)	
<b>Specification Number</b>	1.HF023	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	1.YA002	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels - 3	
<b>Maximum Bet Value</b>	\$4.50	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	06	85.55-85.67
<b>Platform/Cabinet</b>	Gen7 Viridian Widescreen – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
<b>Operational Conditions</b>	1. The above-mentioned game 'Dragon Emperor (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.	
<b>Application Reference No.</b>	01-A1220/S01	

New Gaming Machine			
<b>Game Name</b>		Jackpot Catcher	
<b>Specification Number</b>		1.BF017	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$2.50	
<b>Base Credit Value</b>		1c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
99	82.03-82.11	9.870511	91.90-91.98
01	82.03-82.11	8.167861	90.20-90.28
<b>Platform/Cabinet</b>			
Gen7 Viridian Widescreen – Chop Top, Casino Top(with in-machine LCD) (Configured with either a ticket printer and/or hopper option)			
<b>Application Reference No.</b>		01-A1215/S01	

New Gaming Machine			
<b>Game Name</b>		Duelling Progressives Jack's Back	
<b>Specification Number</b>		18.B0572	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 4 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	81.86	9.130500	90.99
03	82.55	9.130500	91.68
07	80.35	9.130500	89.48
<b>Platform/Cabinet</b>		AVP ST22 – Video Slant Top AVP BC20 – Video Top	
<b>Application Reference No.</b>		18-A5077/S01	

New Gaming Machine			
<b>Game Name</b>		Hot Shot Full Steam Ahead	
<b>Specification Number</b>		18.B0571	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		5c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	85.32	5.631856	90.95
03	85.32	6.674905	91.99
07	85.32	4.2078782	89.52
<b>Platform/Cabinet</b>		AVP BC20 – Video Top	
<b>Application Reference No.</b>		18-A5069/S01, /S02	

New Gaming Machine		
<b>Game Name</b>	Wheel Of Gold Pamplona	
<b>Specification Number</b>	18.H0114	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	18.YA008	
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels - 4	
<b>Submission Standards</b> <b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Maximum Bet Value</b>	\$2.50	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	08	83.89
<b>Platform/Cabinet</b>	AVP BC20 – Portrait Top	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations.</li> <li>2. The AVP BC20 gaming machine connected to the LPJS, must operate with the Portrait 32IN Top Box.</li> <li>3. Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.</li> </ol>		
<b>Application Reference No.</b>	18-A5092/S01	

Additional Side Trim Lightings and Artwork.	
<b>Device Name</b>	Side Trim Lighting
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	
<b>Artwork Details</b>	
<b>Description</b>	<b>Artwork Part Number</b>
Facade Left Side – “Hot Shot”	A73138OLBF
Facade Right Side – “Hot Shot”	A73138ORBF
<b>Platform Cabinet</b>	AVP BC20 – Portrait 32IN Top Box
<b>Application Reference No.</b>	18-A1211/S01

New Gaming Machine			
<b>Game Name</b>	Cats, Hats & Bats		
<b>Specification Number</b>	35.BF067		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)		
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 2 Wins transferred to ‘Total Wins’ meter - Yes		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total PRTP</b>
99	84.73	5.429107	90.16
03	82.67	5.429107	88.10
05	83.66	5.429107	89.09
15	86.22	5.429107	91.65
16	88.08	5.429107	93.51
<b>Platform/Cabinet</b>	PC4 – Equinox, Equinox Low Boy		
<b>Application Reference No.</b>	35-A0707/S01		



Updated Poker Machine Game Software			
<b>Game Name</b>	Rio Express		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF082		
<b>Game Identifier</b>	GDNSRE1E		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3		
<b>Maximum Bet Value</b>	\$3.75		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
	02	86.24%	86.41%
<b>Platform/Cabinet Details</b>			
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>			
<b>Operational Conditions</b>			
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>			
<b>Application Reference No.</b>	44-A0663/S01		

Updated Poker Machine Game Software			
<b>Game Name</b>	Rio Express		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF083		
<b>Game Identifier</b>	GDNSRE2E		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3		
<b>Maximum Bet Value</b>	\$7.50		
<b>Base Credit Value</b>	2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
	02	86.24%	86.41%
<b>Platform/Cabinet Details</b>			
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>			
<b>Operational Conditions</b>			
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>			
<b>Application Reference No.</b>	44-A0663/S01		

Updated Poker Machine Game Software			
<b>Game Name</b>	Rio Express		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF084		
<b>Game Identifier</b>	GDNSRE3E		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	5c		
<b>Variation Details</b>	<b>Var</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
	02	86.24%	86.41%
<b>Platform/Cabinet Details</b>			
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>			
<b>Operational Conditions</b>			
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>			
<b>Application Reference No.</b>	44-A0663/S01		

New Poker Machine Game				
<b>Game Name</b>	Rio Express			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.HF097			
<b>Game Identifier</b>	GDNSRE4A			
<b>Gaming Machine Type</b>	SFS - iSAP			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	44.YA005			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
<b>Maximum Bet Value</b>	\$3.75			
<b>Base Credit Value</b>	1c			
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
12	86.24% - 86.41%	2.805691%	89.04%	89.22%
<b>Platform/Cabinet Details</b>				
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>				
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>				
<b>Application Reference No.</b>	44-A0652/S01			

New Poker Machine Game				
<b>Game Name</b>	Rio Express			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.HF098			
<b>Game Identifier</b>	GDNSRE5A			
<b>Gaming Machine Type</b>	SFS - iSAP			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	44.YA005			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
<b>Maximum Bet Value</b>	\$7.50			
<b>Base Credit Value</b>	2c			
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
12	86.24% - 86.41%	2.805691%	89.04%	89.22%
<b>Platform/Cabinet Details</b>				
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>				
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>				
<b>Application Reference No.</b>	44-A0652/S01			

New Poker Machine Game				
<b>Game Name</b>		Rio Express		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Specification Number</b>		44.HF099		
<b>Game Identifier</b>		GDNSRE6A		
<b>Gaming Machine Type</b>		SFS -iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		44.YA005		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
12	86.24% - 86.41%	2.805691%	89.04%	89.22%
<b>Platform/Cabinet Details</b>				
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>				
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>				
<b>Application Reference No.</b>		44-A0652/S01		

Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Sunset	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF079	
<b>Game Identifier</b>	GDNSRT1E	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$3.75	
<b>Base Credit Value</b>	1c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.20%
<b>Platform/Cabinet Details</b>		
<ul style="list-style-type: none"> <li>• A560-H – High Boy (with / without A560 Topper)</li> <li>• A560-L – Low Boy (with A560 Topper)</li> </ul>		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.</li> </ol>		
<b>Application Reference No.</b>	44-A0666/S01	

Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Sunset	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF080	
<b>Game Identifier</b>	GDNSRT2E	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$7.50	
<b>Base Credit Value</b>	2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.20%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.		
<b>Application Reference No.</b>	44-A0666/S01	



Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Sunset	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF081	
<b>Game Identifier</b>	GDNSRT3E	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.20%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.		
<b>Application Reference No.</b>	44-A0666/S01	

New Poker Machine Game			
<b>Game Name</b>	Rio Sunset		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF106		
<b>Game Identifier</b>	GDNSRT4A		
<b>Gaming Machine Type</b>	SFS - iSAP		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>	\$3.75		
<b>Base Credit Value</b>	1c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min /Max Total PRTP</b>
12	86.20%	2.805691%	89.01%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>	44-A0654/S01		

New Poker Machine Game			
<b>Game Name</b>	Rio Sunset		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF107		
<b>Game Identifier</b>	GDNSRT5A		
<b>Gaming Machine Type</b>	SFS - iSAP		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>	\$7.50		
<b>Base Credit Value</b>	2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
12	86.20%	2.805691%	89.01%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>	44-A0654/S01		

New Poker Machine Game			
<b>Game Name</b>		Rio Sunset	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Specification Number</b>		44.HF108	
<b>Game Identifier</b>		GDNSRT6A	
<b>Gaming Machine Type</b>		SFS - iSAP	
<b>Game Type</b>		Spinning Reels	
<b>LPJS</b>		44.YA005	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		5c	
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
12	86.20%	2.805691%	89.01%
<b>Platform/Cabinet Details</b>			
A560-H – High Boy (with / without A560 Topper)			
A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b>			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.			
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>		44-A0654/S01	

Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Gold	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF088	
<b>Game Identifier</b>	GDNSR31G	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$3.75	
<b>Base Credit Value</b>	1c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.45%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.		
<b>Application Reference No.</b>	44-A0665/S01	

Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Gold	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF089	
<b>Game Identifier</b>	GDNSR32G	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$7.50	
<b>Base Credit Value</b>	2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.45%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.		
<b>Application Reference No.</b>	44-A0665/S01	

Updated Poker Machine Game Software		
<b>Game Name</b>	Rio Gold	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF090	
<b>Game Identifier</b>	GDNSR33G	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	02	86.45%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.		
<b>Application Reference No.</b>	44-A0665/S01	

New Poker Machine Game			
<b>Game Name</b>	Rio Gold		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF100		
<b>Game Identifier</b>	GDNSR34A		
<b>Gaming Machine Type</b>	SFS - iSAP		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>	\$3.75		
<b>Base Credit Value</b>	1c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>  Min / Max Total RTP</b>
12	86.45%	2.805691%	89.25%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>	44-A0653/S01		



New Poker Machine Game			
<b>Game Name</b>	Rio Gold		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF101		
<b>Game Identifier</b>	GDNSR35A		
<b>Gaming Machine Type</b>	SFS - iSAP		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>	\$7.50		
<b>Base Credit Value</b>	2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total RTP</b>
12	86.45%	2.805691%	89.25%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>	44-A0653/S01		

New Poker Machine Game			
<b>Game Name</b>	Rio Gold		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Specification Number</b>	44.HF102		
<b>Game Identifier</b>	GDNSR36A		
<b>Gaming Machine Type</b>	SFS - iSAP		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	44.YA005		
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	5c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total RTP</b>
12	86.45%	2.805691%	89.25%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b> 1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings. 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>	44-A0653/S01		

Updated Hardware Assembly	
<b>Device Name</b>	Cyclone 210 Hopper
<b>Manufacturer</b>	Ainsworth Game Technology Limited
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	
<b>Hardware Details:</b>	
<b>Description</b>	<b>Part Number</b>
Cyclone 210 Hopper:	010 840-01 AUD\$1, Version M1/E2/S6, RoHS (P/N: HC 210 AAU00007)
<b>Platform/Cabinet Details</b>	
Ambassador Excell – Bench Top	
Ambassador SL	
A560-H – High Boy	
A560-L – Low Boy	
<b>Application Reference No.</b>	44-A0662/S01

New Poker Machine Game				
<b>Game Name</b>	Lucky Strike – Silver & Gold Jackpots			
<b>Specification Number</b>	1.BF022			
<b>Game Identifier</b>	10161392			
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	2c, 5c			
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
99	84.61%	6.007779%	90.62%	90.76%
01	82.99%	5.889253%	88.88%	89.01%
02	85.92%	6.013514%	91.93%	92.07%
03	84.19%	6.007779%	90.20%	90.36%
04	83.57%	5.950428%	89.52%	89.65%
<b>Platform/Cabinet Details</b>				
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
<b>Application Reference No.</b>	01-A1272/S01			

New Poker Machine Game			
<b>Game Name</b>	Pyramid Magic		
<b>Specification Number</b>	1.F0082		
<b>Game Identifier</b>	10161502		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$9.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	05	85.09%	90.14%
	06	87.58%	92.66%
<b>Platform/Cabinet Details</b>			
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)			
<b>Application Reference No.</b>	01-A1273/S01		

New Poker Machine Game				
<b>Game Name</b>		Bow Wow Bucks		
<b>Specification Number</b>		6.BF013		
<b>Game Identifier</b>		09BOWMG7		
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 1 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$9.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
01	87.01%	0.995158%	88.01%	88.04%
02	88.02%		89.02%	89.05%
03	89.03%		90.03%	90.06%
04	91.03%		92.03%	92.06%
05	93.06%		94.06%	94.09%
06	95.03%		96.03%	96.06%
07	97.05%		98.05%	98.08%
<b>Platform/Cabinet Details</b>				
GENEX – G-Deluxe				
<b>Application Reference No.</b>		06-A0312/S01		

Updated AVP BC20 Supporting Software		
<b>Device Name</b>	AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Shell Identifier</b>	AP010702	
<b>Category</b>	SF	
<b>Category Type</b>	Other (System Software)	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
<b>Platform/Cabinet Details</b>		
AVP BC20 – Video Top, Portrait Top		
AVP ST22 – Video Slant Top		
<b>List of previously approved game(s) recommended for operation with this Shell Version:</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
100 Pandas	18.A0571	X37800GA, RA
<b>Application Reference No.</b>	18-A5130/S01, /S02	

New Poker Machine Game			
<b>Game Name</b>	Duelling Progressives Jack's Back		
<b>Specification Number</b>	18.B0590		
<b>Game Identifier</b>	B52900GA B52900RA		
<b>Manufacturer</b>	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 4 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
02	87.52%	3.981478%	91.50%
<b>Platform/Cabinet Details</b>			
AVP BC20 – Video Top AVP ST22 – Video Slant Top			
<b>Operational Conditions</b>			
1. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear to allow accessibility to 'Bet' options via the on-screen scroll buttons.			
<b>Application Reference No.</b>	18-A5120/S01		



New Poker Machine Game				
<b>Game Name</b>		British Classic – World Turf Classics		
<b>Specification Number</b>		1.BF023		
<b>Game Identifier</b>		10261348		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP – Ante Bet		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels:4 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$6.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	76.34%- 81.47%	8.680072%	85.02%	90.15%
01		10.173816%	86.51%	91.64%
02		11.117561%	87.45%	92.58%
03		13.423391%	89.76%	94.89%
<b>Platform/Cabinet Details</b>				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
<b>Application Reference No.</b>		01-A1250/S01		

New Poker Machine Game		
<b>Game Name</b>	Tiger Garden	
<b>Specification Number</b>	1.F0083	
<b>Game Identifier</b>	10261319	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	87.95%
	01	90.17%
	02	91.96%
	07	88.54%
<b>Platform/Cabinet Details</b>		
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)		
Gen7 Upgrade XCite – Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>	01-A1248/S01	

New Poker Machine Game		
<b>Game Name</b>	Tiger Garden (Bonus Link)	
<b>Specification Number</b>	1.HF028	
<b>Game Identifier</b>	10261320	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c	
<b>Variation Details:</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	06	85.66%
<b>Platform/Cabinet Details</b>		
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only)		
Gen7 Upgrade XCite – Lowboy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>		
1. The above-mentioned game ‘Tiger Garden (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings.		
2. The above-mentioned game ‘Tiger Garden (Bonus Link)’ must not be configured for operation on the Gen7 Wide-screen platform.		
<b>Application Reference No.</b>	01-A1248/S01	

Updated Poker Machine Game and Base Software				
<b>Game Name</b>		Memories of Love		
<b>Specification Number</b>		6.BF006		
<b>Game Identifier</b>		09LOVMG6		
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 1 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$9.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
01	89.44% - 89.47%	0.995158%	90.44%	90.47%
02	91.43% - 91.46%		92.43%	92.46%
03	93.43% - 93.46%		94.43%	94.46%
04	95.42% - 95.45%		96.42%	96.45%
05	97.43% - 97.45%		98.43%	98.45%
<b>Platform/Cabinet Details</b>				
GENEX – G-Deluxe				
<b>Application Reference No.</b>		06-A0314/S01		

New Poker Machine Game				
<b>Game Name</b>		Duelling Progressives Imperial Lion		
<b>Specification Number</b>		18.B0591		
<b>Game Identifier</b>		C50400GA C50400RA		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 4 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$2.50		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
02	87.50%	3.981478%	91.48%	91.49%
<b>Platform/Cabinet Details</b>				
AVP BC20 – Video Top AVP ST22 – Video Slant Top				
<b>Application Reference No.</b>		18-A5137/S01		

New Poker Machine Game		
<b>Game Name</b>	Jungle Drums	
<b>Specification Number</b>	39.A0316	
<b>Game Identifier</b>	JGD5NA46.ROM3 JGD5NA46.ROM4	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	87.16%
	01	90.03%
	02	91.98%
	03	94.06%
	04	96.04%
	05	85.11%
	06	88.57%
	08	88.09%
<b>Platform/Cabinet Details</b>		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
<b>Operational Conditions</b>		
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	39-A0921/S01	

New Poker Machine Game			
<b>Game Name</b>	Jungle Drums Lucky Garden		
<b>Specification Number</b>	39.B0110		
<b>Game Identifier</b>	JGD5NA46.ROM3 JGD5NA46.ROM4		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Random Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min / Max RTP</b>
11	85.11%	5.150000%	90.26%
12	85.11%	5.200000%	90.31%
13	85.11%	5.250000%	90.36%
14	85.11%	5.400000%	90.51%
15	87.16%	4.400000%	91.56%
16	87.16%	4.450000%	91.61%
17	87.16%	4.500000%	91.66%
18	87.16%	4.600000%	91.76%
<b>Platform/Cabinet Details</b>			
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b>			
Please note that player selectable, multi-denomination functionality, contained in the System Software NSW56346 is not subject of this approval			
<b>Operational Conditions</b>			
1. Please note that this game must be installed with the Podium Video Switch when operating on the KGP 2.0 UVS Podium Platform.			
<b>Application Reference No.</b>	39-A0922/S01		

New Poker Machine Game, Additional Player Tracking Panel Art				
<b>Game Name</b>	Beyond The Moon (40 / 50 Lines)			
<b>Specification Number</b>	44.BF100			
<b>Game Identifier</b>	GDNSBN2G			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2; TITO Technical Standard V4.20			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Random Levels:2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
36	1c	86.15%	4.050000%	90.20%
37		85.29%		89.34%
38		86.95%		91.00%
39		88.29%		92.34%
46	2c	86.15%	4.133333%	90.28%
47		85.29%		89.42%
48		86.95%		91.08%
49		88.29%		92.42%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.				
<b>Application Reference No.</b>	44-A0664/S01			



New Poker Machine Game, Additional Player Tracking Panel Art				
<b>Game Name</b>		Beyond The Moon (50 / 100 Lines)		
<b>Specification Number</b>		44.BF101		
<b>Game Identifier</b>		GDNSBN4F		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2; NSW Jackpot TS Rev 1.2; TITO Technical Standard V4.20		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels:2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
66	1c	85.89%	4.050000%	89.94%
67	1c	85.26%		89.31%
68	1c	86.84%		90.89%
69	1c	88.04%		92.09%
76	2c	85.90%	4.133333%	90.03%
77	2c	85.27%		89.40%
78	2c	86.84%		90.97%
79	2c	88.04%		92.17%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.				
<b>Application Reference No.</b>		44-A0664/S01		

New Poker Machine Game			
<b>Game Name</b>	Glitter Gems		
<b>Specification Number</b>	44.F0321		
<b>Game Identifier</b>	GDNSGM1D		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2; TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game Type</b>	<b>Max Lines</b>	<b>Min / Max P RTP</b>
99	1 Credit buys 1 line	40 / 50	88.07%
01	1 Credit buys 1 line	40 / 50	90.23%
02	1 Credit buys 1 line	40 / 50	92.27%
06	1 Credit buys 1 line	40 / 50	86.25%
21	1 Credit buys 2 lines	50 / 100	90.09%
22	1 Credit buys 2 lines	50 / 100	92.13%
26	1 Credit buys 2 lines	50 / 100	85.97%
29	1 Credit buys 2 lines	50 / 100	87.82%
<b>Platform/Cabinet Details</b>			
A560-H – High Boy			
A560-L – Low Boy (with / without A560 Topper)			
<b>Operational Conditions</b>			
1. Gaming machine variations numbers 06 & 26 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	44-A0661/S01, S02		

New Poker Machine Game, Additional Topper and Player Tracking Panel Art						
<b>Game Name</b>		Glitter Gems (2 iSAP Levels)				
<b>Specification Number</b>		44.BF098				
<b>Game Identifier</b>		GDNSGM2E				
<b>Manufacturer</b>		Ainsworth Game Technology Limited				
<b>Gaming Machine Type</b>		iSAP				
<b>Game Type</b>		Spinning reels				
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)				
<b>Submission Standards</b>		NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20				
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels:2 Wins transferred to 'Total Wins' meter: Yes				
<b>Maximum Bet Value</b>		\$10.00				
<b>Base Credit Value</b>		1c, 2c				
<b>Variation Details:</b>						
Var	BCV	Game Type	Max Lines	Game RTP	iSAP RTP	Min / Max PRTP
36	1c	1 Credit buys 1 line	40 / 50	86.25%	4.050000%	90.30%
39	1c	1 Credit buys 1 line	40 / 50	88.07%		92.12%
66	1c	1 Credit buys 2 lines	50 / 100	85.97%		90.02%
69	1c	1 Credit buys 2 lines	50 / 100	87.82%		91.87%
46	2c	1 Credit buys 1 line	40 / 50	86.25%	4.133333%	90.38%
49	2c	1 Credit buys 1 line	40 / 50	88.08%		92.21%
76	2c	1 Credit buys 2 lines	50 / 100	85.98%		90.11%
79	2c	1 Credit buys 2 lines	50 / 100	87.82%		91.95%
<b>Platform/Cabinet Details</b>						
A560-H – High Boy A560-L – Low Boy (with / without A560 Topper)						
<b>Operational Conditions</b>						
1. The A560 Topper must be installed on the A560 Low boy platform when operating the game 'Glitter Gems (2 iSAP Levels)'.						
<b>Application Reference No.</b>		44-A0661/S01, S02				

New Poker Machine Game				
<b>Game Name</b>		Inca King (2 iSAP Levels)		
<b>Specification Number</b>		44.BF099		
<b>Game Identifier</b>		GDNSIK1L		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.20; NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels:2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min / Max P RTP</b>
51	1c, 2c, 5c	87.60%	3.731937%	91.33%
52	1c, 2c, 5c	88.17%	3.950627%	92.12%
53	1c, 2c, 5c	86.21%	3.965069%	90.17%
61	5c	86.21%	5.044046%	91.25%
62	5c	87.88%	4.819166%	92.70%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low boy platform when operating the above - mentioned.				
<b>Application Reference No.</b>		44-A0669/S01		

Updated Game Shell and Regression Tested Games		
<b>Device Name</b>	Game Shell	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Category</b>	Supporting Function	
<b>Category Type</b>	System Software	
<b>Submission Standards Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
<b>Platform/Cabinet Details</b>	Ambassador Excell – Bench Top Ambassador SL	
<b>Software Details</b>		
<b>Firmware</b>	<b>PSD Label ID</b>	
Base Compact Flash Card	NX0D1H8I	
BIOS Flash ROM	D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2 D686 BIOS – Phoenix (PID: AGTX0004) Ver – R1.00.C3	
<b>List of previously approved games recommended for operation with this Shell Version</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Busta Bucks	44-F0305	GANSBC1E
Busta Bucks (2 iSAP Levels)	44-BF050	GANSBC2E
Dolphins	44-F0301	GANSZ1B
Dolphins (2 iSAP Levels)	44-BF046	GANSZ2C
Dragon Festival	44-F0304	GANSDF1D
Dragon Festival (2 iSAP Levels)	44-BF049	GANSDF2D
Dragon Fish (2 iSAP Levels)	44-BF058	GANSDF1D
Dragon Fish Classic (BCV 5c)	44-HF077	GANSDF1E
Dragon Fish Classic (BCV 10c)	44-HF078	GANSDF2E
Dragon Lines Hold'em	44-F0302	GANSDF1D
Dragon Lines Hold'em (2 iSAP Levels)	44-BF047	GANSDF2D
Enchanted World	44-BF043	GANSDF1H
Enchanted World Deluxe (2 iSAP Levels)	44.BF084	GANSDF1D
Gold Lion Triple Shot (3 iSAP Levels)	44.BF054	GANSDF1B
Honey Bee (2 iSAP Levels)	44.BF096	GANSDF1A
Inca King (2 iSAP Levels)	44.BF095	GANSDF1E
Money Maze	44.F0308	GANSDF1E
Money Maze (2 iSAP Levels)	44.BF055	GANSDF2E
Multiplay Dragon Time	44.D0001	GANSDF3B
Mustang Money (2 iSAP Levels)	44.BF057	GANSDF2F
Red Hot Dragons	44.F0307	GANSDF1C
Red Hot Dragons (2 iSAP Levels)	44.BF053	GANSDF2A
Roaming Reels	44.F0306	GANSDF1B
Roaming Reels (2 iSAP Levels)	44.BF051	GANSDF2B

<b>List of previously approved games recommended for operation with this Shell Version</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
The King	44.F0309 dated	GANSKG1G
The King (2 iSAP Levels)	44.BF056	GANSKG2H
The Queen	44.F0310	GANSQN1C
The Queen (2 iSAP Levels)	44.BF060	GANSQN2C
Treasure Tree Triple Shot (3 iSAP Levels)	44.BF067	GANSTE1F
Vegas Fantasy (BCV 1c)	44.HF051	GANSVS1D
Vegas Fantasy (BCV 2c)	44.HF052	GANSVS2D
Vegas Fantasy (BCV 5c)	44.HF053	GANSVS3D
Vegas Fever (BCV 1c)	44.HF054	GANSVV1E
Vegas Fever (BCV 2c)	44.HF055	GANSVV2E
Vegas Fever (BCV 5c)	44.HF056	GANSVV3E
Vegas Fortune (BCV 1c)	44.HF057	GANSVF1E
Vegas Fortune (BCV 2c)	44.HF058	GANSVF2E
Vegas Fortune (BCV 5c)	44.HF059	GANSVF3E
Vegas Frenzy (BCV 1c)	44.HF060	GANSVZ1C
Vegas Frenzy (BCV 2c)	44.HF061	GANSVZ2C
Vegas Frenzy (BCV 5c)	44.HF062	GANSVZ3C
Vegas Fiesta (BCV 1c)	44.HF091	GANSVA1B
Vegas Fiesta (BCV 2c)	44.HF092	GANSVA2B
Vegas Fiesta (BCV 5c)	44.HF093	GANSVA3B
Wild Jester	44.F0303	GANSWJ1B
Wild Jester (2 iSAP Levels)	44.BF048	GANSWJ2B
Year of the Tiger (2 iSAP Levels)	44.BF052	GANSY11G
Year of the Tiger Classic (BCV 5C)	44.HF075	GANSYC1H
Year of the Tiger Classic (BCV 10c)	44.BF076	GANSYC2H
<b>Application Reference No.</b>	44-A0667/S01; 44-A0671/S01	

New Multi-Game Poker Machine Game				
<b>Game Name</b>		Queen Of The Nile Legends		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Specification Number</b>		1.DF003		
<b>Game Identifier</b>		10361402		
<b>Gaming Machine Type</b>		MGM – iSAP – Ante Bet		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		1c		
<b>Component Game Set Details</b>		<b>Game Number</b>		<b>Game Name</b>
		01		Queen of the Nile Classic
		02		Queen of the Nile Deluxe
<b>Multi-Game Combination:</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>Variation</b>	<b>SDB PRTP</b>
99	87.60%	01	99	87.60%
		02	99	87.60%
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>Variation</b>	<b>SDB PRTP</b>
01	86.61%	01	01	86.61%
		02	01	86.61%
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>Variation</b>	<b>SDB PRTP</b>
02	89.14%	01	02	89.13%
		02	02	89.16%
<b>Platform/Cabinet Details</b>				
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
Gen7 Vii Slant – Casino Top (with in-machine LCD) (Configured with Ticket Printer option)				
<b>Operational Conditions</b>				
1. Multi-Game Combination number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.				
<b>Application Reference No.</b>		01-A1268/S01		

New Hardware Platform and Regression Tested Game	
<b>Device Name</b>	AVPC Platform
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Platform
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20
<b>Platform/Cabinet Details</b>	AVPC – Video Top
<b>Game Name</b>	100 Pandas
<b>Specification Number</b>	18.A0571
<b>Game Identifier</b>	X37800GA X37800RA
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Gaming Machine Type</b>	iSAP
<b>Game Type</b>	Spinning Reels
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot technical Standard Rev 1.2
<b>Platform/Cabinet Details</b>	
AVP BC20 – Video Top, Portrait Top	
AVP ST22 – Video Slant Top	
AVPC - Video Top	
<b>Application Reference No.</b>	18-A1161/S01



New Poker Machine Game and Additional Topper Art							
<b>Game Name</b>		Destination Down Under King's Reward					
<b>Specification Number</b>		39.B0111					
<b>Game Identifier</b>		DDK5ND46.ROM3 DDK5ND46.ROM4 DDK5ND46.ROM5					
<b>Manufacturer</b>		Konami Australia Pty Ltd					
<b>Gaming Machine Type</b>		iSAP					
<b>Game Type</b>		Spinning Reels					
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)					
<b>Submission Standards</b>		NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20					
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes					
<b>Maximum Bet Value</b>		\$10.00					
<b>Base Credit Value</b>		1c, 2c, 5c					
<b>Variation Details:</b>							
<u>Var</u>	<u>Game</u>	<u>Bonus</u>	<u>Setting</u>			<u>iSAP RTP</u>	<u>Min / Max</u>
	<u>RTP</u>	<u>RTP</u>	<u>combination</u>				<u>Total RTP</u>
			<b>1c</b>	<b>2c</b>	<b>5c</b>		
01	82.19	5.31%	11	21	41	2.685472%	90.18%
		4.24%	12	22	42	3.764914%	
		3.81%	13	23	43	4.194963%	
		2.95%	14	24	44	5.050690%	
		3.31%	15	25	45	4.694109%	
		2.71%	16	26	46	5.285930%	
02	82.19	6.21%	17	27	47	3.585289%	91.97%
		4.98%	18	28	48	4.814187%	
		3.91%	19	29	49	5.883764%	
		3.26%	20	30	50	6.531573%	
		3.19%	61	71	91	6.600699%	
		2.85%	62	72	92	6.942289%	
<b>Platform/Cabinet Details:</b>							
KGP 2.0 UVS – Upper LCD Box, Tombstone LCD Box							
<b>Device Details:</b>							
<b>Device Name</b>		Topper Artwork					
<b>Manufacturer</b>		Konami Australia Pty Ltd					
<b>Category</b>		GM (Gaming Machine)					
<b>GM Type</b>		Other (Generic Artwork)					
<b>Technical Standards</b>		NS 10.0 + NSW Appendix ( dated 14/1/09)					
<b>Submission Standards</b>							
<b>Oval Topper Artwork Details</b>		a) KR-AW (E) b) KR-AW (PT)					
<b>Application Reference No.</b>		39-A0925/S01					

New Poker Machine Game				
<b>Game Name</b>		Jungle Drums Cash Carriage		
<b>Specification Number</b>		39.B0112		
<b>Game Identifier</b>		JDC5NB46.ROM3 JDC5NB46.ROM4 JDC5NB46.ROM5		
<b>Manufacturer</b>		Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details:</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>Progressive RTP</b>	<b>Min / Max RTP</b>
01	82.13%	1	7.800361%	89.93%
02		2	7.790464%	89.92%
03		3	7.780489%	89.91%
04		4	7.770470%	89.90%
05		5	7.760451%	89.89%
06		6	7.750028%	89.88%
07		7	8.020500%	90.15%
08		8	8.000470%	90.13%
<b>Platform/Cabinet Details</b>				
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Operational Conditions</b>				
1. Please note that this game must be installed with the Podium Video Switch when operating on the KGP 2.0 UVS Podium Platform				
<b>Application Reference No.</b>		39-A0938/S01		

New Poker Machine Game					
<b>Game Name</b>	Legion Warrior King's Reward				
<b>Specification Number</b>	39.B0113				
<b>Game Identifier</b>	LWK5ND46.ROM3 LWK5ND46.ROM4 LWK5ND46.ROM5				
<b>Manufacturer</b>	Konami Australia Pty Ltd				
<b>Gaming Machine Type</b>	iSAP				
<b>Game Type</b>	Spinning Reels				
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)				
<b>Submission Standards</b>	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20				
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes				
<b>Maximum Bet Value</b>	\$5.00				
<b>Base Credit Value</b>	50c, \$1.00				
<b>Variation Details:</b>					
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>		<b>iSAP RTP</b>	<b>Min / Max RTP</b>
		<b>\$1.00</b>	<b>50c</b>		
01	88.61%	11	21	1.586012%	90.20%
	88.37%	12	-	1.822348%	
		-	22	1.822342%	
	88.07%	13	23	2.123832%	
02	89.63%	14	-	2.353041%	91.99%
		-	24	2.353039%	
	89.04%	15	-	2.942620%	
		-	25	2.942633%	
	88.53%	16	26	3.461679%	
<b>Platform/Cabinet Details</b>					
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box					
<b>Operational Conditions</b>					
1. Touch-screen functionality must be enabled when configuring the above-mentioned game.					
<b>Application Reference No.</b>	39-A0931/S01				

Poker Machine Game Software Bugfix				
<b>Game Name</b>		Bingo Redraw		
<b>Specification Number</b>		35.BF074		
<b>Game Identifier</b>		BIRNSW2B		
<b>Manufacturer</b>		Sufflemaster Australasia Pty Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Number Draw		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS Rev 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		20c, 50c, \$1.00		
<b>Variation Details:</b>				
<b><u>Var</u></b>	<b><u>Min – Max Game RTP</u></b>	<b><u>Progressive RTP</u></b>	<b><u>Min Total PRTP</u></b>	<b><u>Max Total PRTP</u></b>
99	86.11% - 86.31%	3.971018%	90.08%	90.28%
03	84.58% - 84.77%		88.55%	88.74%
15	87.74% - 87.92%		91.71%	91.89%
<b>Platform/Cabinet Details</b>				
PC4 – Equinox, Equinox Low Boy				
<b>Retrofit Order:</b>				
A retrofit of all affected devices in the field, with the above-mentioned game software has been ordered in NSW Clubs / Hotels. It will retrofit the previously approved software BIRNSW1B to address an issue where multiple jackpots can be awarded whose sum can exceed \$10,000 in a single game element.				
<b>Application Reference No.</b>		35-A0735/S01		

Poker Machine Game Software Bugfix				
<b>Game Name</b>		Eureka Gold Mine 2		
<b>Specification Number</b>		35.BF069		
<b>Game Identifier</b>		EG2NSW2B		
<b>Manufacturer</b>		Suffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2; NSW Jackpot Technical Standard Rev 1.2 TITO Technical Standard V4.20		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$9.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
99	1c, 2c	84.27	5.886647	90.15
03		82.31		88.19
05		83.27		89.16
15		85.72		91.60
16		87.72		93.60
49	5c	84.28	5.896647	90.16
55		83.28		89.17
65		85.73		91.61
<b>Platform/Cabinet Details</b>				
eStar PC4 – Round Top, Low Top, Round Top (with in-machine 17"LCD)				
PC4 Mojo ST – Slant Top				
PC4 – Equinox, Equinox Low Boy				
<b>Retrofit Order:</b>				
A retrofit of all affected devices in the field, with the above-mentioned game software has been ordered in NSW Clubs / Hotels. It will retrofit the previously approved software 'EG2NSW1B' to address an issue where multiple jackpots can be awarded whose sum can exceed \$10,000 in a single game element.				
<b>Application Reference No.</b>		35-A0733/S01		

New Poker Machine Game			
<b>Game Name</b>	Hubble, Bubble & Trubble		
<b>Specification Number</b>	35.BF077		
<b>Game Identifier</b>	HBTNSW1B		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.2 TITO Technical Standard V4.20		
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details:</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min / Max Total PRTP</b>
99	84.73%	5.429107	90.16%
3	82.67%		88.10%
5	83.66%		89.09%
15	86.22%		91.65%
16	88.08%		93.51%
<b>Platform/Cabinet Details</b>			
eStar PC4 – Round Top, Low Top, Round Top (with in-machine 17"LCD)			
PC4 Mojo ST – Slant Top			
PC4 – Equinox, Equinox Low Boy			
<b>Application Reference No.</b>	35-A0741/S01		

Adaptor Kit	
<b>Device Name</b>	MK 6 EEPROM ADAPTOR KIT
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Hardware Details:</b>	
Mk 6 EEPROM Adaptor Kit: <ul style="list-style-type: none"> <li>S08 to DIP8 Adaptor PCBA</li> <li>IC ST93556 (S08) package</li> <li>Applicable Mk6 Main Boards</li> </ul>	ATA P/N: 431466_1 ATA P/N: 494291 ATA P/N: 431466-G_SMD U77 & U82 on <ul style="list-style-type: none"> <li>410541(Mk6 Main Board)</li> <li>410481(Mk6 XP Main Board)</li> <li>410541(Mk6 XP Main Board RoHS)</li> </ul>
<b>Platform/Cabinet Details</b>	
Mk 6 XTra – Highboy, Casino Top, Lowboy (Configured with either Ticket Printer and/or Hopper option)	
Mk 6 XCEED - Highboy, Casino Top, Lowboy, Slant Top (Configured with either Ticket Printer and/or Hopper option)	
Mk 6 XCite – Casino Top, Lowboy (Configured with either Ticket Printer and/or Hopper option)	
Mk 6 SER1RX – Casino Top (Configured with either Ticket Printer and/or Hopper option)	
Mk 6 (XTreme) – Casino Top (with in-machine LCD Display) (Configured with either Ticket Printer and/or Hopper option)	
Slant Mk 6 – Round Top, Casino Top (with in-machine LCD Display) (Configured with Ticket Printer only)	
<b>Application Reference No.</b>	01-A1271/S01

Updated Platform Hardware	
<b>Device Name</b>	Gen 7 Viridian Widescreen Platform
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Hardware Details:</b>	
Gen 7 Viridian Cabinet Generic Assembly (WS) Assembly	ATA P/N: 582505 Issue E03
Gen 7 Viridian Main Top Door (WS) Assembly	ATA P/N: 579268 Issue C01
Gen 7 Viridian Lower Door Latch Assembly	ATA P/N: 589517 Issue E01
Gen 7 Viridian Top Door Latch Assembly	ATA P/N: 589508 Issue B01
Gen 7 Viridian Mechanical Meters Cage Assembly	ATA P/N: 589504 Issue F01
Logic Cage Shroud	ATA P/N: 589561 Issue D01
Viridian Printer Cage II (WS)	ATA P/N: 593222 Issue A01
<b>Platform/Cabinet Details</b>	
Gen 7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD Display) (Configured with either Ticket Printer and/or Hopper option)	
<b>Application Reference No.</b>	01-A1266/S01



New Poker Machine Game and Player Tracking Decal				
<b>Game Name</b>	Sex and the City Single Play			
<b>Manufacturer</b>	IGT (Australia) Pty Ltd			
<b>Specification Number</b>	18.B0592			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 4 Wins Transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c,			
<b>Variation Details:</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max PRTP</b>
2	2c	88.63%	3.290524%	91.92%
3	1c	88.63%	3.218549%	91.85%
<b>Platform/Cabinet Details:</b>				
AVP BC20 – Portrait 32in Top Box				
<b>Device Details:</b>				
<b>Device Name</b>	Player Tracking Decal			
<b>Category</b>	GM (Gaming Machine)			
<b>GM Type</b>	Hardware Component			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix ( dated 14/1/09)			
<b>Submission Standards</b>				
<b>Player Tracking Decal Artwork Details</b>	A7200244			
<b>Application Reference No.</b>	18-A5143/S01			

Additional Platform Hardware	
<b>Device Name</b>	BC20 Portrait 32" Door and Multi Topper
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Hardware Details:</b>	
BC20 Portrait 32" Door	
Multi Topper	
Overhead Signage & Sticker	
<b>Platform/Cabinet Details</b>	
AVP BC20 – Portrait 32in Top Box	
<b>Application Reference No.</b>	18-A1220/S01

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork		
<b>Game Name</b>	Action Packed (1c – 3 Linked Levels)	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF113	
<b>Game Identifier</b>	GDNSAK1C	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA006	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$2.50	
<b>Base Credit Value</b>	1c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	01	85.38%
	02	87.20%
<b>Platform/Cabinet Details</b>		
A560-H – High Boy (with / without A560 Topper)		
A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b>		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
2. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.		
3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.		
<b>Application Reference No.</b>	44-A0656/S01	

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork		
<b>Game Name</b>	Action Packed (2c – 3 Linked Levels)	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF114	
<b>Game Identifier</b>	GDNSAK2C	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA006	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	01	85.38%
	02	87.20%
<b>Platform/Cabinet Details</b>		
A560-H – High Boy (with / without A560 Topper)		
A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.</li> <li>The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> </ol>		
<b>Application Reference No.</b>	44-A0656/S01	

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork				
<b>Game Name</b>		Action Packed (1c – 1 linked, 2 iSAP Levels)		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Specification Number</b>		44.HF115		
<b>Game Identifier</b>		GDNSAK3B		
<b>Gaming Machine Type</b>		SFS - iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		44.YA006		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$2.50		
<b>Base Credit Value</b>		1c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
11	85.38%	SC111	4.704647%	90.09%
12	87.20%	SC121		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>		44-A0656/S01		

New Poker Machine Games and Additional Topper and Player Tracking Panel Artwork				
<b>Game Name</b>		Action Packed (2c – 1 Linked, 2 iSAP Levels)		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Specification Number</b>		44.HF116		
<b>Game Identifier</b>		GDNSAK4B		
<b>Gaming Machine Type</b>		SFS - iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		44.YA006		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		2c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
11	85.38%	SC112	4.704647%	90.09%
12	87.20%	SC122		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>		44-A0656/S01		

New Poker Machine Game		
<b>Game Name</b>	Hollywood Hype (1c – 3 Linked Levels)	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF117	
<b>Game Identifier</b>	GDNSHW1B	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA006	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$2.50	
<b>Base Credit Value</b>	1c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	01	85.38%
	02	87.20%
<b>Platform/Cabinet Details</b>		
A560-H – High Boy (with / without A560 Topper)		
A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.</li> <li>The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> </ol>		
<b>Application Reference No.</b>	44-A0658/S01	

New Poker Machine Game		
<b>Game Name</b>	Hollywood Hype (2c – 3 Linked Levels)	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.HF118	
<b>Game Identifier</b>	GDNSHW2B	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA006	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	01	85.38%
	02	87.20%
<b>Platform/Cabinet Details</b> A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b> 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 2. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings. 3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.		
<b>Application Reference No.</b>	44-A0658/S01	



New Poker Machine Game				
<b>Game Name</b>	Hollywood Hype (1c – 1 Linked, 2 iSAP Levels)			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.HF119			
<b>Game Identifier</b>	GDNSHW3B			
<b>Gaming Machine Type</b>	SFS - iSAP			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	44.YA006			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
<b>Maximum Bet Value</b>	\$2.50			
<b>Base Credit Value</b>	1c			
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
11	85.38%	SC111	4.704647%	90.09%
12	87.20%	SC121		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>	44-A0658/S01			

New Poker Machine Game				
<b>Game Name</b>	Hollywood Hype (2c – 1 Linked, 2 iSAP Levels)			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.HF120			
<b>Game Identifier</b>	GDNSHW4B			
<b>Gaming Machine Type</b>	SFS - iSAP			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	44.YA006			
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value</b>	2c			
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
11	85.38%	SC112	4.704647%	90.09%
12	87.20%	SC122		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>	44-A0658/S01			

New Poker Machine Cabinet	
<b>Device Details</b>	G-Comfort Platform
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Platform
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20
<b>Hardware Identification:</b>	
<b>Device</b>	<b>Model Number</b>
Platform/Cabinet details: G-Comfort	GSLT-SL00-VR
Gaming Machine Topper:	G-Topper (Type A)
<b>Application Reference No.</b>	06-A0339/S01

New Poker Machine Cabinet and Updated Game Software			
<b>Game Name</b>	Arctic Sun		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Specification Number</b>	6.F0040		
<b>Game Identifier</b>	09pASMG2		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$2.50		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	1	87.96%	87.96%
	2	88.96%	88.97%
	3	89.96%	89.97%
	4	90.96%	90.97%
	5	91.97%	91.99%
	6	92.96%	92.97%
	7	95.95%	95.96%
<b>Platform/Cabinet Details</b>			
G-ENEX – Midway, Low Boy G-Comfort			
<b>Application Reference No.</b>	06-A0339/S01		

Updated Poker Machine Game Software and Additional Cabinet			
<b>Game Name</b>	Aztec Beauty		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Specification Number</b>	6.F0035		
<b>Game Identifier</b>	09pABMG3		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$4.50		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	1	87.92%	87.99%
	2	88.91%	88.99%
	3	89.92%	89.97%
	4	90.91%	90.97%
	5	91.91%	91.96%
	6	92.90%	92.96%
	7	95.92%	95.97%
<b>Platform/Cabinet Details</b>			
G-ENEX – Midway, Low Boy			
G-Comfort			
<b>Application Reference No.</b>	06-A0340/S01		

Updated Poker Machine Game Software and Additional Cabinet		
<b>Game Name</b>	Chinese Phoenix	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Specification Number</b>	6.F0031	
<b>Game Identifier</b>	07CHPMG2	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min/Max PRTP</b>
	1	85.26%
	2	88.06%
	3	89.07%
	4	90.02%
	5	91.99%
	6	94.08%
	7	97.95%
<b>Platform/Cabinet Details</b>		
G-ENEX – Midway, Low Boy G-Comfort		
<b>Operational Conditions</b>		
1. Gaming machine variation number 1 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	06-A0345/S01	

Updated Poker Machine Game Software and Additional Cabinet			
<b>Game Name</b>	Chinese Phoenix III		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Specification Number</b>	6.F0036		
<b>Game Identifier</b>	07CH3MG2		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	1	87.91%	87.93%
	2	88.91%	88.93%
	3	89.91%	89.94%
	4	90.90%	90.92%
	5	91.91%	91.94%
	6	92.91%	92.94%
	7	95.90%	95.93%
<b>Platform/Cabinet Details</b>			
G-ENEX – Midway, Low Boy			
G-Comfort			
<b>Application Reference No.</b>	06-A0346/S01		

Updated Poker Machine Game Software and Additional Cabinet		
<b>Game Name</b>	Fortune Wealth	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Specification Number</b>	6.F0033	
<b>Game Identifier</b>	07FRGMG6	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min/Max PRTP</b>
	1	85.26%
	2	88.06%
	3	89.07%
	4	90.02%
	5	91.99%
	6	94.08%
	7	97.95%
<b>Platform/Cabinet Details</b>		
G-ENEX – Midway, Low Boy		
G-Comfort		
<b>Operational Conditions</b>		
1. Gaming machine variation number 1 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	06-A0348/S01	

Updated Poker Machine Game Software and Additional Cabinet			
<b>Game Name</b>	Howling Moon		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Specification Number</b>	6.F0029		
<b>Game Identifier</b>	09HOMMG7		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	1	91.91%	91.96%
	2	93.98%	94.01%
	3	95.99%	96.03%
	4	97.95%	98.00%
<b>Platform/Cabinet Details</b>			
G-ENEX – Midway, Low Boy			
G-Comfort			
<b>Application Reference No.</b>	06-A0347/S01		



New Poker Machine Cabinet and Updated Game Software		
<b>Game Name</b>	Lucky Samurai	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Specification Number</b>	6.F0032	
<b>Game Identifier</b>	09pLSMG3	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min/Max PRTP</b>
	1	87.98%
	2	88.97%
	3	89.99%
	4	90.99%
	5	91.95%
	6	92.98%
	7	95.96%
<b>Platform/Cabinet Details</b>		
G-ENEX – Midway, Low Boy		
G-Comfort		
<b>Application Reference No.</b>	06-A0339/S01	

Updated Poker Machine Game Software and Additional Cabinet		
<b>Game Name</b>	Master Of Delight III	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Specification Number</b>	6.F0034	
<b>Game Identifier</b>	07FR3MG3	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min/Max PRTP</b>
	1	87.89%
	2	88.83%
	3	89.89%
	4	90.86%
	5	91.88%
	6	92.86%
	7	95.88%
<b>Platform/Cabinet Details</b>		
G-ENEX – Midway, Low Boy		
G-Comfort		
<b>Application Reference No.</b>	06-A0344/S01	

New Poker Machine Game				
<b>Game Name</b>		Raging Eruption		
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd		
<b>Specification Number</b>		6.BF014		
<b>Game Identifier</b>		09LREMG1		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 1 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$9.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
1	88.52%	1.500000%	90.02%	90.11%
2	89.51%		91.01%	91.09%
3	90.54%		92.04%	92.13%
4	91.51%		93.01%	93.09%
<b>Platform/Cabinet Details</b>				
G-ENEX – G-Deluxe				
<b>Application Reference No.</b>		06-A0324/S01		

Platform Hardware Updates	
<b>Device Name</b>	AVP BC20 Platform Parts Update # 3
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Hardware Details:</b>	
<b>Description</b>	<b>IGT Part Number</b>
Process Board Dual Core Turion Assembly	75530200W Rev C
Enclosure-CPU AVP 3.0, AUS, BC20	14526200 Rev A
PCB, ATX Supply, AVP3.0, ASSY	75851190W Rev A
Bracket-3.5IN HDD AND ATX, AVP 3.0	62661800 Rev A
Bracket-MOUNT, 3.5IN HDD, AVP 3.0	62661900 Rev A
HDD, AV Style, 3.5IN, 7200RPM, 500GB MIN CAP	29132090W Rev A
PCB Cabinet Controller Board BC20	75832203W Rev A
Power Supply	40012003W Rev A
Power Supply Handle/Mounting	38001700 Rev A
Button Panel Edge lit Dynamics BC20	68608100 Rev A
Cover Hopper AUS BC20 V3	68705800 Rev A
Mount Switch TB BCGL V2	69519500 Rev A
Mount 440W PWRS BCGL	63631900 Rev A
Door-Coin BCGL V4	71927300 Rev A
Mount-Coin Mech BCGL ASSY	69522600 Rev A
Coin Chassis SUB \$1n AUS BCGL ASSY	14302101 Rev A
Chute-Coin Mech To Hopper V2 AU	57333900 Rev A
Coin Chute BCGL V3 ASSY	57333800 Rev A
Harness Power Supply BC/GL20	60792702W Rev A
Panel Assembly Edge Lit P/T	A3200911 Rev A
Harness Power P/T BC20	A3090594 Rev A
Harness 5/12VDC INTC CPU 3.0 AVP BC20	62303602W Rev A
Fan ASSY 24VDC Top Box BC20	A6001280 Rev A
Harness DB Controller Panel 13V, +25V 14in Fused	A3090603 Rev A
Flash Drive USB 4GB IGT Generic	A3200716 Rev A
HEATSINK, GPU, ACTIVE, AMD M72	26707290W Rev A
Hopper Cyclone 210 AUS \$1 AU1	79900890 Rev C
<b>Platform/Cabinet Details</b>	
AVP BC20 – Video Top, Portrait 32IN Top Box	
<b>Application Reference No.</b>	18-A1219/S01

Updated List of Regression Tested Games		
<b>Device Name</b>	AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Shell Identifier</b>	AP010702	
<b>Category</b>	SF (Supporting Function)	
<b>Category Type</b>	Other (System Software)	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
<b>Platform/Cabinet Details</b>		
AVP BC20 – Video Top, Portrait Top AVP ST22 – Video Slant Top		
<b>List of previously approved game(s) recommended for operation with this Shell Version:</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Wheel of Gold Eastern Empress	18.H0105	X48010GA, RA
Wheel of Gold Queen of Atlantis	18.H0107	X47810GA, RA
Wheel of Gold Dolphin Dreams	18.H0108	X48110GA, RA
Wheel of Gold Wild Girls	18.H0112	X51200GA, RA
Wheel of Gold Ancient Troy	18.H0113	X48200GA, RA
Wheel of Gold Pampalona	18.H0114	X52800GA, RA
<b>Application Reference No.</b>	18-A5141/S01	

Updated List of Regression Tested Games		
<b>Device Name</b>	AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Shell Identifier</b>	AP010702	
<b>Category</b>	SF (Supporting Function)	
<b>Category Type</b>	Other (System Software)	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
<b>Platform/Cabinet Details</b>		
AVP BC20 – Video Top, Portrait Top		
AVP ST22 – Video Slant Top		
<b>List of previously approved game(s) recommended for operation with this Shell Version:</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Hot Shot Full Steam Ahead	18.B0571	X50610GA, RA
Firework Fortune Wild Jaguar	18.B0573	X54000GA, RA
Hot Shot Regal Riches	18.B0574	X53500GA, RA
Firework Fortune Ship Ahoy	18.B0576	X53800GA, RA
Hot Shot Red Lions	18.B0578	X53700GA, RA
Firework Fortune Imperial Lion	18.B0588	X54110GA, RA
<b>Application Reference No.</b>	18-A5144/S01	

New Multi-Game Poker Machine Game				
<b>Game Name</b>		Multistar Super Jackpots		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Specification Number</b>		18.D0016		
<b>Game Identifiers</b>		A55600GA, A55600RA		
<b>Gaming Machine Type</b>		MGM – iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels: 2 Wins Transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Component Game Set Details</b>		<b>Game Number</b>		<b>Game Name</b>
		01		Imperial Dragons 2
		02		Jack's Back 2
		03		Polynesian Sunset
<b>Multi-Game Combination:</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>Variation</b>	<b>SDB P RTP</b>
01	91.99%	01	99	91.99%
		02	03	91.99%
		03	02	91.99%
<b>Platform/Cabinet Details</b> AVP BC20 – Video Top				
<b>Application Reference No.</b>		18-A5138/S01		

Updated Hardware Assemblies	
<b>Device Name</b>	ST22 Slant Top Update # 3
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	GM
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2
<b>Hardware Component Details:</b>	
<b>Hardware Component</b>	<b>Part Number</b>
Process Board Dual Core Turion Assembly	75530200W Rev C
Enclosure CPU AVP 3.0ME ASSY	14555000 Rev A
Chassis CPU, AVP 3.0ME	14337000 Rev A
Door Security CPU AVP 3.0ME	71967000 Rev A
Bracket I/O Panel AVP 3.0 M	62670400 Rev A
PCB, ATX Supply, AVP3.0, ASSY	75851190W Rev A
Bracket-3.5IN HDD AND ATX, AVP 3.0	62661800 Rev A
Bracket-Mount, 3.5IN HDD, AVP 3.0	62661900 Rev A
Power Supply 90-264AC, 440W, 12V24V, PFC, OCP, ROHS, LC2	40012003W Rev A
Bracket-fan, Enclosure, AVP 2.5	62916600W Rev A
Fan Assembly 92X32MM 12V 290MA 70CFM 3 Wire	26006901W Rev A
Cover-Fan, 92MM DC	68883290 Rev A
PCB Wide Screen DIST AND CNTRL, V3, AUS, ASY	75832002W Rev A
Harness 12V/5V USB CPU 3.0 AVP G22	60413708W Rev A
Plate Blank Finance BTN AUS ST22	A700149593 Rev A
<b>Platform/Cabinet Details</b>	
AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A1223/S01



Updated Hardware Assembly		
<b>Device Name</b>	COIN SEPARATOR	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Category</b>	GM	
<b>Category Type</b>	Hardware Component	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2	
<b>Hardware Details:</b>		
<b>Device Details - 1</b>		
<b>Description</b>	<b>Manufacturer's Model</b>	<b>Konami's Part Number</b>
Coin Validator	a) Microcoin QL, Q7120 CFG: AU002-A3	3102002A
	b) Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-way Separator	Microcoin QL, 7003034	3102003A
<b>Platform/Cabinet Details</b>		
Endeavour Series – High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD, Casino Top with LPJS, Hex Casino Top with LPJS		
Endeavour ES 500 – Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD, Casino Top with LPJS, Hex Casino Top with LPJS		
<b>Device Details - 2</b>		
<b>Description</b>	<b>Manufacturer's Model</b>	<b>Konami's Part Number</b>
Coin Validator	a) Microcoin QL, Q7120-D CFG: AU002-C3	3102002A
	b) Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-way Separator	Microcoin QL, 7003034	3102003A
<b>Platform/Cabinet Details</b>		
K2V - High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD		
K2V 500 – Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD		
K2V Upgrade - High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD		
K2V 500 Upgrade - Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD		
<b>Device Details - 3</b>		
<b>Description</b>	<b>Manufacturer's Model</b>	<b>Konami's Part Number</b>
Coin Validator	Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
	Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-way Separator	Microcoin QL, 7003034	3102003A
<b>Platform/Cabinet Details</b>		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Application Reference No.</b>	39-A0943/S01	

New Poker Machine Game		
<b>Game Name</b>	REELY COLD	
<b>Specification Number</b>	35.F0189	
<b>Game Identifier</b>	RECNSW1B	
<b>Manufacturer</b>	Shuffle Master Australasia Pty Limited	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS Rev 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details:</b>		
<b><u>Var</u></b>	<b><u>Min PRTP</u></b>	<b><u>Max PRTP</u></b>
99	90.23%	90.38%
1	85.03%	85.18%
2	87.02%	87.15%
3	88.03%	88.22%
5	89.04%	89.20%
7	86.20%	86.33%
15	91.37%	91.57%
16	93.56%	93.74%
<b>Platform/Cabinet Details</b>		
eStar PC4 –Round Top, Low Top		
eStar PC4 –Round Top (with in-machine LCD 17" Display)		
PC4 Mojo ST – Slant Top		
PC4 – Equinox, Equinox Low Boy		
<b>Operational Conditions</b>		
1. Game variation numbers 1 and 7 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	35-A0738/S01	

New Poker Machine Games				
<b>Game Name</b>	Money Heat (40 / 50 Lines)			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.BF102			
<b>Game Identifier</b>	GDNSM12I			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
36	1c	86.09%	4.050000%	90.14%
37		85.49%		89.54%
38		87.17%		91.22%
39		87.97%		92.02%
46	2c	86.09%	4.133333%	90.22%
47		85.49%		89.62%
48		87.18%		91.31%
49		87.97%		92.10%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>	44-A0668/S01			

New Poker Machine Games				
<b>Game Name</b>		Money Heat (50 / 100 Lines)		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Specification Number</b>		44.BF103		
<b>Game Identifier</b>		GDNSM14D		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
66	1c	85.94%	4.050000%	89.99%
67		85.13%		89.18%
68		87.24%		91.29%
69		87.96%		92.01%
76	2c	85.94%	4.133333%	90.07%
77		85.13%		89.26%
78		87.24%		91.37%
79		87.96%		92.09%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>		44-A0668/S01		

New Poker Machine Games	
<b>Game Name</b>	Sweet Dreams (1c – 3 Linked Levels)
<b>Manufacturer</b>	Ainsworth Game Technology Limited
<b>Specification Number</b>	44.HF109
<b>Game Identifier</b>	GDNSS31B
<b>Gaming Machine Type</b>	SFS
<b>Game Type</b>	Spinning Reels
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3
<b>LPJS</b>	44.YA006
<b>Maximum Bet Value</b>	\$2.50
<b>Base Credit Value</b>	1c
<b>Variation Details</b>	
<b>Var</b>	<b>Min / Max Total RTP</b>
01	85.38%
02	87.20%
<b>Platform/Cabinet Details</b>	
A560-H – High Boy (with / without A560 Topper) A560-L – Low Boy (with A560 Topper)	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>2. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.</li> <li>3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> </ol>	
<b>Application Reference No.</b>	44-A0657/S01

New Poker Machine Games	
<b>Game Name</b>	Sweet Dreams (2c – 3 Linked Levels)
<b>Manufacturer</b>	Ainsworth Game Technology Limited
<b>Specification Number</b>	44.HF110
<b>Game Identifier</b>	GDNSS32B
<b>Gaming Machine Type</b>	SFS
<b>Game Type</b>	Spinning Reels
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 3
<b>Maximum Bet Value</b>	\$5.00
<b>Base Credit Value</b>	2c
<b>Variation Details</b>	
<b>Var</b>	<b>Min / Max Total RTP</b>
01	85.38%
02	87.20%
<b>Platform/Cabinet Details</b>	
A560-H – High Boy (with / without A560 Topper)	
A560-L – Low Boy (with A560 Topper)	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>2. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.</li> <li>3. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> </ol>	
<b>Application Reference No.</b>	44-A0657/S01

New Poker Machine Game				
<b>Game Name</b>	Sweet Dreams (1c – 1 Linked, 2 iSAP Levels)			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.HF111			
<b>Game Identifier</b>	GDNSS33B			
<b>Gaming Machine Type</b>	SFS - iSAP			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	44.YA006			
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1			
<b>Maximum Bet Value</b>	\$2.50			
<b>Base Credit Value</b>	1c			
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
11	85.38%	SC111	4.704647%	90.09%
12	87.20%	SC121		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above-mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>	44-A0657/S01			

New Poker Machine Games				
<b>Game Name</b>		Sweet Dreams (2c – 1 Linked, 2 iSAP Levels)		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Specification Number</b>		44.HF112		
<b>Game Identifier</b>		GDNSS34D		
<b>Gaming Machine Type</b>		SFS - iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		44.YA006		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins Transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		2c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Setting Combination</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
11	85.38%	SC112	4.704647%	90.09%
12	87.20%	SC122		91.91%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy (with / without A560 Topper)				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The above mentioned games must operate in conjunction with either the three levels or one level Standard Linked Progressive Jackpot System, Specification Number 44.YA006, with the approved 'Lights Camera Action' jackpot settings.				
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.				
<b>Application Reference No.</b>		44-A0657/S01		



New Poker Machine Game		
<b>Game Name</b>	Thunder Bucks	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Specification Number</b>	44.F0323	
<b>Game Identifier</b>	GDNSTH1C	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.20	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	20c, 50c, \$1.00	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	88.08%
	1	89.77%
	2	91.82%
	6	86.12%
	15	90.85%
<b>Platform/Cabinet Details</b>		
A560-H – High Boy		
A560-L – Low Boy (with / without A560 Topper)		
<b>Operational Conditions</b>		
1. Gaming machine variation number 6 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0678/S01	

New Poker Machine Game				
<b>Game Name</b>	Thunder Bucks (2 iSAP Levels)			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Specification Number</b>	44.BF104			
<b>Game Identifier</b>	GDNSTH2C			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20			
<b>Progressive Levels Supported</b>	iSAP: Yes Type: Random Levels: 2 Wins Transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	20c, 50c, \$1.00			
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
66	20c	86.12%	4.300000%	90.42%
69		88.08%		92.38%
76	50c	86.13%	4.533333%	90.66%
79		88.09%		92.62%
86	\$1.00	86.12%	4.550000%	90.67%
89		88.08%		92.63%
<b>Platform/Cabinet Details</b>				
A560-H – High Boy				
A560-L – Low Boy (with A560 Topper)				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Thunder Bucks (2 iSAP Levels)'				
<b>Application Reference No.</b>	44-A0678/S01			

Updated Game Shell Software	
<b>Game Name</b>	Game Shell / BIOS
<b>Manufacturer</b>	Ainsworth Game Technology Limited
<b>Specification Number</b>	NX1A2C9F
<b>Category</b>	Supporting Function
<b>Category Type</b>	System Software
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NSW CPTS 2.2; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20
<b>Platform/Cabinet Details</b>	
A560-H – High Boy (with / without A560 Topper)	
A560-L – Low Boy (with / without A560 Topper)	
<b>Application Reference No.</b>	44-A0678/S01