

# Gaming Machine (Peripheral Equipment) Approval 2014 (No 8)

Notifiable instrument NI2014– 434

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine (Peripheral Equipment) Approval 2014 (No 8)*.

## 2 Commencement

This instrument commences on the day after its notification.

## 3 Approval

I approve the peripheral equipment described in the attached Schedule to this instrument.

## 4 Revocation

This instrument revokes:

- NI2010-19
- NI2010-46
- NI2010-112
- NI2010-159
- NI2010-184
- NI2010-211
- NI2010-231
- NI2010-248
- NI2010-274
- NI2010-310
- NI2010-355
- NI2010-419
- NI2010-569
- NI2010-580
- NI2010-611
- NI2010-643
- NI2010-649
- NI2010-656

James Mullan  
Delegate  
ACT Gambling and Racing Commission

28 August 2014

<b>SYSTEM/DEVICE NAME</b>	Multi Venue Jackpot System <sup>^</sup>
<b>MANUFACTURER</b>	Paltronics Australia Pty Ltd
<b>CATEGORY</b>	Subsidiary Equipment
<b>SYSTEM DESCRIPTION</b>	999 Jackpot Levels Multi Venue Linked Progressive Jackpot System with CCCE Jackpot Transfer and Dual Port functionality with up to 500 (100 unless communications systems have been tested) Inter-Venue Jackpot Linked Gaming Machines
<b>APPLICATION REFERENCE NUMBER</b>	ACT:SC/26-A0001
<b>TECHNICAL STANDARDS</b>	NS 9.0 + NSW Appendix (dated 23/3/07) NSW Jackpot TSR1.1; NSW CPTS 2.2
<b>SUBMISSION STANDARDS</b>	NS 9.0 + NSW Appendix (dated 23/03/07)

<b>SYSTEM/DEVICE NAME</b>	Multi Venue Jackpot System – Local Jackpot Controller <sup>^</sup>
<b>MANUFACTURER</b>	Paltronics Australasia Pty Ltd
<b>CATEGORY</b>	Subsidiary Equipment
<b>SYSTEM DESCRIPTION</b>	64 Jackpot Levels Mystery Linked Progressive Jackpot System with CCCE Jackpot Transfer and Dual Port functionality with 200 Attached Gaming Machines
<b>APPLICATION REFERENCE NUMBER</b>	ACT:SC/26-A0001
<b>TECHNICAL STANDARDS</b>	NS 9.0 + NSW Appendix (dated 23/3/07) NSW Jackpot TSR1.1; NSW CPTS 2.2
<b>SUBMISSION STANDARDS</b>	NS 9.0 + NSW Appendix (dated 23/03/07)

**Operational Conditions**

- 1) The logic cage(s) housing the logic boards and other sensitive components of the MVJS (the MVJS Server and each attached local jackpot controller) must be closed and key-locked at all times, except during system maintenance or upgrade of the MVJS.
- 2) The MVJS logic cages' lock key(s) must be under the control of the venue manager.
- 3) The MVJS must be configured to use a different session encryption key every 24 hours or more frequently. The session encryption key is the "password" used by the MVJS to encrypt all its communications between the MVJS Server, Local Jackpot Controllers and Config/Console Workstations.
- 4) The ability to perform any server administration, system configuration, software modification and/or control the servers' operation remotely must be disabled at all times, except during system maintenance or upgrade of the MVJS.
- 5) Dedicated communication line (physical or logical) must be used for all communications between the MVJS Server, Local Jackpot Controllers and Config/Console Workstations.
- 6) 'Rolled-up turnover' is not approved for use in ACT and must be disabled at all times.
- 7) 'Offline play' is not approved for use in ACT and must be disabled at all times. The parameters "Maximum Offline Play Time" and "Maximum Offline Turnover" must be set to zero for each operating jackpot level.
- 8) The supplier must limit the number of inter-venue gaming machines operating with an MVJS to 100 unless the testing outlined in the OLGR Application Testing Report is carried out prior to increasing the number of inter-venue gaming machines. Please note that licensees cannot increase the number of gaming machines operated with an MVJS unless they have sought an amendment to their Multi User Permit.

<b>SYSTEM/DEVICE NAME</b>	IGT Systems Club Release 3.1b (ARN18-A1183/S01)
<b>MANUFACTURER</b>	IGT (Australia) Pty Ltd
<b>CATEGORY</b>	Subsidiary Equipment
<b>SPECIFICATION OR SERIAL NUMBER</b>	18-SET02
<b>SUBMISSION STANDARDS</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>TECHNICAL STANDARDS</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
Maximum number of connected gaming machines per Transaction Server is 300.	
The IGT Systems Club Release 3.1b is approved to operate with the following approved eCash Redemption Terminal specification number 18-SER01	
<b>OPERATIONAL CONDITIONS</b>	
<ol style="list-style-type: none"> <li>1. The system VIP functionality must be disabled during installation.</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>3. The system is approved for use in a local area network (LAN) configuration only.</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>APPLICATION REFERENCE NUMBER</b>	18-A1183/S01

<b>System Device Name</b>	ATA Graphics Server Thin Client ATA Graphics Server
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Gaming Machine Type</b>	Other (Graphics Server)
<b>Specification Number</b>	1.SES00 1.SES01
<b>Technical Standards</b>	NSW Jackpot Technical Standards Rev 1.1
<b>Specific Approval Conditions</b>	
<ol style="list-style-type: none"> <li>1. The Acres Doli Protocol functionality is not a subject of this approval.</li> <li>2. The number of Jackpot Levels displayed by the ATA Graphics Server of a selected Mystery Link should match the number of Jackpot Levels configured in the Jackpot Controller.</li> </ol>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. Each ATA Graphics Server (P/N: 57783) operating within a venue must be authorised with the Specification Number: 1.SES00.</li> <li>2. Each Thin Client ATA Graphics Server (P/N: 442004 or 442027_2) operating within a venue must be authorised with the Specification Number: 1.SES01.</li> <li>3. The ATA Graphics Server or Thin Client ATA Graphics Server must be connected to an approved Standard / Hyperlink / Random Link Progressive Jackpot System as given above.</li> <li>4. The ATA Graphics Server or Thin Client ATA Graphics Server active external I/O ports must be housed in a security cage fitted with a security seal to prevent connection or removal of data cables.</li> </ol>	
<b>Application Reference Number</b>	01-A1134/S01

<b>System Device Name</b>	Sprintquip Cashback Centre
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification Number</b>	01-SER00
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.18
<b>Application Reference Number</b>	01-A1142/S01

<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>System Details 1</b>	
<b>System Name</b>	System 7000
<b>System Description</b>	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation and Take A Break
<b>Category Type</b>	Subsidiary Equipment
<b>Specification</b>	01-SET06
<b>System Details 2</b>	
<b>System Name</b>	System 7000
<b>System Description</b>	Data Gathering, Report Generating and Player Tracking / Bonus Points
<b>Category Type</b>	Subsidiary Equipment
<b>Specification</b>	01-SEZ07
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>The above identified System 7000 is approved to operate with the following approved cash redemption terminal</b>	
<b>System Name</b>	Sprintquip Cashback Centre
<b>System Description</b>	Gaming Machines Printed Ticket Redemption Station
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	01-SER00
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Operational Conditions</b>	
The subsidiary equipment interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine	
<b>Application Reference Number</b>	01-A1148/S01

<b>System Name</b>	IGT Systems Club
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>System Description</b>	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation
<b>Category Type</b>	Subsidiary Equipment
<b>Specification</b>	18-SET02
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>The IGT Systems Club Version 3.1i is approved to operate with the following approved eCash Redemption Terminal:</b>	
<b>System Name</b>	eCash Redemption Terminal
<b>System Description</b>	Gaming Machines Printed Ticket Redemption Station
<b>Category</b>	Gaming Support Systems
<b>Specification</b>	18-SER01
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system VIP functionality must be disabled during installation</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine</li> <li>3. The system is approved for use in a local area network (LAN) configuration only</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure</li> </ol>	
<b>Application Reference Number</b>	01-A1186/S01, S02

<b>System Name</b>	Standard LPJS – Mystical Temple
<b>Manufacturer</b>	Konami Australia Pty Ltd
<b>System Description</b>	3 Levels Standard Linked Progressive Jackpot System with CCCE Transfer
<b>Category Type</b>	Subsidiary Equipment
<b>Specification</b>	39-YA002
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 NSW Jackpot TS Rev 1.1
<b>Operational Conditions</b>	
The system interface card must be enclosed within a sealed enclosure	
<b>Application Reference Number</b>	39-A0800/S01, /S02, /S03

<b>System/Device Name</b>	Hyperlink LPJS
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	PC
<b>Category Type</b>	STD (Standard Progressive Controller)
<b>Specification</b>	1.YA002
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18 NSW Jackpot Technical Standards Rev 1.1
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) must be connected to the above mentioned Hyperlink Link Progressive Jackpot System)</li> <li>2. There should be at least one venue overhead display connected to the ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) so as to display pool values, the GMID / House Number of the winning gaming machine, jackpot win amounts and the G-Line message.</li> </ol>	
<b>Application Reference Number</b>	A1153/S01

<b>System/Device Name</b>	Hyperlink LPJS
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	PC
<b>Category Type</b>	STD (Standard Progressive Controller)
<b>Specification</b>	1.YA002
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1
<b>Jackpot Themes</b>	Jaws Link Bonus Link Fa Fa Fa Link
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) must be connected to the above mentioned Hyperlink Link Progressive Jackpot System.</li> <li>2. There should be at least one venue overhead display connected to the ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) so as to display pool values, the GMID / House Number of the winning gaming machine, jackpot win amounts and the G-Line message.</li> </ol>	
<b>Application Reference Number</b>	A1159/S01

<b>System/Device Name</b>	Coin Validator
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet</b>	PC3 – High Top, Casino Top, Casino Plus Top, Low Top eStar – Round Top, Square Top, Low Top Round Top with Mystery Link LCD Square Top with Mystery Link LCD Round Top (with in-machine 17" LCD) eStar PC4 – Round Top, Square Top, Low Top Round Top (with in-machine 17" LCD)
<b>Application Reference Number</b>	35-A0639/S01

<b>System/Device Name</b>	IGT Systems Club (bugfix)
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification Number</b>	18-SET02
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
The IGT Systems Club Version 3.1J is approved to operate with the eCash redemption Terminal, specification number 18.SER01.	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system VIP functionality must be disabled during installation.</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>3. The system is approved for use in a local area network (LAN) configuration only.</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1189/S01

<b>System/Device Name</b>	Maxetag
<b>Manufacturer</b>	Global Gaming
<b>Category</b>	Subsidiary Equipment
<b>Specification Number</b>	25-SEP00
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/2007)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/2007) NSW CPTS 2.2
<b>Application Reference Number</b>	25-A0190/S01, S02

<b>System/Device Name</b>	Prime Impact
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Category Type</b>	Subsidiary Equipment Interface
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
The following systems are approved to operate with the above-identified subsidiary equipment interface card "Prime Impact Version 1.18".	
<b>System Details 1:</b>	
<b>System Name</b>	System 6000
<b>Specification Number</b>	01-SEBT0, 01-SET05 & 01-SEBZ06
<b>System Details 2:</b>	
<b>System Name</b>	System 7000
<b>Specification Number</b>	01-SET06 & 01-SEZ07
<b>Operational Conditions</b>	
The subsidiary equipment interface card must be housed in sealed enclosure, which requires access to the secure area of the Gaming Machine.	
<b>Application Reference Number</b>	01-A1170/S01



<b>System/Device Name</b>	Central Credit Unit Model 5.5T
<b>Manufacturer</b>	Global Gaming Pty Ltd
<b>Specification Number</b>	25-SET02
<b>Category</b>	Subsidiary Equipment
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
The Central Credit Unit Model 5.5T is not approved to operate with the eCash Redemption Terminal (specification number 25.SER00) in the ACT.	
<p><b>Specific Approval Conditions</b></p> <p>Global Gaming Industries (GGI) must inform each purchaser and/or lessee of the Central Credit Unit Model 5.5T (CCU Model 5.5T) in writing prior to or at the time of purchase/lease that the CCU Model 5.5T is a 'line of sight' centralised cash control system and if all the gaming machines are not visible from the cashier station (by some means), there is an increased risk of player complaints/disputes in respect of transferring money to/out of the gaming machines from/out of the cashiers direct field of view.</p>	
<p><b>Operational Conditions</b></p> <ol style="list-style-type: none"> <li>1. The CCU Model 5.5T must operate with a printer at all times.</li> <li>2. When operating in a dual port environment the CCU Model 5.5T must be connected directly to Port P1 of gaming machine using GAME port of the CCU Model 5.5T interface card.</li> <li>3. The CCU Model 5.5T interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.</li> <li>4. When the CCU Model 5.5T is operated with a Note Dispensing Safe, the note dispensing safe must be located in an area not accessible to the public and shall be operated by venue staff only.</li> <li>5. The CCU Model 5.5T is approved to operate in a dual port environment with any approved Integrated Gaming, Mikohn or Paltronics-branded Linked Progressive Jackpot System that support jackpot CCCE transfer capability.</li> </ol>	
<b>Application Reference Number</b>	01-A0192/S01

<b>System/Device Name</b>	Bill Acceptor – MEI SC66
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet</b>	GENEX – Midway, Lowboy, G-Deluxe
<b>Application Reference Number</b>	06-A0277/S01

<b>System/Device Name</b>		Coin Separator
<b>Manufacturer</b>		Konami Australia Pty Ltd
<b>Category</b>		Gaming Machine
<b>Category Type</b>		Hardware Component
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>System Details 1:</b>		
Description	Manufacturer's Model	Konami's Part Number
Coin Validator	Microcoin QL, Q7120 CFG: AU002-A3	3102002A
	Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-Way Separator	Microcoin QL, 7003032	3102003A
	Microcoin QL, 7003033	3102003A
<b>Platform/Cabinet:</b>		
Endeavour Series – High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD, Casino Top with LPJS, Hex Casino Top with LPJS Endeavour ES 500 – Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD, Casino Top with LPJS, Hex Casino Top with LPJS		
<b>System Details 2:</b>		
Description	Manufacturer's Model	Konami's Part Number
Coin Validator	Microcoin QL, Q7120-D CFG: AU002-C3	3102002A
	Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-Way Separator	Microcoin QL, 7003032	3102003A
	Microcoin QL, 7003033	3102003A
<b>Platform/Cabinet:</b>		
K2V – High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD K2V 500 – Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD K2V Upgrade – High Top, Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD K2V 500 Upgrade – Casino Top, Lowboy, Casino Top with LCD, Hex Casino Top with LCD K2V Advantage 5 – Casino Top, Casino Top with LCD/LED		
<b>System Details 3:</b>		
Description	Manufacturer's Model	Konami's Part Number
Coin Validator	Microcoin QL, Q7120-DO (RoHS) CFG: AU002_C3; Firmware: V3.98	3102002A
2-Way Separator	Microcoin QL, 7003032	3102003A
	Microcoin QL, 7003033	3102003A
<b>Platform/Cabinet:</b>		
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Application Reference Number</b>		39-A0867/S01

<b>System/Device Name</b>	AVP BC20 Platform Update #2
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Platform / Cabinet Details</b>	AVP BC20 – Video Top
<b>Application Reference Number</b>	18-A1191/S01

<b>System/Device Name</b>	IGT Systems Max (Bugfix)
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Support System
<b>Specification</b>	18.SET03
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	Release 3.1.0 Service Pack 5 (SP5)
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The System must be fitted with a compliance plate.</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>3. The system is approved for use in a local area network (LAN) configuration only.</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a “Smart” UPS capable of automatically shutting the system down in the case of a power failure.</li> <li>5. The IGT Systems Max must be configured in such a way that only authorised personnel have access to critical functions and sensitive information contained in the system.</li> </ol>	
<b>Additional Information</b>	
The system is approved to operate in a dual port environment with any approved Paltronics Branded Linked Progressive Jackpot Systems that support jackpot CCCE transfer capability.	
<b>Application Reference Number</b>	18-A1175/S01

<b>System/Device Name</b>	Sandwich Box Assembly
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Platform / Cabinet Details</b>	Game King – High Top, Casino Top, Lowboy GU4C – Casino Top, Lowboy
<b>Application Reference Number</b>	18-A1193/S01

<b>System/Device Name</b>	Marquee Assembly
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd
<b>Category</b>	Gaming Machine
<b>GM Type</b>	Hardware Component
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Marquee Assembly</b>	SM P/N: 10-162A SM P/N: HNS-4809
<b>Platform / Cabinet Details</b>	eStar – Round Top, Square Top, Low Top Round Top with Mystery Link LCD Square Top with Mystery Link LCD Round Top (with in-machine 17" LCD) eStar PC4 – Round Top, Square Top, Low Top Round Top (with in-machine 17" LCD)
<b>Application Reference Number</b>	35-A0654/S01

<b>System/Device Name</b>	Thin Client ATA Graphics Server	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>	Gaming Machine (GM)	
<b>GM Type</b>	Graphics Server	
<b>Specification</b>	1.SES01	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW Jackpot Technical Standards Rev 1.1	
<b>List of Additional Games Suitable for Operation on the Hyperlink LPJS:</b>		
<b>Game Name</b>	<b>Spec Number</b>	<b>Program ID</b>
Bone Bonus (Bonus Link)	1.HF006	10260861
Lucky Count (Bonus Link)	1.HF008	10160858
Jungle Joe Searching High and Low (Bonus Link)	1.HF009	10260912
Fire Light - Power Pay (Bonus Link)	1.HF010	10160943
Fortune Princess (Bonus Link)	1.HF011	10160753
Dolphin Magic - Power Pay (Bonus Link)	1.HF012	10160944
Sirena's Gold (Bonus Link)	1.HF013	10160945
Crusader's Heart – Power Pay (Bonus Link)	1.HF014	10260856
5 Dragons (Fa Fa Fa)	1.HF005	10160917
<b>Specific Approval Conditions</b>		
<ol style="list-style-type: none"> <li>1. The Acres Doli Protocol functionality is not a subject of this approval.</li> <li>2. The number of Jackpot Levels displayed by the ATA Graphics Server of a selected Mystery Link should match the number of Jackpot Levels configured in the Jackpot Controller.</li> </ol>		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The Thin Client ATA Graphics Server must be connected to an approved Standard / Hyperlink / Random Link Progressive Jackpot.</li> <li>2. The Thin Client ATA Graphics Server active external I/O ports must be housed in a security cage fitted with a security seal to prevent connection or removal of data cables.</li> </ol>		
<b>Application Reference Number</b>	01-A1175/S01	

<b>System/Device Name</b>	IGT Systems Club
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18-SET02
<b>System Description</b>	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	Version 3.2
<b>Maximum Number of Connected Gaming Machines per Transaction Server</b>	300
<b>System Details</b>	
<b>System Name</b>	eCash Redemption Terminal
<b>Specification Number</b>	18.SER01
<b>Category</b>	Gaming Support Systems
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>2. The system is approved for use in a local area network (LAN) configuration only.</li> <li>3. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1192/S01

<b>System/Device Name</b>	System 7000
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Main System Software Identifier</b>	7.2.100.26
<b>Specification Number</b>	01-SET06 01-SEZ07
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Device Details:</b>	
<b>Device Name</b>	Sprintquip Cashback Centre (approved NI2010-46)
<b>System Description</b>	Gaming Machines Printed Ticket Redemption Station
<b>Category</b>	Subsidiary Equipment
<b>Specification Number</b>	01-SER00
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Operational Conditions</b> The subsidiary equipment interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.	
<b>Application Reference Number</b>	01-A1196/S01

<b>System</b>	IGT Systems Max
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18.SET03
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	3.1.0 Service Pack 2J
<b>System Details:</b>	
<b>System Name</b>	eCash Redemption Terminal (approved NI2008-168)
<b>System Description</b>	Gaming Machine Printed Redemption Station
<b>Category</b>	Gaming Support System
<b>Specification Number</b>	18.SER01
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Specific Approval Conditions</b>	
<ol style="list-style-type: none"> <li>1. All Xtra Credit systems in the field are to be updated with the latest approved system version and functions within 6 weeks from the date of the Xtra Credit approval.</li> <li>2. Approval is limited to single-venue use only.</li> <li>3. Use of the Xtra Credit facility is subject to the requirements of the Gaming Machine Act 2004 and the Gambling and Racing Control (Code of Practice) Regulation 2002.</li> </ol>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The System must be fitted with a compliance plate.</li> <li>2. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>3. The "IGT Systems Max" is approved for use in a local area network (LAN) configuration only.</li> <li>4. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1190/S01



Updated hyperlink LPJS for the ATA Graphics Server	
<b>System/Device Name</b>	ATA Graphics Server Thin Client ATA Graphics Server
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Gaming Machine Type</b>	Graphics Server
<b>Specification Number</b>	01-SES00 01-SES01
<b>Technical Standards</b>	NSW Jackpot Technical Standards Rev 1.1
<b>Specific Approval Conditions</b>	
<ol style="list-style-type: none"> <li>1. The Acres Doli Protocol is not a subject of this approval.</li> <li>2. The number of jackpot levels displayed by the ATA Graphics Server of a selected Mystery Link should match the number of jackpot levels configured in the Jackpot Controller.</li> </ol>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The ATA Graphics Server or Thin Client ATA Graphics Server must be connected to an approved Standard/Hyperlink/Random Link progressive Jackpot System.</li> <li>2. The ATA Graphics Server or Thin Client ATA Graphics Server active external I/O ports must be housed in a security cage fitted with a security seal to prevent connection or removal of data cables.</li> </ol>	
<b>Application Reference Number</b>	01-A1195/S01

Updated Standard LPJS Software				
<b>System/Device Name</b>		Hyperlink LPJS (Max 504 EGM)		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Category</b>		PC		
<b>PC Type</b>		Standard Progressive Controller		
<b>Specification Number</b>		01-YA002		
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1 TITI Technical Standard V4.18 (section 7.1)		
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1 TITI Technical Standard V4.18 (section 7.1)		
<b>Controller Firmware</b>		Version 5.05		
<b>Additional Jackpot Themes</b>		Bank Buster Link Cash express/Money Train Link Beat the Bandits Link		
<b>Specific Approval Conditions</b>				
This Hyperlink LPJS (Max 504 EGM) is approved to operate with hyperlink games that have been approved /authorised with the following Hyperlink Link Progressive Jackpot System Specification Numbers:				
Link Configurations		Gaming Machine Configurations		
Hyperlink LPJS Specification Numbers	Setting Ids	Jackpot Themes	BCV	Trigger Constants
01-YH030	H0030001-H0030008	Cash Express / Money Train	1c	\$275
01-YH290	H0290001-H0290008			\$350
01-YH300	H0300001-H0300008			\$425
01-YH310	H0310001-H0310008			\$500
01-YH320	H0320001	Bank Buster	1c	\$225.25
01-YA001	H0030001-H0030008	Cash Express / Money Train	1c	\$275
	H0290001-H0290008			\$350
	H0300001-H0300008			\$425
	H0310001-H0310008			\$500
	H0320001	Bank Buster	1c	\$225.25
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. The ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) must be connected to the above-mentioned Hyperlink Link Progressive Jackpot System.</li> <li>2. There must be at least one venue overhead display connected to the ATA Graphics Server (1.SES00) or Thin Client ATA Graphics Server (1.SES01) so as to display pool values, the serial number/house number of the winning gaming machine and the jackpot win amounts.</li> </ol>				
<b>Application Reference Number</b>		01-A1181/S01		

Monitoring System Software Bugfix	
<b>System/Device Name</b>	System 7000
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Main System Software Identifier</b>	7.3.0.1
<b>Specification Number</b>	01-SET06 01-SEZ07
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18
The System 7000 is approved to operate with the following cash redemption terminal	
<b>Device Name</b>	Sprintquip Cashback Centre (approved NI2010-46)
<b>System Description</b>	Gaming Machines Printed Ticket Redemption Station
<b>Category</b>	Subsidiary Equipment
<b>Specification Number</b>	01-SER00
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Operational Conditions</b>	
The subsidiary equipment interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.	
<b>Application Reference Number</b>	01-A1200/S01

Updated monitoring system software	
<b>System</b>	IGT Systems Club
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18.SET02
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	3.2 Service Pack (SP) 22J
The IGT Systems Club Version 3.2 Service Pack 2 is approved to operate with the following approved cash redemption terminal	
<b>System Name</b>	eCash Redemption Terminal (approved NI2008-168)
<b>System Description</b>	Gaming Machine Printed Redemption Station
<b>Category</b>	Gaming Support System
<b>Specification Number</b>	18.SER01
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>2. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1199/S01

Monitoring System Software Bugfix	
<b>System</b>	IGT Systems Max
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18.SET03
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Submission Standards</b>	NS 10.0 + NSW Appendix dated (14/01/09)
<b>System Software Identifier</b>	3.2
The IGT Systems Club Version 3.2 is approved to operate with the following approved cash redemption terminal	
<b>System Name</b>	eCash Redemption Terminal (approved NI2008-168)
<b>System Description</b>	Gaming Machine Printed Redemption Station
<b>Category</b>	Gaming Support System
<b>Specification Number</b>	18.SER01
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Specific Approval Conditions</b>	
<ol style="list-style-type: none"> <li>1. Approval is limited to single-venue use only.</li> <li>2. Use of the Xtra Credit facility is subject to the requirements of the <i>Gaming Machine Act 2004</i> and the <i>Gambling and Racing Control (Code of Practice) Regulation 2002</i>.</li> </ol>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>2. The "IGT Systems Max" is approved for use in a local area network (LAN) configuration only.</li> <li>3. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1204/S01

<b>System/Device Name</b>	eBet Netcash CCCE SQL
<b>Manufacturer</b>	eBet Gaming Systems Pty Ltd
<b>Category</b>	Gaming Support system
<b>Description</b>	Data Gathering, Report Generation, Player Tracking / promotional and Ticket In Ticket Out
<b>Specification</b>	50.SET02
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard 4.18 NSW Jackpot Technical Standards Rev 1.1
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The computer hosting the eBet CCCE SQL system must be physically bolted down in a secure area of the gaming venue with access only permitted to authorised venue personnel.</li> <li>2. The system must be installed on a “locked down” computer with a provision for a seal, where no external access devices that are capable of introducing new software or data are accessible on the system without breaking the seal. This allows access devices such as CDROM drives to facilitate upgrades etc. However, access to the drive without breaking the seal must be prevented. This may be achieved by the use of locking sealable faceplates over the drives.</li> <li>3. The System, Windows 2000 operating system and MS SQL Server 2000 must be configured so that only the system application and related programs are executable on start-up.</li> <li>4. Only those applications that are core to the system operation, and evaluated by GMTF and approved by the Authority are permitted to be configured on a production system.</li> <li>5. Any software tool which permits viewing/modification of the data that holds details of audit information must not be installed in the system and neither shall it be in the possession of any eBet employee, or agent, attending service calls.</li> <li>6. No editor, compilers, assemblers, or debugging programs are permitted on the system.</li> <li>7. There must be no access available to Microsoft Windows Explorer or any other file system tool.</li> <li>8. Network facilities on the host system must be restricted to the provision of a network connection to the backup system and associated applications (such as entrance and cashier terminals). No “dial in” facility is permitted.</li> <li>9. The system must be configured in such a way that only authorised personnel have access to critical functions or parameter setting and sensitive information contained in the system.</li> <li>10. The system must be installed in a separate discrete network.</li> <li>11. The system must be provided and operated with a dedicated Uninterruptible Power Supply (UPS). The UPS must provide sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption.</li> <li>12. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>13. The system must be configured with an automated backup facility.</li> <li>14. The system’s printer must be operational at all times the system is operating.</li> </ol>	

<p>The eBet Netcash CCE SQL is approved to operate with the following approved Cash Redemption terminal:</p> <p>Device Name:                   Sprintquip Cashback Centre</p> <p>Specification Number:       50.SER00</p>	
<p>The system is approved to operate in a dual port environment with the following linked progressive jackpot systems that support jackpot CCCE transfer capability:</p> <ol style="list-style-type: none"><li>1. Any approved Paltronics branded linked progressive jackpot systems;</li><li>2. Any approved Mikhon linked progressive jackpot systems; and</li><li>3. Any Independent Gaming linked progressive jackpot systems version AU0021AR or above.</li></ol>	
<p><b>Application Reference Number</b></p>	<p>50.A0093/S01</p>

Standard Linked Progressive Jackpot System Software Bugfix	
<b>System/Device Name</b>	Standard LPJS
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Progressive Controller
<b>Category Type</b>	Standard Progressive Controller
<b>Specification</b>	18.YA0008
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1
<b>Software Details</b>	
<b>System Firmware</b>	Jackpot Controller (Paltronics): (LJPC2038)
<b>Firmware ID</b>	OLJ-02-00-03-08-O OLJ-02-00-03-08-E
<b>Specific Approval Conditions</b>	
<p>The jackpot controller settings listed below are not a subject of this approval and must not be configured in any authorised Standard Link Progressive Jackpot System:</p> <p>Setting ID: WG006001 – (1c)                  Setting ID: WG007001 – (1c)                  Setting ID: WG006002 – (2c)                  Setting ID: WG007002 – (2c)</p>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of the IGT Standard Linked Progressive Jackpot System with the “Wheel of Fortune” jackpot theme.</li> <li>2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with a “Wheel of Fortune” game/shell combination.</li> <li>3. When using an overhead display with the VGA Display Driver, the following conditions must be complied with:                         <ol style="list-style-type: none"> <li>a. The system is to run only under Windows XP operating system;</li> <li>b. The keyboard and mouse is to be attached only when performing maintenance and must be removed at all other times;</li> <li>c. The PC housing must have a provision to seal all points where the controller cable may be disconnected; and</li> <li>d. The write filter application must be loaded on the hard drive set up.</li> </ol> </li> <li>4. The system interface card must be enclosed in a sealed enclosure.</li> </ol>	
<b>Application Reference Number</b>	18.A1206/S01



Additional Random LPJS Controller for the ATA Graphics Servers		
<b>System/Device Name</b>	ATA Graphics Server Thin Client ATA Graphics Server	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>	Gaming Machine	
<b>Gaming Machine Type</b>	Graphics Server	
<b>Specification Number</b>	01-SES00 01-SES01	
<b>Technical Standards</b>	NSW Jackpot Technical Standards Rev 1.1	
<b>LPJS details – 1: Random</b>		
<b>LPJS Type</b>	<b>Software Version</b>	<b>Specification No.</b>
Paltronics LPJS	XSE01166O/XSE0116E	52.YC001
	OLJ-02-00-02-01O/OLJ-02-00-02-01E	52.YC001
<b>Specific Approval Conditions</b>		
<ol style="list-style-type: none"> <li>1. The Acres Doli Protocol is not a subject of this approval.</li> <li>2. The number of jackpot levels displayed by the ATA Graphics Server of a selected Mystery Link should match the number of jackpot levels configured in the Jackpot Controller.</li> </ol>		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The ATA Graphics Server or Thin Client ATA Graphics Server must be connected to an approved Standard/Hyperlink/Random Link progressive Jackpot System.</li> <li>2. The ATA Graphics Server or Thin Client ATA Graphics Server active external I/O ports must be housed in a security cage fitted with a security seal to prevent connection or removal of data cables.</li> </ol>		
<b>Application Reference Number</b>	01-A1182/S01	

Monitoring System Gaming Machine Interface Card ‘MCI’ Software Update	
<b>System/Device Name</b>	MCI
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Category Type</b>	Subsidiary Equipment Interface
<b>Technical Standards</b>	NSW CPTS Rev 2.2, TITO Technical Standard V4.18
<b>Software Details</b>	
<b>Description</b>	MCI 224
<b>Software ID</b>	MCIXC224.BIN
The following approved system is approved to operate with the above-identified subsidiary equipment interface card ‘MCI Version 2.24’.	
<b>System Details</b>	
<b>System Name</b>	System 7000
<b>Specification Number</b>	01-SET06 01-SEZ07
<b>System software version</b>	7.3.0.1 and above
<b>Application Reference Number</b>	01-A1202/S01

Monitoring System Gaming Machine Interface Card 'PMM Mk 6' Software Update	
<b>System/Device Name</b>	PMM Mk 6
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Category Type</b>	Subsidiary Equipment Interface
<b>Technical Standards</b>	NSW CPTS Rev 2.2, TITO Technical Standard V4.18
<b>Software Details</b>	
<b>Device</b>	PMM Mk 6
<b>Software ID</b>	P6_AN_LABX_116pof Epcs_controller.flash
The following approved system is approved to operate with the above-identified subsidiary equipment interface card 'MCI Version 2.24'.	
<b>System Details</b>	
<b>System Name</b>	System 7000
<b>Specification Number</b>	01-SET06 01-SEZ07
<b>System software version</b>	7.3.0.1 and above
<b>Application Reference Number</b>	01-A1203/S01

Monitoring System Gaming Machine Interface Card 'Prime Impact' Software Update	
<b>System/Device Name</b>	Prime Impact
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Category Type</b>	Subsidiary Equipment Interface
<b>Technical Standards</b>	NSW CPTS Rev 2.2, TITO Technical Standard V4.18
<b>Software Details</b>	
<b>Description</b>	PRIME Impact
<b>Software ID</b>	Sentinel3.exe
The following approved system is approved to operate with the above-identified subsidiary equipment interface card 'MCI Version 2.24'.	
<b>System Details</b>	
<b>System Name</b>	System 7000
<b>Specification Number</b>	01-SET06 01-SEZ07
<b>System software version</b>	7.3.0.1 and above
<b>Application Reference Number</b>	01-A1201/S01

IGT systems club software updates with Xtra Credit	
<b>System 1</b>	IGT Systems Club
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18.SET02
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System 2</b>	IGT Systems Club remote Site
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	Subsidiary Equipment
<b>Specification</b>	18.SET04
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 TITO Technical Standard 4.18
<b>System Software Identifier</b>	3.4
The IGT Systems Club Version 3.4 is approved to operate with the following approved cash redemption terminal	
<b>System Name</b>	eCash Redemption Terminal (approved NI2008-168)
<b>System Description</b>	Gaming Machine Printed Redemption Station
<b>Category</b>	Gaming Support System
<b>Specification Number</b>	18.SER01
<b>Submission Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07)
<b>Technical Standards</b>	NS9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard 4.18
<b>Specific Approval Conditions</b>	
<ol style="list-style-type: none"> <li>1. Use of the Xtra Credit facility is subject to the requirements of the <i>Gaming Machine Act 2004</i> and <i>Gambling and Racing Control (Code of Practice) Regulation 2002</i>.</li> <li>2. The Xtra Credit functionality is limited to single venue use only.</li> </ol>	
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.</li> <li>2. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a "Smart" UPS capable of automatically shutting the system down in the case of a power failure.</li> </ol>	
<b>Application Reference Number</b>	18-A1205/S01, / S02

Updated Jackpot Display Controller for previously approved Standard LPJS and regression tested games		
<b>System/Device Name</b>	Standard LPJS-Mystical Temple	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Category</b>	Progressive Controller	
<b>Category Type</b>	Standard Progressive Controller	
<b>Specification</b>	39.YA002	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1	
<b>Jackpot Theme</b>	Mystical Temple	
<b>List of previously approved games for operation with the above-mentioned Standard LPJS and the updated Jackpot Display Controller</b>		
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>
Gold and Ruins Mystical Temple	39.H0043	GAR7NC10
Relic Hunting Mystical Temple	39.H0044	REL7NB10
Jungle Jewel Mystical Temple	39.H0045	JUN7NC10
Incan Spirit Mystical Temple	39.H0046	INS7NA10
<b>Operational Conditions</b>		
The system interface card must be enclosed in a sealed enclosure.		
<b>Application Reference Number</b>	39-A0893/S01	

New Standard Linked Progressive Jackpot System		
<b>System Name</b>	Standard LPJS	
<b>Manufacturer</b>	Ainsworth Game Technology Ltd (AGT)	
<b>Category</b>	Progressive Controller	
<b>Category Type</b>	Standard Progressive Controller	
<b>Specification</b>	44.YA005	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1	
<b>Controller Firmware</b>	Version 02.00.03.02	
<b>Interface Card Firmware</b>	Version 1.27	
<b>Jackpot Theme</b>	Classic	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of AGT's Standard Linked Progressive Jackpot System with the 'Classic' game theme.</li> <li>2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with a 'Classic' game / shell combination.</li> <li>3. The system interface card must be enclosed in a sealed enclosure.</li> </ol>		
<b>Application Reference Number</b>	44-A0615/S01	

Updated Standard Linked Progressive Jackpot System	
<b>System Name</b>	Standard LPJS
<b>Manufacturer</b>	Ainsworth Game Technology Ltd (AGT)
<b>Category</b>	Progressive Controller
<b>Category Type</b>	Standard Progressive Controller
<b>Specification</b>	44.YA005
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1
<b>Controller Firmware</b>	Version 02.00.03.02
<b>Interface Card Firmware</b>	Version 1.27
<b>Jackpot Theme</b>	Rio Grande Rapids
<b>Operational Conditions</b>	
<ol style="list-style-type: none"> <li>1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of AGT's Standard Linked Progressive Jackpot System with the 'Rio Grande Rapids' game theme.</li> <li>2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with a 'Rio Grande Rapids' game / shell combination.</li> <li>3. The system interface card must be enclosed in a sealed enclosure.</li> </ol>	
<b>Application Reference Number</b>	44-A0604/S01