

Gaming Machine (Peripheral Equipment) Approval 2014 (No 11)

Notifiable instrument NI2014– 438

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine (Peripheral Equipment) Approval 2014 (No 11)*.

2 Commencement

This instrument commences on the day after its notification.

3 Approval

I approve the peripheral equipment described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes:

- NI2013-7
- NI2013-198
- NI2013-226
- NI2013-248
- NI2013-321
- NI2013-365
- NI2013-448
- NI2013-518

James Mullan
Delegate
ACT Gambling and Racing Commission

28 August 2014

Monitoring System Software Update	
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Subsidiary Equipment
System Name 1	System 7000
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET06
System Name 2	System 7000
System Description	Data Gathering, Report Generating, Player Loyalty / Bonus Points Pre-commitment and Popup Messages.
Specification Number	1.SEZ07
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System software Identifier	7.3.0.9 Single-site 7.3.0.9 Multi-site (Extended Floor Conf)
System Name 3	System 7000 – Remote Site
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET07
System software Identifier	7.3.0.9 Multi-site
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
The above-identified System 7000 is approved to operate with the following approved cash redemption terminals	
Device Name 1	Sprintquip Cashback Centre
Specification Number	1.SER00
Software Version	TRMD4_09_0K5.S19
Device Name 2	Sprintquip Ultra Centre
Category	Subsidiary Equipment
Specification Number	1.SER01
Software Version	1.0.0.358
Device Name 3	ecash Cash Redemption Terminal
Specification Number	69.SER00
Software Version	V2.3.41.80
Operational Conditions	
<ol style="list-style-type: none"> 1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming machine. 2. If the System 7000 Extended Floor Configuration is enabled it is approved to operate in affiliated venues only. 3. If Pre-commitment is enabled in a venue, it must be operational on all gaming machines connected to the system. 4. If pre-commitment is enabled in a venue, the harm minimisation pop-up messages and the audible sound alert (Beep) are to be operational on all gaming machines connected to the system. 	
Application Reference Number	01-A1385/S01

New standard Link Progressive Jackpot System	
Manufacturer	Ainsworth Game Technology Ltd
Category	Progressive Controller
Category Type	Standard Progressive Controller
System Name	A560 Link Progressive Jackpot System
Specification Number	44.YA007
Submission Standards Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20
LPJS Description	Standard Linked Progressive Jackpot Controller with CCCE port sharing functionality
Controller Software version	X211731D
Progressive Jackpot Themes	a) Jackpot Zone b) Fortune Ox c) Dollar King d) Double Shot Classic e) Players Paradise f) Players Paradise Platinum g) Rio Grande Rapid h) Lights Camera Action i) Year of the Dragon
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The A560 link Progressive Jackpot System is approved to configure up to 8 progressive jackpot groups only. 2. The supplier must ensure that for each progressive Jackpot Group enrolled on the A560 Link Progressive Jackpot System, a new serial number is assigned. 	
Application Reference Numbers	44-A0706/S01, S02 44-A0743/S01, 44-A0747/S01

Updates for Link Progressive Jackpot System	
Manufacturer	Ainsworth Game Technology Ltd
Category	Progressive Controller
Category Type	Standard Progressive Controller
System Name	A560 Link Progressive Jackpot System
Specification Number	44.YA000 – Random (Mystery) LPJS 44.YA007 – Standard LPJS
Submission Standards Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20
LPJS Description	Standard Linked Progressive Jackpot Controller with CCCE port sharing functionality
Controller Software version	X211761ED
Standard Progressive Jackpot Themes	<ol style="list-style-type: none"> 1. Jackpot General 2. Tower of Fortune 3. Double Shot Favourites 4. Jackpot Zone 5. Fortune Ox 6. Dollar King 7. Double Shot Classic 8. Players Paradise 9. Players Paradise Platinum 10. Rio Grande Rapid 11. Lights Camera Action 12. Year of the Dragon
Random Progressive Jackpot Themes	<ol style="list-style-type: none"> 1. Big Hit Jackpots 2. Colossal Cash 3. Hummin Mystery 4. Jackpot Dynasty 5. World of jackpots 6. Snake
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The A560 link Progressive Jackpot System is approved to configure up to 8 progressive jackpot groups only. 2. The supplier must ensure that for each progressive Jackpot Group enrolled on the A560 Link Progressive Jackpot System, a new serial number is assigned. 3. If Double Shot Favourites Standard Progressive is configured, the Display Controller with Media firmware version 'NXD0181B' must be enabled. 	
Application Reference Numbers	44-A0706/S03 44-A0761/S01 44-A0768/S01, S02 44-A0781/S01

System 700 Interface Cards Software Update	
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Category	Subsidiary Equipment Interface Card
Device Details 1	
Device Name	MCI
Software Details	
Device	Software ID
MCI 230	MCIXC230.BIN
Device Details 2	
Device Name	PMM Mk6
Software Details	
Device	Software ID
PMM Mk6	P6_AN_LABX_119.pof
Device Details 3	
Device Name	Prime Impact
Software Details	
Device	Software ID
Prime Impact	Sentitel3.exe
The above-identified interface cards are approved to operate on the following approved monitoring system:	
System Name 1	System 7000
System Description	
Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.	
Specification Number	1.SET06
System Software Version	7.3.0.8 and above
System Name 2	System 7000
System Description	
Data Gathering, Report Generating, Player Loyalty / Bonus Points Pre-commitment and Popup Messages.	
Specification Number	1.SEZ07
System Software Version	7.3.0.8 and above
System Name 3	System 7000 – Remote Site
System Description	
Data Gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.	
Specification Number	1.SET07
System Software Version	7.3.0.8 and above
Specific Approval Conditions	
The subsidiary equipment interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.	
Application Reference Number	01-A1406/S01

Updates for Link Progressive Jackpot System	
Manufacturer	Ainsworth Game Technology Ltd
Category	Progressive Controller
System Name	A560 Link Progressive Jackpot System
Specification Number	44.YC000 – Random (Mystery) LPJS 44.YA007 – Standard LPJS
Submission Standards Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; NSW Jackpot TS Rev 1.2 TITO Technical Standard V4.20
LPJS Description	Random and Standard Linked Progressive Jackpot Controller with CCCE Jackpot Transfer Port Sharing functionality
Controller Software version	X211761ED
Additional Random Progressive Jackpot Themes	a) Big Time b) Firestrike
Software details	
Description	Firmware ID
LPJS Controller	
Link Controller Game	NXC0201A
Display Media (optional)	NXD0201C
Display Controller	
Display Media (optional)	NXD0201C
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The A560 link Progressive Jackpot System is approved to configure up to 8 progressive jackpot groups only. 2. The supplier must ensure that for each progressive Jackpot Group enrolled on the A560 Link Progressive Jackpot System, a new serial number is assigned. 3. If Double Shot Favourites Standard Progressive is configured, the Display Controller with Media firmware version 'NXD0181B' must be enabled. 	
Application Reference Numbers	44-A0788/S03

Monitoring System Software Update and New Subsidiary Equipment Interface Card	
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Subsidiary Equipment
System Name 1	System 7000
System Description Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.	
Specification Number	1.SET06
System Name 2	System 7000
System Description Data Gathering, Report Generating, Player Loyalty / Bonus Points Pre-commitment and Popup Messages.	
Specification Number	1.SEZ07
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System software Identifier	7.3.0.10 Single-site 7.3.0.10 Multi-site (Extended Floor Conf)
Interface card software details	
Device	Software ID
Player Marketing Module (PMM Mk7)	
PMM Mk7	PMM7-4.03.bin
PMM Mk7	PMM7-4.03.pof
System Name 3	System 7000 – Remote Site
System Description Data Gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.	
Specification Number	1.SET07
System software Identifier	7.3.0.10 Multi-site
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Interface card software details	
Device	Software ID
Player Marketing Module (PMM Mk7)	
PMM Mk7	PMM7-4.03.bin
PMM Mk7	PMM7-4.03.pof
The above-identified System 7000 is approved to operate with the following approved cash redemption terminals	
Device Name 1	Sprintquip Cashback Centre
Specification Number	1.SER00
Software Version	TRMD4_09_0K5.S19
Device Name 2	Sprintquip Ultra Centre
Category	Subsidiary Equipment
Specification Number	1.SER01
Software Version	1.0.0.358
Device Name 3	ecash Cash Redemption Terminal
Specification Number	69.SER00
Software Version	V2.3.41.80
Application Reference Number	01-A1408/S01

Alternate ATA Graphics Server		
Device Name	Kontron ATA Graphics Server	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	Gaming Machine	
Category Type	Graphics Server	
Specification Number	1.SES03	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; NSW Jackpot TS Rev 1.2	
LPJS Details 1 – Random with Mk6 and Gen7 platforms		
LPJS Type	Software Version	Specification Number
Mikohn LPJS	CCCE44	32.YC000
Paltronics LPJS	52XO199C / 52XE199C	52.YC000
	XST0207O / XST0207E	52.YC000
Paltronics LPJS	XSE0116O / XSE0116E	52.YC001
LPJS Details 2 – Hyperlink with Mk6 and Gen7 platforms		
LPJS Type	Software Version	Specification Number
Hyperlink LPJS	SHL0328O / SHL0328E	1.YA000 1.YH030 1.YH050 1.YH060 to 1.YH170
	a) SHL0330O / SHL0330E b) SHL0332O / SHL0332E	1.YA000 1.TH030 1.YH050 1.YH060 to 1.YH170 1.YH280 1.YH290 TO 1.YH310
	SHL0335O / SHL0335E	1.YH000 1.YH030 1.YH050 1.YH060 to 1.YH170 1.YH280 1.YH290 to 1.YH310 1.YH320 1.YHD00
	SHL0404O / SHL0404E	1.YA001
	SHL0501O / SHL0501E	1.YA002
	SHL0502O / SHL0502E	1.YA002
	SHL0505O / SHL0505E	1.YA002
	SHL0600O / SHL0600E	1.YA002
	SHL0603O / SHL0603E	1.YA002
	SHL0604O / SHL0604E	1.YA002
LPJS Details 3 – Standard with Gen7 platforms		
LPJS Type	Software Version	Specification Number
Standard LPJS	SHL0404O / SHL0404E	1.YA001
	SHL0603O / SHL0603E	1.YA002
	SHL0604O / SHL0604E	1.YA002

Continued

Platform / Cabinet Details	
a) Overhead Display Connection Only	
Mk 6	Mk 6 Xcite – Low Boy, Casino Top (Configured with either Hopper and or Ticket Printer option) Slant Mk 6 – Round Top (Configured with Ticket Printer only)
Gen7	Gen7 Viridian – Chop Top (Configured with either Hopper and or Ticket Printer option) Gen7 Upgrade XCite – Lowboy (Configured with either Hopper and or Ticket Printer option) Gen7 Viridian Widescreen – Chop Top (Configured with either Hopper and or Ticket Printer option)
b) Overhead Display + Top Box LCD Monitor Connection	
Mk 6	Mk 6 XCite – Low Boy (with external LCD) (Configured with either Hopper and or Ticket Printer option) Mk 6 (XTreme) – Casino Top (with in-machine LCD) (Configured with either Hopper and or Ticket Printer option) Slant Mk 6 – Casino Top (with in-machine LCD) (Configured with Ticket Printer only)
Gen7	Gen7 Viridian – Casino Top (with –in-machine LCD)(Configured with either Hopper and or Ticket Printer option) Gen7 Slant – Casino Top (with –in-machine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Lowboy (with external LCD) (Configured with either Hopper and or Ticket Printer option) Gen7 Upgrade XTreme – Casino Top (with –in-machine LCD)(Configured with either Hopper and or Ticket Printer option) Gen7 Viridian Widescreen – Casino (with –in-machine LCD) (Configured with Ticket Printer only) Gen7 Vii Slant – Casino Top (with –in-machine LCD) (Configured with Ticket Printer only)
Previously approved games suitable for operation with this ATA Graphics Server	All games previously approved for operation with the above-mentioned jackpot controllers are suitable for operation with the Kontron ATA Graphics Server.

Continued

Specific Approval Conditions	
<ol style="list-style-type: none">1. Each Kontron ATA Graphics Server operating within a venue must be authorised with the corresponding Specification Number.2. The Kontron ATA Graphics Server must be connected to an approved Standard / Hyperlink / Random Linked Progressive Jackpot System as given above.3. The Kontron ATA Graphics Server active external I/O ports must be housed in a cage fitted with a security seal to prevent connection or removal of data cables.4. The Acres Doli Protocol functionality is not a subject of this approval.5. The display content and access to display parameters must be implemented in a secure manner to prevent unauthorised access. That is, access is limited to authorised Aristocrat personnel or authorised Aristocrat agents.6. The display is not to be used for the purpose of advertising or promotions.7. The jackpot pool values are to be displayed to the players generally most of the time (i.e. the display must keep players informed of the current state of the jackpot(s)).8. The number of jackpot levels displayed by the Kontron ATA Graphics Server of a selected Mystery Link should match the number of jackpot Levels configured in the Jackpot Controller.9. The display is not to be used for feature or bonus games.10. The display material is not to be offensive and harm minimisation must be considered.	
Application Reference Numbers	01-A1390/S01

Alternate Network Card and In-Venue Monitoring System Software Update	
System/Device Name	eBet Netcash CCCE SQL
Manufacturer	eBet Gaming Systems Pty Ltd
Description	Data Gathering, Report Generation, Player Tracking / Promotional, Ticket In Ticket Out, Alternate TITO.
Specification	50.SET02
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard 4.20
System Global Version Identifier	V2.0.36
This system is approved to operate with the following approved cash redemption terminals	
System Details 1	
Device Name	Sprintquip Cashback Centre
System Description	Gaming Machine Printed Ticket Redemption Station
Specification Number	50.SER00
Software Version	TRMD4_03_0K5.S19 or later
System Details 2	
Device Name	eCash Cash Redemption Terminal
System Description	Gaming Machine Printed Ticket Redemption Station
Specification Number	69.SER00
Software Version	2.3.41.80 or later
Operational Conditions	
<ol style="list-style-type: none"> 1. The computer hosting the eBet CCCE SQL system must be physically bolted down in a secure area of the gaming venue with access only permitted to authorised venue personnel. 2. The system must be installed on a “locked down” computer with a provision for a seal, where no external access devices that are capable of introducing new software or data are accessible on the system without breaking the seal. <ol style="list-style-type: none"> a. This allows access devices such as CDROM drives to facilitate upgrades etc. However, access to the drive without breaking the seal must be prevented. This may be achieved by the use of locking sealable faceplates over the drives. 3. The System, Windows 2000 operating system and MS SQL Server 2000 must be configured so that only the system application and related programs are executable on start-up. Only those applications that are core to the system operation, and evaluated by GMTF and approved by the Commission are permitted to be configured on a production system. 4. Any software tool which permits viewing/modification of the data that holds details of audit information must not be installed in the system and neither shall it be in the possession of any eBet employee, or agent, attending service calls. 5. Network facilities on the host system must be restricted to the provision of a network connection to the backup system and associated applications (such as entrance and cashier terminals). No “dial in” facility is permitted. 6. The system must be configured in such a way that only authorised personnel have access to critical functions or parameter setting and sensitive information contained in the system. 7. The system must be installed in a separate discrete network. 8. The system must be provided and operated with a dedicated Uninterruptible Power Supply (UPS). The UPS must provide sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. 9. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine. 10. The system must be configured with an automated backup facility. 11. The system’s printer must be operational at all times the system is operating. 	
Application Reference Number	50.A0183/S01

Subsidiary Equipment Interface Card Software iBoard		
Manufacturer	IGT (Australia) Pty Ltd	
Category	Subsidiary Equipment	
Device Name	iBoard	
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Submission Standard	NS 10.1 + NSW Appendix (dated 24/11/11)	
Software Details		
Device Name	File Name	Version
Interface Card – iBoard	iBoard.jar	800327
The above-identified subsidiary equipment interface card is approved to operate with the following approved systems:		
System/Device Name 1	IGT Systems Club	
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points , Ticket In Ticket Out Validation, Group Ticket, Xtra Credit, Pre-commitment and Harm Minimisation Messages.	
Specification Number	18.SET02	
System Global ID	3.6 SP9	
System/Device Name 2	IGT Systems Club – Remote Site	
Specification Number	18.SET04	
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points , Ticket In Ticket Out Validation, Group Ticket, Xtra Credit, Pre-commitment and Harm Minimisation Messages.	
System Global Software ID	3.6 SP9	
Operational Conditions		
1. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the gaming machine.		
Application Reference Number	18-A1249/S01	

Monitoring System Software Update	
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Subsidiary Equipment
System Name 1	System 7000
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET06
System Name 2	System 7000
System Description	Data Gathering, Report Generating, Player Loyalty / Bonus Points Pre-commitment and Popup Messages.
Specification Number	1.SEZ07
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System software Identifier	7.3.0.11 Single-site 7.3.0.11 Multi-site (Extended Floor Conf)
System Name 3	System 7000 – Remote Site
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET07
System software Identifier	7.3.0.11 Multi-site
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
The above-identified System 7000 is approved to operate with the following approved cash redemption terminals	
Device Name 1	Sprintquip Cashback Centre
Specification Number	1.SER00
Software Version	TRMD4_09_0K5.S19
Device Name 2	Sprintquip Ultra Centre
Category	Subsidiary Equipment
Specification Number	1.SER01
Software Version	1.0.0.358
Device Name 3	ecash Cash Redemption Terminal
Specification Number	69.SER00
Software Version	V2.3.41.80
Specific Approval Conditions:	
<ol style="list-style-type: none"> 1. Use of the Xtra Credit facility is subject to the requirements of the Gaming Machine Act 2004 and the Gambling and Racing Control (Code of Practice) Regulation 2002. 2. If multi-venue functionality is enabled, it is only approved to operate in amalgamated venues. 	
Application Reference Number	01-A1385/S01

Subsidiary Equipment Interface Card Software Update	
Manufacturer	IGT (Australia) Pty Ltd
Device Name	iBoard
Category	Subsidiary Equipment
Category type	Subsidiary Equipment Interface Card
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Software Details	
Device Name	File name
Interface Card – iBoard	iBoard.jar
The above-identified subsidiary equipment interface card is approved to operate with the following Systems:	
System Details 1	
System Name	IGT Systems Club
System Description	Data gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Group Ticket, Xtra Credit, Pre-commitment and Harm Minimisation Messages
Specification Number	18.SET02
System Software Version	3.6 SP9
System Details 2	
System Name	IGT Systems Club – Remote Site
System Description	Data gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation & Group Tickets Functionality.
Specification Number	18.SET04
System Software Version	3.6 SP9
Application Reference Number	18-A1243/S01

Monitoring System Software Update	
System Details 1	
System Name	IGT Systems Club
System Description	Data gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Group Ticket, Xtra Credit, Pre-commitment and Harm Minimisation Messages and iBreak functionality
Specification Number	18.SET02
Category	Subsidiary Equipment
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System Global ID	3.7 SP3
Device Name	CLUB Application
System Details 2	
System Name	IGT Systems Club – Remote Site
System Description	Data gathering, Report Generating, Player Tracking / Bonus Points, Ticket In Ticket Out Validation, Group Ticket, Xtra Credit, Pre-commitment and Harm Minimisation Messages and iBreak functionality.
Specification Number	18.SET04
Category	Subsidiary Equipment
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System Global ID	3.7 SP3
Device Name	CLUB Application
The above-identified IGT Systems Club is approved to operate with the following approved cash redemption terminal	
Device Name	ecash cash REDEMPTION TERMINAL
Device Description	Gaming Machine Printed ticket Redemption Station
Specification Number	69.SER00
CRT executable file Version	2.3.41.80
Specific Approval Conditions	
Specific Approval Conditions:	
<ol style="list-style-type: none"> 1. Use of the Xtra Credit facility is subject to the requirements of the Gaming Machine Act 2004 and the Gambling and Racing Control (Code of Practice) Regulation 2002. If multi-venue functionality is enabled, it is only approved to operate in amalgamated venues. 2. The system must be configured with automated backup facility. 3. The system must be provided and operated with a dedicated uninterrupted power supply (UPS). The UPS must have sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption. Desirably the system should be equipped with a “Smart” UPS capable of automatically shutting the system down in the case of a power failure. 	
Application Reference Number	18-A1250/S01, S02

Alternate Hardware Assembly for the A560 LPJS Controller	
Device Name	A560 Link Progressive Jackpot System
Manufacturer	Ainsworth Game Technology Limited
Specification Number	44.YC000 – Random (Mystery) LPJS 44.YA007 – Standard LPJS
Category	Progressive Controller
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Hardware Details	
Device Name	Device Part Number
Alternate A560 LC Power Supply	220425
Application Reference No.	44-A0800/S01

Subsidiary Equipment Interface Card				
System/Device Name		iBoard		
Manufacturer		IGT (Australia) Pty Ltd		
Category		Subsidiary Equipment Interface Card		
Technical Standards		NSW CPTS 2.3; TITO Technical Standard V4.20		
Submission Standards		NS10. + NSW Appendix (dated 24/11/11)		
Software Details				
Device Name	File Name	Version	Media	CRC-32
Interface Card – iBoard	iBoard.jar	140344	FLASH	D0899A80
This subsidiary equipment interface card is approved to operate with the following systems.				
System details 1				
System Name		IGT Systems Club		
Specification number		18.SET02		
System Software version		3.6 SP9 and later		
System details 2				
System Name		IGT Systems Club – Remote Site		
Specification number		18.SET04		
System Software version		3.6 SP9 and later		
Application Reference Number		18-A1258/S01		

Updated Standard Linked Progressive Jackpot System	
System Name	Standard LPJS
Manufacturer	IGT (Australia) Pty Ltd
Category	Progressive Controller
Type	Standard Progressive Controller
Specification Number	18.YA009
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; NSW Jackpot TS Rev 1.2
LPJS Description	1 Level Standard Linked Progressive Jackpot Controller and Interface Card with CCCE Port Sharing Functionality.
Controller Firmware	Version 3.08
Interface Card Firmware	Version 1.21
Jackpot Themes	Jetsetter Link
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of the IGT Standard Linked Progressive Jackpot System with the “Jetsetter Link” jackpot theme. 2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with a “Jetsetter Link” game / shell combination. 3. When using an overhead display with the VGA Display Driver, the following conditions must be applied: <ol style="list-style-type: none"> a) The system is to be run only under Windows XP operating system. b) The keyboard and mouse is to be attached only when performing maintenance and must be removed at all other times. c) The PC housing must have a provision to seal all points where the controller cables may be disconnected. d) The write filter application must be loaded on the hard drive at start up. 4. The system interface card must be enclosed in a sealed enclosure. 	
Application Reference Numbers	18-A1251/S03

Updated Standard Linked Progressive Jackpot System	
System Name	Standard LPJS
Manufacturer	IGT (Australia) Pty Ltd
Category	Progressive Controller
Type	Standard Progressive Controller
Specification Number	18.YA009
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; NSW Jackpot TS Rev 1.2
LPJS Description	1 Level Standard Linked Progressive Jackpot Controller and Interface Card with CCCE Port Sharing Functionality.
Controller Firmware	Version 3.08
Interface Card Firmware	Version 1.21
Jackpot Themes	Jetsetter Link 2
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of the IGT Standard Linked Progressive Jackpot System with the “Jetsetter Link 2” jackpot theme. 2. The above-mentioned Jackpot Controller / SEI firmware must operate in conjunction with a “Jetsetter Link 2” game / shell combination. 3. When using an overhead display with the VGA Display Driver, the following conditions must be applied: <ol style="list-style-type: none"> a) The system is to be run only under Windows XP operating system. b) The keyboard and mouse is to be attached only when performing maintenance and must be removed at all other times. c) The PC housing must have a provision to seal all points where the controller cables may be disconnected. d) The write filter application must be loaded on the hard drive at start up. 4. The system interface card must be enclosed in a sealed enclosure. 	
Application Reference Numbers	18-A1252/S03

Updated A560 LPJS Controller Game and Display Media Firmware	
Manufacturer	Ainsworth Game Technology Ltd
Category	Progressive Controller
Category Type	Standard Progressive Controller
System Name	A560 Link Progressive Jackpot System
Specification Number	44.YC000 – Random (Mystery) LPJS 44.YA007 – Standard LPJS
Submission Standards Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2
LPJS Description	Random and Standard Linked Progressive Jackpot System with CCCE Jackpot Transfer and Port Sharing Functionality.
Controller Software version	X211761E
Standard Progressive Jackpot Themes	13. Jackpot Zone 14. Fortune Ox 15. Dollar King 16. Double Shot Classic 17. Players Paradise 18. Players Paradise Platinum 19. Rio Grande Rapid 20. Lights Camera Action 21. Year of the Dragon 22. Jackpot General 23. Tower of Fortune 24. Double Shot Favourites 25. Treasure Storm 26. Oriental Fortune
Random Progressive Jackpot Themes	7. Big Hit Jackpots 8. Colossal Cash 9. Hummin Mystery 10. Jackpot Dynasty 11. World of jackpots 12. Snake 13. Big Time 14. Firestirke 15. Big Chief 16. Glitter 17. Golden Goose
Specific Approval Conditions	
<ol style="list-style-type: none"> 1. The A560 Link Progressive Jackpot System is approved to configure up to 8 progressive jackpot groups only. 2. Ainsworth must ensure that for each Progressive Jackpot Group enrolled on to the A560 Link Progressive Jackpot System, a new serial number is assigned. 3. If 'Double Shot Favourites' Standard LPJS is configured, the Display Controller with Media firmware version 'NXD0181B' or later must be enabled. 	
Application Reference Numbers	44-A0809/S01

Monitoring System Software Update	
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Subsidiary Equipment
System Name 1	System 7000
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET06
System Name 2	System 7000
System Description	Data Gathering, Report Generating, Player Loyalty / Bonus Points, Pre-commitment and Popup Messages.
Specification Number	1.SEZ07
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System software Identifier	7.3.0.12 Single-Site 7.3.0.12 Multi-Site (Extended Floor Conf.)
System Name 3	System 7000 – Remote Site
System Description	Data Gathering, Report Generating, Player Tracking / Bonus Points and Ticket In Ticket Out Validation, Dual Port Reconciliation, Take a Break, Extended Floor Configuration, Pre-commitment and Popup Messages.
Specification Number	1.SET07
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System software Identifier	7.3.0.12 Multi-Site
The above-identified System 7000 is approved to operate with the following approved cash redemption terminals:	
Device Name 1	Sprintquip Cashback Centre
Category	Subsidiary Equipment
Specification Number	1.SER00
Software Version	TRMD4_09_0K5.S19
Device Name 2	Sprintquip Ultra Centre
Category	Subsidiary Equipment
Specification Number	1.SER01
Software Version	1.0.0.358
Device Name 3	ecash Cash Redemption Terminal
Category	Subsidiary Equipment
Specification Number	69.SER00
Software Version	V2.3.41.80
Specific Approval Conditions	
The subsidiary interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.	
Application Reference Number	01-A1430/S01

In-Venue Monitoring System Update	
Manufacturer	eBet Gaming Solutions
Category	Subsidiary Equipment
System Name 1	eBet Netcash CCCE SQL
System Description	Data Gathering, Report Generation, Player Tracking / Promotional, Card Based Cashless system, Ticket In Ticket Out, Alternate TITO, Dual Port Reconciliation, Breakaway and Transfer Card functionalities.
Specification Number	50.CABT0
System Name 2	eBet Netcash CCCE SQL
System Description	Data Gathering, Report Generation, Player Tracking / Promotional, Card Based Cashless system, Ticket In Ticket Out, Alternate TITO, Dual Port Reconciliation and Transfer Card functionalities.
Specification Number	50.CAPT0
System Name 3	eBet Netcash CCCE SQL
System Description	Data Gathering, Report Generation, Player Tracking / Promotional, Ticket In Ticket Out, Alternate TITO and Transfer Card functionalities.
Specification Number	50.SET02
System Name 4	eBet Netcash CCCE SQL
System Description	Data Gathering, Report Generation and Player Tracking / Promotional.
Specification Number	50.SEZX5
Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
System Global Version Identifier	V2.0.37
System Name 5	eBet Netcash CCCE SQL with GMI
System Description	Data Gathering, Report Generation, Player Tracking / Promotional, Card Based Cashless system, Dual Port Reconciliation and Transfer Card functionalities.
Specification Number	50.CAP02
System Details 6	eBet Netcash CCCE SQL with Turbo 4000 Wedge
System Description	Data Gathering, Report Generation, Player Tracking / Promotional, Card Based Cashless system, Dual Port Reconciliation and Transfer Card functionalities.
Specification Number	50.CAP03
The above-identified eBet Netcash CCCE SQL system is approved to operate with the following approved cash redemption terminals:	
Device Name 1	Sprintquip Cashback Centre
Specification Number	50.SER00
Category	Subsidiary Equipment
Software Version	TRMD4_09_0K5.S19 or later
Device Name 2	eCash Cash Redemption Terminal
Category	Subsidiary Equipment
Specification Number	69-SER00
Software Version	2.3.41.80 or later

Continued

Specific Approval Conditions	
1. The computer hosting the eBet Netcash CCCE SQL system must be physically bolted down in a secure area of the gaming venue with access only permitted to authorised+ venue personnel.	
2. The system must be installed on a 'locked down' computer with a provision for a seal, where no external access devices that are capable of introducing new software or data are accessible on the system without breaking the seal. This allows access devices such as CDROM drives to facilitate upgrades etc. However, access to the drive without breaking the seal must be prevented. This may be achieved by the use of locking sealable faceplates over the drives.	
3. The System, Windows 2000 operating system and MS SQL Server 2000 must be configured so that only the system application and related programs are executed on start-up.	
4. Only those applications that are core to the system operation, and evaluated by the GMFT and approved by the Authority are permitted to be configured on a production system.	
5. Any software tool which permits viewing/modification of the data that holds details of player's accounts and audit information must not be installed on the system and neither shall it be in possession of any eBet employee attending service calls.	
6. Network facilities on the host system must be restricted to the provision of a network connection to the backup system and associated applications (such as entrance and cashier terminals). No "dial in" facility is permitted.	
7. All gaming machines attached to a card-based gaming system must be capable of being operated using both the card-based system and coins or notes.	
8. The system must be configured in such a way that only authorised personnel have access to critical functions/parameters setting and sensitive information contained in the system.	
9. The system must be installed on a separate discrete network.	
10. The system must be provided and operated with a dedicated Uninterruptible Power Supply (UPS). The UPS must provide sufficient capacity to allow the system, and any associated critical elements, to be shut down gracefully in the event of a power interruption.	
11. The system interface card must be housed in a sealed enclosure, which requires access to the secure area of the Gaming Machine.	
12. The system must be configured with automated backup facility.	
13. The system's printer must be operational at all times the system is operating.	
Application Reference Number	50-A0202/S01

Bugfix Supporting Software		
Device Name	Kernel / BIOS	
Manufacturer	SHFL entertainment (Australasia) Pty Limited	
Category	Supporting Function	
Type	System Software	
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3	
Software Details	Program ID:	Q4NWX03A
Platform/Cabinet Details		
SL-V > Equinox, Equinox Low Boy, Equinox Super Top Box		
List of previously approved games recommended for use with this Kernel / BIOS version:		
Game Name	Specification Number	Program ID
Multi Deluxe	35.D0000	MDENSW1C
Application Reference No.	35-A0874/S01	