

Australian Capital Territory

Gaming Machine Approval 2014 (No 59)

Notifiable instrument NI2014–627

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 59)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie
Delegate
ACT Gambling and Racing Commission

3 December 2014

New Gaming Machine Game				
Game Name		888 Black Dragon (1 Linked + 4 iSAP Levels)		
Specification Number		44.HF163		
LPJS Specification Number		44.YA007		
Manufacturer		Ainsworth Game Technology Limited		
Gaming Machine Type		SFS - iSAP		
Game Type		Spinning Reels		
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3		
Submission Standards		NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20		
Progressive Levels Supported				
iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 4 / Yes		
Linked / Type / Levels:		Yes / Standard / 1		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min PRTP% - Max PRTP%
55	1c, 2c	62.19-62.30	27.903593	90.09-90.21
Software Details 1				
Game Identifier		GDNSKD1B		
Base Identifier		NX1H2I9O		
BIOS Version		A003E002		
Platform/Cabinet Details				
A560-H – High Boy (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)				
A560-L – Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)				
A560-ST – Slant Top (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)				
Software Details 2				
Game Identifier		GDNSKD1B		
Base Identifier		NX1D1D0D		
BIOS Version		B001E001		
Platform/Cabinet Details				
A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)				
A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)				
Specific Approval Conditions				
<ol style="list-style-type: none"> 1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA007, with the approved 'Treasure Storm' jackpot settings as included in the 'Link Controller Game CF – NXC0262C' and operating with the 'Link Controller Base CF – X422082I'. 2. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel). 3. The A560 (19") Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game. 4. The A560 (19") Topper is an option on the A560 / A560X High Boy platform when operating the above-mentioned game. 5. The 24" Topper is an option on the A560 / A560X Slant Top platform when operating the above-mentioned game. 				
Application Reference No.		44-A0890/S01		

New Gaming Machine Game				
Game Name		Crown Of Egypt (2 iSAP Levels)		
Specification Number		18.B0710		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Machine Type		iSAP – Antebet		
Game Type		Spinning Reels		
Game Identifier		A90110GA, A90110RA		
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3		
Submission Standards		NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20		
Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 2 / Yes		
Maximum Bet Value		\$4.00		
Base Credit Value		1c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min PRTP% - Max PRTP%
2	1c	85.97-90.99	2.009532	87.98-93.00
3			4.031650	90.00-95.02
7			1.019938	86.99-92.01
52			2.023903	87.99-93.01
53			4.040254	90.01-95.03
57			1.038007	87.01-92.02
Platform/Cabinet Details AVP BC20 – Video Top AVP ST22 – Video Slant Top Universal – Slant Top				
Operational Conditions Machine variation 7 is only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.				
Application Reference No.		18-A5374/S01, /S02		

New Multigame Gaming Machine Game				
Game Name	Multistar Max Action			
Specification Number	18.DG001			
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	MGM – Multi Denomination – iSAP			
Game Type	Spinning Reels			
Game Identifier	X91000GA, X91000RA, X91000RB			
Technical Standards	NS Rev 10.3 + NSW Appendix (dated 24/04/13)			
Submission Standards	NSW CPTS 2.3; TITO TS V4.20; NSW JP TS Rev 1.3			
Progressive Levels Supported iSAP / Type / Levels / Wins transferred to “Total Wins’ meter:	Yes / Mystery / 2 / Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c, 10c, 20c, 50c, \$1.00			
Component Game Set Details				
Game Number	Game Name	BCV		
1	Sumatran Storm	1c		
2		2c		
3	Dangerous Beauty	1c		
4		2c		
5	Taipan	20c		
6		50c		
7		\$1.00		
8	Golden Goddess	5c		
9		10c		
10		20c		
Multi-Game Combination				
MGC	CRP%	Game Number	Variation	SDB PRTP%
1	92.00	1, 2, 3, 4	99	91.00
		5, 6, 7	7	92.99
		8, 9, 10	5	92.00
Platform/Cabinet Details				
AVP BC20 – Video Top				
Universal – Slant Top				
Specific Approval Conditions				
The ‘Dynamic Button Panel Assembly’ must be installed for the above-mentioned game when operating on the given platforms.				
Application Reference No.	18-A5381/S01			

New Gaming Machine Game				
Game Name		Pot of Gold (2 iSAP Levels)		
Specification Number		18.B0709		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		X92510GA, X92510RA		
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3		
Submission Standards		NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20		
Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 2 / Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c, 10c, 20c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min PRTP% - Max PRTP%
2	1c, 2c,	75.59	14.882269	90.47
3	5c, 10,		16.632269	92.22
7	20c		13.882269	89.47
Platform/Cabinet Details				
AVP BC20 – Video Top (with optional single video topper)				
AVP ST22 – Video Slant Top				
Universal – Slant Top				
Application Reference No.		18-A5383/S01, 18-A5383/S02		

New Gaming Machine Game and Updated Supporting Software			
Game Name	Opera Beauty		
Manufacturer	Konami Australia Pty Ltd		
Specification Number	39.F0011		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	L093MLC001XX00_0933NAXX		
Technical Standards	NS Rev 10.3 + NSW Appendix Rev 10.3		
Submission Standards	NSW CPTS Rev 2.3; TITO TS V4.20		
Maximum Bet Value	\$6.25		
Base Credit Value	10c, 20c, 50c, \$1.00		
Variation Details	Var	BCV	Min / Max PRTP%
	2	10c, 20c, 50c, \$1.00	85.15
	3		87.18
	4		88.07
	5		88.55
	7		90.16
	8		91.91
	9		94.06
	10		96.02
Platform/Cabinet Details			
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box (Configured with either Ticket Printer and/or Hopper option)			
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box (Configured with either Ticket Printer and/or Hopper option)			
KP3 KGP 3.0 SVRS Podium – Slant Top (Configured with either Ticket Printer and/or Hopper option)			
KP3 KGP 2/3 MAGN Podium – Goliath (Configured with either Ticket Printer and/or Hopper option)			
Device Details			
Device Name	System / Game Control Software		
Category	Supporting Function		
Type	System Software		
Technical Standards	NS Rev 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.3; TITO TS V4.20; NSW JP TS Rev 1.3		
Game Common Audit Screen ID	KGI_LWPGCMV039N500		
Platform/Cabinet Details			
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box			
KP3 KGP 3.0 SVRS Podium – Slant Top			
KP3 KGP 2/3 MAGN Podium – Goliath			
Operational Conditions			
1. The Base Credit Value of 25c is not a subject of this approval.			
2. Machine variation 2 is only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.			
Application Reference No.	39-A1194/S01		

New Gaming Machine Game				
Game Name		Pharaoh's Fury Jackpots (3 iSAP Levels)		
Specification Number		39.BF037		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		L126SPB001XX_1263NBXX		
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3		
Submission Standards		NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20		
Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:		Yes / Standard / 3 / Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min PRTP% - Max PRTP%
1	1c, 2c	85.32	3.268915	88.59
2		86.91	3.268915	90.18
3		88.69	3.268915	91.96
4		85.32	3.259301	88.58
5		86.91	3.259301	90.17
6		88.69	3.259301	91.95
Platform/Cabinet Details KP3 KGP 2.0 UVS Podium - Stack				
Application Reference No.		39-A1209/S01		

New Multigame Gaming Machine Game and Updated Supporting Software				
Game Name		Selexion Brothers Of Fortune 2		
Specification Number		39.DG001		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		MGGM - Multi Denomination - iSAP		
Game Type		Spinning Reels		
Game Identifier 1		L110MLA002WD00_1103NBXX		
Game Identifier 2		L111MLB002WD00_1113NBXX		
Game Identifier 3		L112SPB002WD00_1123NBXX		
Game Identifier 4		L093MLC002XX00_0933NBXX		
Technical Standards		NS 10.3 + NSW Appendix (dated 24/04/13)		
Submission Standards		NSW CPTS 2.3; TITO TS V4.20; NSW JP TS Rev 1.3		
Progressive Levels Supported: iSAP / Type / Levels / Wins Transferred to 'Total Wins' meter		Yes / Standard / 3 / Yes		
Maximum Bet Value		\$7.50 (Valley of Riches, Solstice Celebration)		
Base Credit Value		1c, 2c, 5c, 50c, \$1.00		
Component Game Set Details				
	Game Number	Game Name	BCV	
	1	Valley of Riches	1c	
	2	Valley of Riches	2c	
	3	Valley of Riches	5c	
	4	Solstice Celebration	1c	
	5	Solstice Celebration	2c	
	6	Solstice Celebration	5c	
	7	King of the World	1c	
	8	King of the World	2c	
	9	Opera Beauty	50c	
	10	Opera Beauty	\$1.00	
Multi-Game Combination				
MGC	CRP%	Game Number	Variation	SDB PRTP%
1	90.55	1	3	90.14
		2	3	90.14
		3	3	90.14
		4	3	90.04
		5	3	90.04
		6	3	90.04
		7	3	90.07
		8	3	90.07
		9	6	92.40
		10	6	92.40

Continued

MGC	CRP%	Game Number	Variation	SDB PRTP%
2	91.72	1	5	91.54
		2	5	91.54
		3	5	91.54
		4	5	91.55
		5	5	91.55
		6	5	91.55
		7	5	91.55
		8	5	91.55
		9	6	92.40
		10	6	92.40
3	92.10	1	6	92.14
		2	6	92.14
		3	6	92.14
		4	6	92.04
		5	6	92.04
		6	6	92.04
		7	6	92.07
		8	6	92.07
		9	3	92.18
		10	3	92.18
4	92.11	1	7	92.15
		2	7	92.15
		3	7	92.15
		4	7	92.05
		5	7	92.05
		6	7	92.05
		7	7	92.08
		8	7	92.08
		9	5	92.19
		10	5	92.19

Platform/Cabinet

KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box
 KP3 KPG 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box
 KP3 KGP 3.0 SVRS Podium – Slant Top
 KP3 KGP 2/3 MAGN Podium - Goliath

Continued

Device Details	
Device Name 1	System / Game Control Software
Category	Supporting Function
Type	System Software
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.3; TITO TS V4.20; NSW JP TS Rev 1.3
Game Common Audit Screen Identifier	KGI_LWPGCMV039N600
Platform/Cabinet KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box KP3 KGP 3.0 SVRS Podium – Slant Top KP3 KGP 2/3 MAGN Podium - Goliath	
Specific Approval Conditions This MGGM game must only operate in conjunction with the following LCD Button Panels: <ul style="list-style-type: none"> • Konami P/N: 331156 (KP3 KGP 2/3 MAGN Podium) • Konami P/N: 310393 (KP3 KGP 2.0 UVS Podium / Podium Upgrade & SVRS Podium) 	
Application Reference No.	39-A1195/S01