

Australian Capital Territory

Gaming Machine Approval 2014 (No 7)

Notifiable instrument NI2014–73

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 7)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie
Delegate
ACT Gambling and Racing Commission

25 February 2014

| | | | | | |
|---|------------|---|----------------------------|------------------|------------------------------|
| New Gaming Machine | | | | | |
| Game Name | | Beat The Bookie Wheel Winner (4 iSAP Levels) | | | |
| Specification Number | | 44.BF167 | | | |
| Manufacturer | | Ainsworth Game Technology Limited | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reels | | | |
| Game Identifier | | GDNSBE1I | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter: | | Yes / Standard / 4 / Yes | | | |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 5c, 10c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min PRTP% - Max PRTP% |
| 51 | 5c | 70.36 | SC51-5c | 20.809660 | 91.17 |
| 53 | 5c | 70.56 | SC53-5c | 19.593807 | 90.16 |
| 54 | 5c | 69.73 | SC54-5c | 19.639394 | 89.37 |
| 61 | 10c | 71.53 | SC61-10c | 19.610764 | 91.14 |
| 63 | 10c | 70.77 | SC63-10c | 19.315437 | 90.08 |
| 64 | 10c | 70.36 | SC64-10c | 18.697254 | 89.06 |
| Platform/Cabinet Details | | | | | |
| A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560-L – Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560-ST – Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer) | | | | | |
| Specific Approval Conditions | | | | | |
| 1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel). | | | | | |
| 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game. | | | | | |
| Operational Conditions | | | | | |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | | |
| Application Reference No. | | 44-A0835/S01 | | | |

| | | | | | |
|---|------------|---|----------------------------|------------------|------------------------------|
| New Gaming Machine and Hardware Assembly | | | | | |
| Game Name | | Ca\$h Challenge (2 iSAP Levels) | | | |
| Specification Number | | 44.BF168 | | | |
| Manufacturer | | Ainsworth Game Technology Limited | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reels | | | |
| Game Identifier | | GDNSHG1G | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter: | | Yes / Random / 2 / Yes | | | |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min PRTP% - Max PRTP% |
| 36 | 1c | 86.77 | SC36-1c | 4.020000 | 90.79 |
| 37 | 1c | 85.83 | SC37-1c | 4.020000 | 89.85 |
| 38 | 1c | 87.64 | SC38-1c | 4.020000 | 91.66 |
| 39 | 1c | 88.57 | SC39-1c | 4.020000 | 92.59 |
| 46 | 2c | 86.77 | SC46-2c | 4.050000 | 90.82 |
| 47 | 2c | 85.83 | SC47-2c | 4.050000 | 89.88 |
| 48 | 2c | 87.64 | SC48-2c | 4.050000 | 91.69 |
| 49 | 2c | 88.57 | SC49-2c | 4.050000 | 92.62 |
| Platform/Cabinet Details | | | | | |
| A560-L – Low Boy (with 32" Wide Boy Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560-ST – Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer) | | | | | |
| Device Details | | | | | |
| Device Name | | Cash Challenge Topper | | | |
| Category | | Gaming Machine | | | |
| Type | | Hardware Component | | | |
| Technical Standards | | NS 10.3 + NSW Appendix (dated 24/04/13) | | | |
| Hardware Details | | | | | |
| Description | | Part Number | | | |
| Cash Challenge Topper Assembly | | 220651-04 Rev A | | | |
| Platform/Cabinet Details | | | | | |
| A560-L – Low Boy (with 32" Wide Boy Topper) | | | | | |
| Specific Approval Conditions | | | | | |
| 1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel). | | | | | |
| 2. The 32" Wide Boy Topper Cabinet must be installed on the A560 Lowboy platform when operating the above-mentioned game. | | | | | |
| Operational Conditions | | | | | |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | | |
| Application Reference No. | | 44-A0831/S01 | | | |

| | | | | | |
|--|------------|--|----------------------------|------------------|------------------------|
| New Gaming Machine and Optional Hardware | | | | | |
| Game Name | | Lex Luthor (3 iSAP Levels) | | | |
| Specification Number | | 1.BF054 | | | |
| Manufacturer | | Aristocrat Technologies Australia Pty Ltd | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reels | | | |
| Game Identifier | | 10162334 | | | |
| Technical Standards Submission Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter: | | Yes / Standard / 3 / Yes | | | |
| Maximum Bet Value | | \$9.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min / Max PRTP% |
| 6 | 1c, 2c | 80.76-85.79 | SCv06-1c, 2c | 4.395521 | 85.15-90.18 |
| 7 | 1c, 2c | 80.76-85.79 | SCv07-1c, 2c | 5.056901 | 85.81-90.84 |
| 8 | 1c, 2c | 80.76-85.79 | SCv08-1c, 2c | 5.548145 | 86.31-91.33 |
| 9 | 1c, 2c | 80.76-85.79 | SCv09-1c, 2c | 6.245011 | 87.00-92.03 |
| 10 | 1c, 2c | 80.76-85.79 | SCv10-1c, 2c | 5.466377 | 86.22-91.25 |
| 11 | 1c, 2c | 80.76-85.79 | SCv11-1c, 2c | 5.801646 | 86.56-91.59 |
| Platform/Cabinet Details | | | | | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Device Details | | | | | |
| Device Name | | Lex Luthor Optional Topper | | | |
| Category | | Gaming Machine | | | |
| Type | | Hardware Component | | | |
| Technical Standards | | NS 10.3 + NSW Appendix (dated 24/04/13) | | | |
| Topper Assembly | | ATA P/N: 150031 | | | |
| Platform /Cabinet Details | | | | | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Specific Approval Conditions | | | | | |
| This game must only operate in conjunction with the 'Nteractive Button Midtrim Deck Kit'. | | | | | |
| Operational Conditions | | | | | |
| 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. | | | | | |
| 2. Machine Variations 6, 7, 8, 10 & 11 are only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%. | | | | | |
| Application Reference No. | | 01-A1450/S01 | | | |

| | | |
|---|---|------------------------|
| New Gaming Machine | | |
| Game Name | Warrior Beauty | |
| Specification Number | 6.F0086 | |
| Manufacturer | Aruze Gaming Australia Pty Ltd | |
| Gaming Machine Type | Conventional | |
| Game Type | Spinning Reels | |
| Game Identifier | pHMMG001 | |
| Technical Standards | NS Rev 10.3 + NSW Appendix (dated 24/04/13) | |
| Submission Standards | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 | |
| Maximum Bet Value | \$10.00 | |
| Base Credit Value | 1c, 2c, 5c | |
| Variation Details | Var | Min / Max PRTP% |
| | 1 | 87.13 |
| | 2 | 88.04 |
| | 3 | 90.07 |
| | 4 | 92.08 |
| | 5 | 94.01 |
| | 6 | 96.03 |
| | 7 | 97.99 |
| Platform/Cabinet Details | | |
| G-ENEX-WD00 – Midway, Low Boy | | |
| GENX-WD00 (G-ENEX II) – Midway, Low Boy | | |
| G-Comfort | | |
| G-Comfort II | | |
| Operational Conditions | | |
| 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. | | |
| Application Reference No. | 06-A0472/S01 | |

| | | | | | |
|--|------------|---|----------------------------|------------------|------------------------|
| New Gaming Machine | | | | | |
| Game Name | | Forbidden Beauty – Emperor’s Seal (3 iSAP Levels) | | | |
| Specification Number | | 35.BF131 | | | |
| Manufacturer | | SHFL entertainment (Australasia) Pty Limited | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reels | | | |
| Game Identifier | | FESNSW1C | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | Yes / Standard / 3 / Yes | | | |
| iSAP / Type / Levels / Wins transferred to ‘Total Wins’ meter: | | | | | |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max PRTP% |
| 91 | 1c, 2c | 81.50-81.70 | Var91 1c, Var91 2c | 9.799669 | 91.30-91.50 |
| 90 | 1c, 2c | 81.50-81.70 | Var90 1c, Var90 2c | 8.899944 | 90.40-90.60 |
| 89 | 1c, 2c | 81.50-81.70 | Var89 1c, Var89 2c | 8.100995 | 89.60-89.80 |
| Platform/Cabinet Details | | | | | |
| PC4 - Equinox | | | | | |
| Specific Approval Conditions | | | | | |
| 1. The ‘Number of Gamble Allowed’ in the ‘Standard Machine Setup’ menu must be set to 5 to ensure it is consistent with the Artwork rules. | | | | | |
| Operational Conditions | | | | | |
| 1. The “Ticket In” and “Cashless” facilities are not approved in the ACT. | | | | | |
| Application Reference No. | | 35-A0888/S01 | | | |