Gaming Machine Approval 2015 (No 5)

Notifiable instrument NI2015-102

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2015 (No 5).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

10 March 2015

Gamin	g Machine G	ame Softw	ware Update						
Game I	Name	C	Ca\$h Challenge (2 iSAP Levels)						
Specifi	cation Numb	per 4	44.BF168						
Catego	ry	(aming Mach	ine					
Manuf	acturer	A	insworth Ga	me Technology Limited	d				
Gamin	g Machine T	ype i	SAP						
Game	Туре	S	pinning Reel						
Techni	cal Standard	s N	IS Rev 10.3 +	NSW Appendix Rev 10	.3				
Submis	ssion Standa			v 2.3; TITO Technical St					
		١	ISW Jackpot	Technical Standard Rev	/ 1.3				
_	ssive Levels		iSAP	Туре	Levels	Wins Transferred to Total			
Suppo	rted					Wins meter			
			Yes	Random	2	Yes			
	num Bet Valu		\$10.00						
Base C	redit Value	1	1c, 2c						
Variati	on Details			1					
Var	BCV	Game		etting Combination	iSAP RTP%	Min - Max RTP%			
36	1c	86.		SC36-1c	4.020000	90.79			
37	1c	85.		SC37-1c	4.020000	89.85			
38	1c	87.	54	SC38-1c	4.020000	91.66			
39	1c	88.	57	SC39-1c	4.020000	92.59			
46	2c	86.	-	SC46-2c	4.050000	90.82			
47 2c 8		85.	33	SC47-2c	4.050000	89.88			
48 2c 8		87.	64	SC48-2c	4.050000	91.69			
49	2c	88.	57	SC49-2c	4.050000	4.050000 92.62			
Softwa	are Details –	1							
Game				Base		BIOS			
GDNSHG2A			NX1H2I90 A003E002						
			- '						

A560-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST - Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

Software Details - 2

Game	Base	BIOS		
GDNSHG2A	NX1D1D0D	B001E001		

Platform/Cabinet Details

A560X-H (with Primary 22" LCD, Secondary 22"LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)
A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

- 1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform).
- 2. The A560 Topper must be installed on the A560 Low Boy & the A560X-L platforms when operating this game.

Application Reference No.	44-A0906/SO1
---------------------------	--------------

Gaming Machine Game Software Update									
Game I	Name		Double Dragons Oriental Fortune (1 Linked + 2 iSAP Levels)						
Specifi	cation Numb	per	44.HF154						
LPJS Sp	pecification I	Number	44.YA007						
Catego	ory		Gaming Ma	achine					
Manuf	acturer		Ainsworth	Game Technolo	gy Limi	ted			
Gamin	g Machine T	уре	SFS-iSAP						
Game	Туре		Spinning R	eel					
Techni	ical Standard	s		3 + NSW Appen					
Submi	ssion Standa	rds	NSW CPTS	Rev 2.3; TITO Te	chnica	l Standard V4.20			
			NSW Jackp	ot Technical Sta	ndard	Rev 1.3			
Progre	Progressive Levels Supported		iSAP	Туре		Levels	Wins Transferred to Total		
							Wins meter		
			Yes	Yes Standard		2	Yes		
			Linked			Type	Levels		
			Yes			Standard	1		
Maxim	num Bet Valu	ie	\$10.00						
Base C	redit Value		5c						
Variati	ion Details								
Var	BCV	Game RT	P% Set	ting Combinatio	n	iSAP RTP%	Min - Max RTP%		
51	5c	86.17		SC51-5c		4.171664	90.34		
52 5c 87.05		87.05		SC52-5c		4.224480	91.27		
53 5c 85.57				SC53-5c		4.171664 89.75			
Softwa	are Details –	1							
Game			Base				BIOS		
GDNSDJ1E			NX1H2I90 A003E002						

A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST - Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

Software Details - 2

Game	Base	BIOS
GDNSDJ1E	NX1D1D0D	B001E001

Platform/Cabinet Details

A560X-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST — Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

- 1. This Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.
- 2. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy & the A560X-L platforms when operating this game.

Application Reference No.	44-A0901/S01

Gamin	g Machine G	ame Softwar	e Update						
Game I	Name		Double Dragons Oriental Fortune (1 Linked + 2 iSAP Levels)						
Specifi	cation Numb	per	44.HF155						
LPJS Sp	oecification N	Number	44.YA007						
Catego	ory		Gaming Ma	achine					
Manuf	acturer		Ainsworth	Game Technolo	gy Limi	ted			
Gamin	g Machine T	уре	SFS-iSAP						
Game	Туре		Spinning R	eel					
Techni	ical Standard	s	NS Rev 10.	3 + NSW Appen	dix Rev	10.3			
Submi	ssion Standa	rds				l Standard V4.20			
			NSW Jackp	ot Technical Sta	indard	Rev 1.3			
Progre	Progressive Levels Supported		iSAP	Type	Туре		Wins Transferred to Total		
							Wins meter		
			Yes	Standard	Standard 2		Yes		
			Linked		Type	Levels			
				Yes Sta		Standard	1		
Maxim	num Bet Valu	ie	\$10.00						
Base C	redit Value		10c						
Variati	ion Details								
Var	BCV	Game RT	P% Set	ting Combination	on	iSAP RTP%	Min - Max RTP%		
51	10c	86.17		SC51-10c		4.171664	90.34		
52 10c 87.05		87.05		SC52-10c		4.224480	91.27		
53 10c 85.57				SC53-10c		4.171664 89.75			
Softwa	are Details –	1					-		
	Game		Base				BIOS		
GDNSDJ2E			NX1H2I90 A003E002						

A560-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST - Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

Software Details - 2

Game	Base	BIOS
GDNSDJ2E	NX1D1D0D	B001E001

Platform/Cabinet Details

A560X-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST — Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

- 1. This Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA007, with the approved 'Oriental Fortune' jackpot settings.
- 2. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel).
- 3. The A560 Topper must be installed on the A560 Low Boy & the A560X-L platforms when operating this game.

New Gaming Ma	chine								
Game Name		Dragon C	Dragon Climber (4 iSAP Levels)						
Specification Nu	mber	44.BF197							
Category		Gaming N	/lachin	e					
Manufacturer		Ainswortl	h Gam	e Technology Limited					
Gaming Machin	е Туре	iSAP							
Game Type		Spinning	Reel						
Technical Stand	ards	NS Rev 10).3 + N	SW Appendix Rev 10	.3				
Submission Star	dards	NSW CPT	S Rev 2	2.3; TITO Technical St	andard V4.20				
		NSW Jack	pot Te	chnical Standard Rev	1.3				
Progressive Leve	els	isap)	Туре	Levels	Wins Transferred to Total			
Supported						Wins meter			
		Yes		Standard	4	Yes			
Maximum Bet V	alue	\$10.00	\$10.00						
Base Credit Valu	e	1c, 2c							
Variation Detail	S								
Var BCV	Gai	ne RTP%	Sett	ing Combination	iSAP RTP%	Min - Max RTP%			
51 1c, 2c	64.0	6 – 64.11	SC	C51-1c, SC51-2c	27.242498	91.31 – 91.36			
53 1c, 2c	63.2	1 – 63.26	SC	53-1c, SC53-2c	26.918620	90.13 – 90.18			
54 1c, 2c 63.16		.6 – 63.21	SC	C54-1c, SC54-2c	26.039093	89.20 – 89.25			
Software Details									
Gar			Base	BIOS					
GDNSI	NC6A			NX1H2I90		A003E002			
Platform/Cahine	t Details								

A560-H — High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L - Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer)

Software Details - 2

Game	Base	BIOS
GDNSNC6A	NX1D1D0D	B001E001

Platform/Cabinet Details

A560X-H (with Primary 22" LCD, Secondary 22"LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)

A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions

- 1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform).
- 2. The A560 Topper must be installed on the A560 Low Boy & the A560X-L platforms when operating this game.

Application Reference No. 44-A0905/SO1

New G	aming Mach	ine							
Game	Name		Fire Wizard (4 iSAP Levels)						
Specifi	ication Numb	er	44.BF199						
Catego	ory		Gaming N	1achin	e				
Manuf	facturer		Ainsworth	n Game	e Technology Limite	ed			
Gamin	g Machine T	уре	iSAP						
Game	Туре		Spinning I	Reel					
Technical Standards			NS Rev 10).3 + N:	SW Appendix Rev 1	0.3			
Submi	Submission Standards			S Rev 2	2.3; TITO Technical S	Standard	l V4.20		
			NSW Jackpot Technical Standard Rev 1.3						
Progre	Progressive Levels)	Type		Levels	Wins Transferred to Total	
Suppo	rted							Wins meter	
			Yes		Standard		4	Yes	
Maxim	num Bet Valu	ie	\$10.00						
Base C	redit Value		1c, 2c						
Variati	ion Details								
Var	BCV	Gam	e RTP%	Sett	ing Combination	iS	AP RTP%	Min - Max RTP%	
51	1c, 2c	6	9.58	SC	C51-1c, SC51-2c	2:	1.663715	91.24	
53 1c, 2c 6		6	9.89	SC	53-1c, SC53-2c	20	0.613765	90.51	
54 1c, 2c 6		9.68	SC54-1c, SC54-2c		19	19.480850 89.16			
Softwa	are Details								
	Game				Base		BIOS		
HENSFW1C				NX2D1CAA B001E001					

A560X-S32 — Split Cabinet with 32inch Monitor (with Primary LCD, optional Secondary A560 LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

- 1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform).
- 2. The A560 Topper must be installed on the A560X-L platforms when operating this game.

2. The 1300 topper must be instance on the 13000x 2 platforms when operating this game.				
Application Reference No.	44-A0908/SO1			

New Gaming Machine									
Game N	lame		Ice Wizard (4 iSAP Levels)						
Specific	cation Numb	oer -	44.BF198						
Catego	ry		Gaming Machine						
Manuf	acturer		Ainsworth Game Technology Limited						
Gamin	g Machine T	уре	iSAP						
Game 7	Гуре		Spinning F	Reel					
Technic	cal Standard	S	NS Rev 10	.3 + N	SW Appendix Rev 10	.3; NSW CPTS Rev	2.3;		
Submis	sion Standa	rds	TITO Tech	nical S	Standard V4.20				
			NSW Jack	pot Te	echnical Standard Re	v 1.3			
Progres	ssive Levels		iSAP		Type	Levels	Wins Tra	nsferred to Total	
Suppor	ted						W	ins meter	
			Yes		Standard	4	4 Yes		
Maximum Bet Value \$10.00									
Base Credit Value 1c, 2c									
Variati	on Details								
Var	BCV	Game	RTP%	Sett	ing Combination	iSAP RTP%	M	in - Max RTP%	
51	1c, 2c	69	.58	SC	C51-1c, SC51-2c	21.663715		91.24	
53	1c, 2c	69	.89		C53-1c, SC53-2c	20.613765		90.51	
54	1c, 2c	69	.68	SC	C54-1c, SC54-2c	19.480850		89.16	
Softwa	re Details		1						
	Game				Base		BIOS	;	
	HENSCW1D NX2D1CAA B001E001)01			
	m/Cabinet [
A560X-S32 – Split Cabinet with 32inch Monitor (with Primary LCD, optional Secondary A560 LCD Topper, optional Oval Topper,						, optional Oval Topper,			
Configured with either Ticket Printer and/or Hopper option)									
Specific Approval Conditions The A560 Topper must be installed on the A560X-S32 platform when operating this game.									
1			stalled on		·	nen operating thi	s game.		
Application Reference No. 44-A0907/SO1									

Updated Hardware Assembly				
Device Name	Bank Note Acceptor [Door		
Category	Gaming Machine			
Category Type	Hardware Componen	t		
Manufacturer	Aristocrat Technologi	es Australia Pty Ltd		
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/2013)			
Hardware Details				
Device ATA Part Number				
BNA Door with Latching Mechanism Assembly 100275 Issue C				
Platform/Cabinet Details				
Gen 8 Helix Slant – Casino Top (S23/23), Low Boy (S23), Low Boy with Super Screen Top Box (S23/32), (Configured				
with BNA & Ticket Printer only), OR (Configured for CCCE only – No BNA & No Printer)				
Application Reference No.	01-A1540/S0	01		

New G	aming Mac	hine							
Game Name Jade Eternity – Tree of Wealth (4 iSAP Levels)									
Manufacturer Bally Technologies ANZ Pty Ltd									
Specific	ification Number 35.B0009								
Gamin	g Machine	Туре							
Game Type Spinning Reel									
Technical Standards NS Rev 10.3 + NSW Appendix Rev 10.3									
Submis	ssion Stand	ards			Rev 2.3; TITO Techn)	
					ot Technical Standa	rd Rev	1.3		
Progre	ssive Level	s Supported	iSA	P	Туре		Levels	Wins	Transferred to Total
									Wins meter
			Yes		Standard		4		Yes
	um Bet Va		\$6.00						
	redit Value		1c, 2c						
Var	BCV	Game RTF		3			Min - Max RTP%		
99	1c	81.81-81.8			Var99_1c		7.914863		91.91-91.98
9	2c	81.81-81.8		_			5.934741		89.30-89.37
19	1c	81.81-81.8			Var19_1c		5.934692		89.32-89.39
29	2c	81.81-81.88			Var29_2c		6.760500		90.27-90.34
39	1c	81.81-81.8			Var39_1c		6.852352		90.40-90.47
59	2c	81.81-81.8			Var59_2c		7.430680		91.24-91.31
69	1c	81.81-81.88			Var69_1c		7.522533		91.37-91.44
89	2c	81.81-81.8	38		Var89_2c		7.920011		91.88-91.95
Softwa	re Details -		1						
	Game				Base				BIOS
Diatfa	AJTWNS				A2NWX05A			SBALZ	004/2105
	m/Cabinet		1 () (22 -		the and ALDUA DDG TOD	DED)			
			-1 (V32 V	with/W	ithout ALPHA PRO TOPI	rck)			
SUILWA	Software Details - 2								
Game AJTWNS1D				Base			BIOS SBAL2015		
AJTWNS1D A2NWX05A SBAL2015 Platform/Cabinet Details									
Alpha Pro Hybrid AH-1 (V40 with/without ALPHA PRO TOPPER)									
Specific Approval Conditions									
•	• •		of 8GB R	RAM i	n the 'Alpha Pro Un	right A	\P-1' & 'Alpha	a Pro Hv	brid AH-1' gaming
This game requires installation of 8GB RAM in the 'Alpha Pro Upright AP-1' & 'Alpha Pro Hybrid AH-1' gaming machines (that have the IMPU Board Alpha 2.1 Assy installed) in order to operate satisfactorily.									
	machines (that have the fivil o board Alpha 2.1 Assy instance) in order to operate satisfactorily.								

35-A0983/S01

Application Reference No.

Alternate Video Cards for ALPHA II Platforms							
Device Name	Alternate	Alternate Video Card					
Category	Gaming N	1achine					
Category Type	Hardware	Component					
Manufacturer	Bally Tech	nologies ANZ Pty I	_td				
Technical Standards	NS 10.3 +	NSW Appendix (da	ated 24/11/11)				
Device		Description		Part Number			
IMPU Board		IMPU Board A	lpha 2.1 Assembly	PCA212268-3-0 Rev A			
IMPU Housing		IMPU Alpha 2.1 A	Assembly	226458-2000 Rev A			
Video Card NVIDIA Quadro			.000	219103			
IMPU Housing (Alternate) IMPU Alpha 2.1 A			Assembly	226458-K600			
Video Card (Alternate) NVIDIA QUADRO			K600	242633			
IMPU Housing (Alternate) IMPU Alpha 2.1 A			Assembly	226458-K2000			
 Video Card (Alterna 	ate)	NVIDIA QUADRO	K2000 242632				
Supporting Software Details							
Fun	ction		Identifier				
Kernel			A2NWX05A				
BIOS			SBAL2105				

ALPHA II – Alpha Pro Upright AP-1 (V32 with/without ALPHA PRO TOPPER)

Alpha Pro Hybrid AH-1 (V40 with/without ALPHA PRO TOPPER)

Previously approved games regression tested with the alternate K600 & K2000 Video Cards on the IMPU Board Alpha 2.1 Assembly (P/N: PCA212268-3-0 Rev A) for use with the OS or Kernel/BIOS versions as identified below on the platforms given above:

Game Name	Specification Number	Program ID	OS & BIOS
Fine Diamonds – Jackpot Vault (4 iSAP Levels)	35.B0002	AFJVNS1E	
Striking Stars – Jackpot Vault (4 iSAP Levels)	35.B0003	ASJVNS1E	A2NWX05A/
Rich Traditions – Tree of Wealth (4 iSAP Levels)	35.B0004	ARTWNS1E	SBAL2105
MultiDeluxe 2	35.DG002	AMD2NS1D	3DAL2103
MultiDeluxe 4	35.DG003	AMD4NS1C	
Michael Jackson – King of Pop (1 iSAP Level)	35.B0006	E1A890E9	BAL_OS358D/
Fu Lion (4 iSAP Levels)	35.B0007	E342BD5D	231326C

Specific Approval Conditions

The alternate K600 & K2000 Video Cards must be only used on the platforms specified above, with the IMPU Board Alpha 2.1 Assembly (P/N: PCA212268-3-0 Rev A) and with the Kernel/BIOS versions as listed in this approval or higher.

Application Reference No.	35-A0985/S01
---------------------------	--------------

Updated Bill Acceptor Firmware						
Device Name		Dill Assertan (MACLA disposa)				
Manufacturer		Bill Acceptor (MEI Advance) Bally Technologies ANZ Pty Ltd				
Category		Gaming Machine				
Category Type Technical Standards		Hardware Component	data d 24/04/12\			
		NS 10.3 + NSW Appendix (
Submission Standards		NSW CPTS Rev 2.3;TITO Te	chnical Standard V4.20			
Hardware Details		De serietiere	Don't November			
Part		Description	Part Number			
Bill Acceptor	MEI Cas	shflow Advance SCN8347	126-000091			
Peripheral Firmware Details						
Description		Firmware File	HMAC-SHA1			
Bill Acceptor	8	3NY370001302.xcf	15c899f3 5c940a5d 1a93f815			
			D93d94a1 f4028745			
Supporting Software Details-1		T				
Function			Identifier			
Kernel		A2NWX04C				
BIOS		SBAL2004/SBAL2105				
Platform/Cabinet Details						
ALPHA II – Alpha Pro Upright AP-						
			vith / without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top A	S-1 (V22/2	6 with / without ALPHA PRO	TOPPER)			
Supporting Software Details-2						
Function			Identifier			
Kernel		A2NWX04C				
BIOS		SBAL2105				
Platform/Cabinet Details						
Alpha Pro Hybrid AH-1 (V40 with / without ALPHA PRO TOPPER)						
Supporting Software Details-3						
Function			Identifier			
Kernel		A2NWX05A				
BIOS		SBAL2004/SBAL2105				
Platform/Cabinet Details						
ALPHA II – Alpha Pro Upright AP-	1 (V32 wit	h / without ALPHA PRO TOP	PER)			
ALPHA II – Alpha Pro Upright AP-	1 (V22/22	with / without ALPHA PRO T	OPPER)			
ALPHA II – Alpha Pro Slant Top A	S-1 (V22/2	6 with / without ALPHA PRO	TOPPER)			
Supporting Software Details-4	•	·	·			
Function		Identifier				
Kernel		A2NWX05A				
BIOS		SBAL2105				
Platform/Cabinet Details						
Alpha Pro Hybrid AH-1 (V40 with / without ALPHA PRO TOPPER)						
Specific Approval Conditions						
The MEI Cashflow Advance BNA (P/N: 126-000091) Firmware must only operate with the Kernel/BIOS versions as						
listed in this approval or higher.						
Application Reference No.		35-A0966/S01				
Application reference No.		33-A0300/301				

All Distferen	· · · · · · · · · · · · · · · · · · ·						
Alternate Platform P	eripherals						
Device Name			Alternate Peripherals				
Manufacturer			Bally Technologies ANZ Pty Ltd				
Category				Gaming Machine			
Category Type			Hardware Component				
Technical Standards			NS 10.3 + NSW Appendix (da				
Submission Standar	ds		NSW CPTS Rev 2.3; TITO Technical Standard V4.20				
Hardware Details		T					
Part		Descripti					
Bill Acceptor		MEI Cash	flow Advance SCN8347	126-000091	L		
Ticket Printer		Ithaca EP	950 50-100				
Peripheral Firmware							
Description	Firmware	e ID	Firmware File		HMAC-SHA1		
Bill Acceptor	Applio	cation	286108370_B3BB_APPLICAT	TON_EBDS	b7b89e68 58e6afda		
(MEI Cashflow		08370	_GAMING.bin		8a5f2655 cf3df5e3		
Advance SCN8347)	(V3	.70)			82f83ce6		
		(Bill-Set)	510017301_SCN83_AUD_F	LASH.bin	181ed441 8d1bd800		
	51003	17301			308622c3 24fc91c7		
	(V3	.01)			429c5de4		
Supporting Software	e Details-1						
Fun	ction			Identifier			
Kernel			A2NWX04C				
BIOS			SBAL2004/SBAL2105				
Platform/Cabinet D	etails						
ALPHA II – Alpha Pro	Upright A	P-1 (V32 w	ith / without ALPHA PRO TOPPE	ER)			
ALPHA II – Alpha Pro	Upright A	P-1 (V22/2	2 with / without ALPHA PRO TO	PPER)			
ALPHA II – Alpha Pro	Slant Top	AS-1 (V22/	26 with / without ALPHA PRO T	OPPER)			
Supporting Software	e Details-2						
Fun	ction			Identifier			
Kernel			A2NWX04C				
BIOS			SBAL2105				
Platform/Cabinet Details							
Alpha Pro Hybrid AH	-1 (V40 with	/ without AL	PHA PRO TOPPER)				
Supporting Software	e Details-3						
Fun	ction			Identifier			
Kernel			A2NWX05A				
BIOS			SBAL2004/SBAL2105				
Platform/Cabinet D	etails		•				
ALPHA II – Alpha Pro	Upright A	P-1 (V32 wit	h / without ALPHA PRO TOPPER)				
Supporting Software							
Function				Identifier			
Kernel		A2NWX05A					
BIOS			SBAL2105				
Platform/Cabinet Details							
Alpha Pro Hybrid AH-1 (V40 with / without ALPHA PRO TOPPER)							
Specific Approval Conditions							
• • • • • • • • • • • • • • • • • • • •		Printer (P/I	N: 50-100) and the MEI Cashflow	w Advance BN	IA (P/N: 126-000091) must		
			ns as listed in this approval or hi		, .		
Application Referen			35-A0958/S01	-			
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~							