

Australian Capital Territory

Gaming Machine Approval 2015 (No 11)

Notifiable instrument NI2015–160

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2015 (No 11)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

14 April 2015

| | | | | | |
|---|------------|---|----------------------------|------------------|---|
| New Gaming Machine | | | | | |
| Game Name | | Zambezi Kingdom (2 iSAP Levels) | | | |
| Specification Number | | 44.BF202 | | | |
| Manufacturer | | Ainsworth Game Technology Limited | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter |
| | | Yes | Standard | 2 | Yes |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 2c, 5c, 10c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 51 | 2c, 5c | 85.95 | SC51-2c, SC51-5c | 5.149561 | 91.10 |
| 53 | 2c, 5c | 85.60 | SC53-2c, SC53-5c | 4.570789 | 90.17 |
| 54 | 2c, 5c | 84.59 | SC54-2c, SC54-5c | 4.473960 | 89.06 |
| 61 | 10c | 85.95 | SC61-10c | 5.005115 | 90.96 |
| 63 | 10c | 85.60 | SC63-10c | 4.347119 | 89.94 |
| 64 | 10c | 84.59 | SC64-10c | 4.276698 | 88.87 |
| Software Details – 1 | | | | | |
| Game | | Base | | BIOS | |
| GDNSZK1F | | NX1H2I90 | | A003E002 | |
| Platform/Cabinet Details | | | | | |
| A560-H – High Boy (with Primary LCD, Secondary LCD, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560-L – Low Boy (with Primary LCD and A560 Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560-ST – Slant Top (with Primary LCD, Secondary LCD, Configured with Ticket Printer) | | | | | |
| Software Details - 2 | | | | | |
| Game | | Base | | BIOS | |
| GDNSZK1F | | NX1D1D0D | | B001E001 | |
| Platform/Cabinet Details | | | | | |
| A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only) | | | | | |
| A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Specific Approval Conditions | | | | | |
| <ol style="list-style-type: none"> 1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform). 2. The A560 Topper must be installed on the A560 Low Boy & A560X-L platforms when operating this game. | | | | | |
| Application Reference No. | | 44-A0912/S01 | | | |

| | | | | | |
|---|------------|--|----------------------------|------------------|---|
| New Gaming Machine | | | | | |
| Game Name | | Lion of Venice – Super Wheel Blast (2 iSAP Levels) | | | |
| Specification Number | | 1.BF079 | | | |
| Manufacturer | | Aristocrat Technologies Australia Pty Ltd | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Game Identifier | | 10263107 | | | |
| Technical Standards Submission Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter |
| | | Yes | Standard | 2 | Yes |
| Maximum Bet Value | | \$5.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 99 | 1c, 2c | 85.53 – 85.65 | SCv99-1c, SCv99-2c | 4.576621 | 90.11 – 90.23 |
| 1 | 1c, 2c | 87.27 – 87.36 | SCv01-1c, SCv01-2c | 4.576621 | 91.85 – 91.94 |
| 2 | 1c, 2c | 85.53 – 85.65 | SCv02-1c, SCv02-2c | 3.584636 | 89.12 – 89.24 |
| Platform/Cabinet Details | | | | | |
| Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer) | | | | | |
| Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only), OR (Configured for CCCE only – No BNA & No Printer) | | | | | |
| Specific Approval Conditions | | | | | |
| This game must only operate on the given platforms in conjunction with the ‘Button Deck LCD 13BTN Assembly’. | | | | | |
| Application Reference No. | | 01-A1536/S01 | | | |

| | | | | | |
|---|------------|--|----------------------------|------------------|---|
| New Gaming Machine | | | | | |
| Game Name | | Miss Liberty – Super Wheel Blast (2 iSAP Levels) | | | |
| Specification Number | | 1.BF078 | | | |
| Manufacturer | | Aristocrat Technologies Australia Pty Ltd | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Game Identifier | | 10262876 | | | |
| Technical Standards Submission Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter |
| | | Yes | Standard | 2 | Yes |
| Maximum Bet Value | | \$5.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 99 | 1c, 2c | 85.48 | SCv99-1c, SCv99-2c | 4.577770 | 90.06 |
| 1 | 1c, 2c | 87.30 – 87.31 | SCv01-1c, SCv01-2c | 4.677215 | 91.98 – 91.99 |
| 2 | 1c, 2c | 85.48 | SCv02-1c, SCv02-2c | 3.585441 | 89.07 |
| Platform/Cabinet Details | | | | | |
| Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer) | | | | | |
| Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only), OR (Configured for CCCE only – No BNA & No Printer) | | | | | |
| Specific Approval Conditions | | | | | |
| This game must only operate on the given platforms in conjunction with the ‘Button Deck LCD 13BTN Assembly’. | | | | | |
| Application Reference No. | | 01-A1534/S01 | | | |

| | | | | | |
|--|------------|---|----------------------------|------------------|---|
| New Gaming Machine | | | | | |
| Game Name | | Pure Magic (4 iSAP Levels) | | | |
| Specification Number | | 1.BF080 | | | |
| Manufacturer | | Aristocrat Technologies Australia Pty Ltd | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter |
| | | Yes | Standard | 4 | Yes |
| Maximum Bet Value | | \$8.00 | | | |
| Base Credit Value | | 1c, 2c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 99 | 1c | 79.83 - 79.85 | SCv99-1c | 10.010853 | 89.84 – 89.86 |
| | 2c | 79.83 - 79.85 | SCv99-2c | 10.010853 | 89.84 – 89.86 |
| 1 | 1c | 79.83 - 79.85 | SCv01-1c | 10.270853 | 90.10 – 90.12 |
| | 2c | 79.83 - 79.85 | SCv01-2c | 10.270853 | 90.10 – 90.12 |
| 2 | 1c | 79.83 - 79.85 | SCv02-1c | 11.172575 | 91.00 – 91.02 |
| | 2c | 79.83 - 79.85 | SCv02-2c | 11.172575 | 91.00 – 91.02 |
| 3 | 1c | 79.83 - 79.85 | SCv03-1c | 11.471742 | 91.30 – 91.32 |
| | 2c | 79.83 - 79.85 | SCv03-2c | 11.471742 | 91.30 – 91.32 |
| 4 | 1c | 79.83 - 79.85 | SCv04-1c | 11.961742 | 91.79 – 91.81 |
| | 2c | 79.83 - 79.85 | SCv04-2c | 11.961742 | 91.79 – 91.81 |
| Software Details – 1 | | | | | |
| Game | | | BIOS | | |
| 10163043 | | | 2020/2021 | | |
| Platform/Cabinet Details | | | | | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone), (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Software Details - 2 | | | | | |
| Game | | | BIOS | | |
| 10163043 | | | 6040 | | |
| Platform/Cabinet Details | | | | | |
| Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer) | | | | | |
| Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only), OR, (Configured for CCCE only – No BNA & No Printer) | | | | | |

Continued

| | |
|---|-------------------------------------|
| Device Details | |
| Device Name | 'Pure Magic' Topper Kit (optional) |
| Category | Gaming Machine |
| Type | Hardware component |
| Technical Standards | NS Rev 10.3 + NSW Appendix Rev 10.3 |
| Hardware details: Topper Kit: | ATA P/N: 150070_16 |
| Platform/Cabinet Details | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD), (Configured with either Ticket Printer and/or Hopper option) | |
| Gen 8 Helix Upright – Casino Top (S23/23), (Configured with either Ticket Printer and/or Hopper option) | |
| Application Reference No. | 01-A1541/S01 |

| | | | |
|--|---|-----------------|-----------------------|
| New Gaming Machine | | | |
| Game Name | Storm Queens – Flame Queen | | |
| Specification Number | 1.F0117 | | |
| Manufacturer | Aristocrat Technologies Australia Pty Ltd | | |
| Category | Gaming Machine | | |
| Gaming Machine Type | Conventional | | |
| Game Type | Spinning Reel | | |
| Technical Standards | NS Rev 10.3 + NSW Appendix Rev 10.3 | | |
| Submission Standards | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 | | |
| Maximum Bet Value | \$10.00 | | |
| Base Credit Value | 1c, 2c, 5c, 10c | | |
| Variation Details | Var | BCV | Min - Max RTP% |
| | 99 | 1c, 2c, 5c, 10c | 87.76 |
| | 1 | 1c, 2c, 5c, 10c | 90.07 |
| | 2 | 1c, 2c, 5c, 10c | 91.90 |
| | 4 | 1c, 2c, 5c, 10c | 93.24 |
| | 7 | 1c, 2c, 5c, 10c | 88.51 |
| Software Details – 1 | | | |
| Game | | BIOS | |
| 10162729 | | 2020/2021 | |
| Platform/Cabinet Details | | | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone), (Configured with either Ticket Printer and/or Hopper option) | | | |
| Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) | | | |
| Software Details - 2 | | | |
| Game | | BIOS | |
| 10162729 | | 6040 | |
| Platform/Cabinet Details | | | |
| Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer) | | | |
| Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only), OR, (Configured for CCCE only – No BNA & No Printer) | | | |
| Application Reference No. | 01-A1539/S01 | | |

| | | | | | |
|--|------------|---|----------------------------|------------------|-----------------------|
| New Gaming Machine | | | | | |
| Game Name | | Storm Queens – Flame Queen Jackpots (2 iSAP Levels) | | | |
| Specification Number | | 1.BF077 | | | |
| Manufacturer | | Aristocrat Technologies Australia Pty Ltd | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 1c, 2c, 5c | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 99 | 1c, 2c | 87.76 | SCv99-1c, SCv99-2c | 2.504098 | 90.26 |
| 1 | 1c, 2c | 87.76 | SCv01-1c, SCv01-2c | 3.089872 | 90.85 |
| 2 | 1c, 2c | 87.76 | SCv02-1c, SCv02-2c | 3.496830 | 91.26 |
| 4 | 1c, 2c | 87.76 | SCv04-1c, SCv04-2c | 3.040106 | 90.80 |
| 6 | 1c, 2c | 87.76 | SCv06-1c, SCv06-2c | 2.581512 | 90.34 |
| 8 | 5c | 87.76 | SCv08-5c | 2.515669 | 90.28 |
| 9 | 5c | 87.76 | SCv09-5c | 2.996173 | 90.76 |
| 10 | 5c | 87.76 | SCv10-5c | 3.526676 | 91.29 |
| Software Details – 1 | | | | | |
| Game | | | BIOS | | |
| 10163058 | | | 2020/2021 | | |
| Platform/Cabinet Details | | | | | |
| Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone), (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) | | | | | |
| Software Details - 2 | | | | | |
| Game | | | BIOS | | |
| 10163058 | | | 6040 | | |
| Platform/Cabinet Details | | | | | |
| Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer) | | | | | |
| Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32), (Configured with Ticket Printer only), OR, (Configured for CCCE only – No BNA & No Printer) | | | | | |
| Application Reference No. | | 01-A1539/S01 | | | |

| | | | | | |
|---|------------|---|----------------------------|------------------|---|
| New Gaming Machine | | | | | |
| Game Name | | Desert Ram (3 iSAP Levels) | | | |
| Specification Number | | 35.B0010 | | | |
| Manufacturer | | Bally Technologies ANZ Pty Ltd | | | |
| Category | | Gaming Machine | | | |
| Gaming Machine Type | | iSAP | | | |
| Game Type | | Spinning Reel | | | |
| Technical Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 | | | |
| Submission Standards | | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter |
| | | Yes | Standard | 3 | Yes |
| Maximum Bet Value | | \$10.00 | | | |
| Base Credit Value | | 20c, 50c, \$1.00 | | | |
| Variation Details | | | | | |
| Var | BCV | Game RTP% | Setting Combination | iSAP RTP% | Min - Max RTP% |
| 99 | 20c, 50c | 83.33 | SC1001, SC2001 | 6.833333 | 90.17 |
| 5 | 20c, 50c | 82.29 | SC1001, SC2001 | 6.833333 | 89.12 |
| 15 | 20c, 50c | 83.33 | SC1002, SC2002 | 8.241667 | 91.57 |
| 16 | 20c, 50c | 85.38 | SC1002, SC2002 | 8.241667 | 93.62 |
| 31 | 20c, 50c | 83.33 | SC1003, SC2003 | 7.633333 | 90.97 |
| 32 | 20c, 50c | 83.33 | SC1004, SC2004 | 8.808333 | 92.14 |
| 41 | \$1.00 | 83.33 | SC1005 | 7.916667 | 91.25 |
| 42 | \$1.00 | 83.33 | SC1006 | 8.833333 | 92.17 |
| Software Details – 1 | | | | | |
| Game | | | BIOS | | |
| ADERNS1C | | | SBAL2004/2105 | | |
| Platform/Cabinet Details | | | | | |
| ALPHA II – Alpha Pro Upright AP-1 (V32 with/without ALPHA PRO TOPPER) | | | | | |
| Software Details - 2 | | | | | |
| Game | | | BIOS | | |
| ADERNS1C | | | SBAL2105 | | |
| Platform/Cabinet Details | | | | | |
| Alpha Pro Hybrid AH-1 (V40 with/without ALPHA PRO TOPPER) | | | | | |
| Application Reference No. | | 35-A0991/S01 | | | |

| | | | |
|---|---|-----------------|-----------------|
| New Gaming Machine & Updated Supporting Software | | | |
| Game Name | Persian Jewel | | |
| Specification Number | 35.F0197 | | |
| Manufacturer | Bally Technologies ANZ Pty Ltd | | |
| Category | Gaming Machine | | |
| Gaming Machine Type | Conventional | | |
| Game Type | Spinning Reel | | |
| Game Identifier | PEJNSW1D | | |
| Technical Standards | NS Rev 10.3 + NSW Appendix Rev 10.3 | | |
| Submission Standards | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 | | |
| Maximum Bet Value | \$8.00 | | |
| Base Credit Value | 1c, 2c | | |
| Variation Details | Var | Min RTP% | Max RTP% |
| | 1 | 90.35 | 90.39 |
| Platform/Cabinet Details | | | |
| PC4 - Equinox | | | |
| Device Details | | | |
| Device Name | Kernel/BIOS | | |
| Category | Supporting Function | | |
| Supporting Function Type | System Software | | |
| Software Details | | | |
| Kernel | | BIOS | |
| W4NWX06G | | SBGEN024 | |
| Technical Standards | NS Rev 10.3 + NSW Appendix (dated 24/04/13) | | |
| Submission Standards | NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | |
| Platform/Cabinet Details | | | |
| PC4 – Equinox, Equinox Low Boy, Equinox Super Top | | | |
| Specific Approval Conditions | | | |
| The ‘Number of Gamble Allowed’ in the ‘Standard Machine Setup’ menu must be set to 5 to ensure it is consistent with the Artwork rules. | | | |
| Application Reference No. | 35-A0963/S01; 35-A0972/S01 | | |

| | | | | | | | |
|---|------------------|--|-------------|------------------|---|-----------------|-----------------|
| New Gaming Machine | | | | | | | |
| Game Name | | Persian Jewel (Configurable 2/3 iSAP Levels) | | | | | |
| Specification Number | | 35.BF145 | | | | | |
| Manufacturer | | Bally Technologies ANZ Pty Ltd | | | | | |
| Category | | Gaming Machine | | | | | |
| Gaming Machine Type | | iSAP | | | | | |
| Game Type | | Spinning Reel | | | | | |
| Game Identifier | | PEJNSW1D | | | | | |
| Technical Standards Submission Standards | | NS Rev 10.3 + NSW Appendix Rev 10.3 NSW CPTS Rev 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3 | | | | | |
| Progressive Levels Supported | | iSAP | Type | Levels | Wins Transferred to Total Wins meter | | |
| | | Yes | Random | 2 or 3 | Yes | | |
| Maximum Bet Value | | \$8.00 | | | | | |
| Base Credit Value | | 1c, 2c | | | | | |
| Var | Game RTP% | Setting Combinations | | iSAP RTP% | | Min RTP% | Max RTP% |
| | | 2 Levels | 3 Levels | 2 Levels | 3 Levels | | |
| 2 | 86.53 – 86.58 | 1 - 36 | N/A | 3.000000 | N/A | 89.53 | 89.58 |
| 3 | 87.34 – 87.40 | | | | | 90.34 | 90.40 |
| 4 | 88.15 – 88.18 | | | | | 91.15 | 91.18 |
| 5 | 85.04 – 85.09 | 37 - 72 | 73 – 282 | 4.500000 | | 89.54 | 89.59 |
| 6 | 85.83 – 85.88 | | | | | 90.33 | 90.38 |
| 7 | 86.64 – 86.67 | | | | | 91.14 | 91.17 |
| 8 | 87.44 – 87.49 | | | | | 91.94 | 91.99 |
| Software Details | | | | | | | |
| Kernel | | | | BIOS | | | |
| W4NWX06G | | | | SBGEN024 | | | |
| Platform/Cabinet Details | | | | | | | |
| PC4 - Equinox | | | | | | | |
| Specific Approval Conditions | | | | | | | |
| The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to ensure it is consistent with the Artwork rules. | | | | | | | |
| Application Reference No. | | 35-A0963/S01; 35-A0972/S01 | | | | | |