Gaming Machine Approval 2015 (No 18)

Notifiable instrument NI2015-202

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2015 (No 18).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

13 May 2015

	ng Machi	ne Bugfix						
	Name		Mayan Paradise-Mega Jackpot Reel Power (3 iSAP Levels)					
	ication N	lumber	1.BF076					
Categ			Gamir	ng Machir	 ne			
	facturer			_	nologies Austr	alia Ptv Ltd		
Gamir	ng Machi	ne Type	iSAP			,		
Game			Spinni	ng Reel				
	ical Stan	dards			NSW Appendix	Rev 10.3;		
Submi	ission St	andards			• •	nical Standard	V4.20	
			NSW J	ackpot T	echnical Stand	ard Rev 1.3		
Progre	essive Le	vels		SAP .	Туре	Levels	Wins Transferred to	
Suppo	rted						Total Wins meter	
			Υ	'es	Standard	3	Yes	
Maxin	num Bet	Value	\$8.00					
Base (Credit Va	lue	1c, 2c					
Variat	ion Deta	ils						
Var	BCV	Game RT	Р%	Setting	Combination	iSAP RTP%	Min - Max RTP%	
99	1c	86.29 –	86.48 SCv99		Cv99-1c	4.314332	90.60 - 90.79	
99	2c	86.29 –	86.48	SC	Cv99-2c	4.314332	90.60 - 90.79	
1	1c	84.84 – 8	85.04	SC	Cv01-1c	4.055232	88.90 - 89.09	
1	2c	84.84 – 8	85.04	SC	Cv01-2c	4.055232	88.90 - 89.09	
2	1c	85.30 – 8	85.50	SC	Cv02-1c	4.195232	89.50 - 89.69	
2	2c	85.30 – 8	85.50	SC	Cv02-2c	4.195232	89.50 - 89.69	
3	1c	85.89 – 8	86.08	SC	Cv03-1c	4.314332	90.20 - 90.39	
3	2c	85.89 – 8	86.08	SC	Cv03-2c	4.314332	90.20 - 90.39	
4	1c	87.14 – 8	87.24	SC	Cv04-1c	4.662668	91.80 - 91.90	
4	2c	87.14 – 8	87.24	SC	Cv04-2c	4.662668	91.80 - 91.90	
5	1 c	84.85 – 8	85.04	SC	Cv05-1c	4.122920	88.97 - 89.16	
5	2 c	84.85 – 8	85.04	SC	Cv05-2c	4.122920	88.97 - 89.16	
6	1c	85.89 –	86.08	SC	Cv06-1c	4.384194	90.27 - 90.46	
6	2 c	85.89 –	86.08	SC	Cv06-2c	4.384194	90.27 - 90.46	
7	1c	87.14 – 8	87.23	SC	Cv07-1c	4.738587	91.88 - 91.97	
7	2c	87.14 – 8	87.23	SC	Cv07-2c	4.738587	91.88 - 91.97	
Software Details – 1								
JUILW	Game					BIOS		
JOILWA		Game				BIO	S	

Platform/Cabinet Details - 1

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone), (Configured with either Ticket Printer and/or Hopper option)

Gen7 Vii Slant — Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)

This is Page 2 (of 7 pages) of the Schedule to the Gaming Machine Approval 2015 (No 18)

Cont....

Continu						
Software Details - 2						
Game	BIOS					
10263070	6040					
Platform/Cabinet Details - 2						
Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper						
option), OR, (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)						
Gen 8 Helix Slant – Casino Top (S23/23), Low Bo	Gen 8 Helix Slant – Casino Top (S23/23), Low Boy with Super Screen Top Box (S23/32),					
(Configured with Ticket Printer only), OR, (Configured for	r CCCE only – No BNA & No Printer)					

Specific Approval Conditions

This approval replaces previous approval for this game notified under instrument NI2015-130 on 30 March 2015.

Application Reference No.	01-A1569/S01
---------------------------	--------------

Updated Hardware Assemblies				
Device Name	Hardware Assem	blies		
Manufacturer		ologies Australia Pty Ltd		
Category	Gaming Machine	· · · · · · · · · · · · · · · · · · ·		
Category Type	Hardware Compo			
Technical Standards	•	ppendix (dated 24/04/2013)		
Hardware Details		, , ,		
Description		Aristocrat Part Number		
Cabinet Pedestal Assemble	У	ATA P/N: 170103 Rev C01		
Casino Tub Wrap Assembl	у	ATA P/N: 170028 Rev B		
LCD Frame Assembly		ATA P/N: 170086 Rev B01		
BNA Cage Assembly		ATA P/N: 170254 Rev C01		
LAB Com (USB) Assembly		ATA P/N: 170459 Rev B		
Gen 8 Mechanical Meters	Assembly	ATA P/N: 170273 Rev C		
Chip Tray Coinless Assembly		ATA P/N: 170158 Rev B01		
Blank Coin Chute Main Door		ATA P/N: 170335 Rev B		
Damper Belly Door Bracket		ATA P/N: 170662 Rev A01		
Lower Door Stay Assembly		ATA P/N: 170800 Rev A		
Security Door Lock Assem	bly	ATA P/N: 170145 Rev B01		
Gas Strut 340 215 250N w	ith Stay	ATA P/N: 170627 Issue D		
Lower Cover Logo Lighting	g Board	ATA P/N: 170653 Rev A01		
Top Cover Logo Lighting B	oard	ATA P/N: 170654 Rev A01		
Tub Latch Spacer		ATA P/N: 170559 Rev A01		
Belly door Cam Actuator 2	mm advanced	ATA P/N: 170224_1 Rev A01		
Packer Hopper		ATA P/N: 170601 Rev A		
Platform/ Cabinet Details				
		Configured with either Ticket Printer and/or Hopper		
option), OR, (Configured for CC	CE only – No Coin, No	Hopper, No BNA & No Printer)		
Specific Approval Conditions				

Specific Approval Conditions

This approval replaces previous approval for this device notified under instrument NI2015-191 on 7 May 2015.

Application Reference No. 01-A1564/S01

New Mi	ulti-Game Gam	ing Machine					
Game N			Moon Race – Lightning Ca\$h				
	ation Number		1.DG008				
Manufa			echnologies Aus	tralia Ptv Ltd			
Catego		Gaming Mad		erana i cy zca			
	Machine Type		uli Denominatio	n – iSAP			
Game T		Spinning Re		157 11			
	cal Standards		+ NSW Appendi	x (dated 24/0	04/2013)		
	sion Standards		ev 2.3; TITO Ted	•	•		
			t Technical Stan				
Progres	sive Levels	iSAP	Туре	Levels	Wins Transferred to		
Suppor			71		Total Wins meter		
		Yes	Standard	2	yes		
Maxim	um Bet Value	\$10.00			,		
Base Cr	edit Value	1c, 2c, 5c, 10	Oc (selectable by	player)			
Compo	nent Game Set		· · · · · · · · · · · · · · · · · · ·	. , ,			
Gam	e Number	Gam	e Name		BCV		
	1	Moon Race –	· Lightning Ca\$h		1c		
	2	Moon Race –	· Lightning Ca\$h		2c		
	3		· Lightning Ca\$h				
	4		· Lightning Ca\$h		10c		
Multi-G	ame Combina	tion	· · · · · · · · · · · · · · · · · · ·				
		_					
MGC	CRP%	Game Nu	ımber V	ariation	SDB RTP%		
MGC	CRP%	Game Nu	imber V	ariation	SDB RTP% 90.30		
			imber V				
MGC 99	90.87	1	imber V	99	90.30		
		1 2	imber V		90.30 90.68		
		1 2 3	imber V		90.30 90.68 91.07		
99	90.87	1 2 3 4	imber V	99	90.30 90.68 91.07 91.45		
		1 2 3 4	imber V		90.30 90.68 91.07 91.45 90.46		
99	90.87	1 2 3 4 1 2	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84		
99	90.87	1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61		
99	90.87	1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73		
99	90.87	1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11		
99	90.87	1 2 3 4 1 2 3 4 1 2 3	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50		
99	90.87	1 2 3 4 1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88		
99	90.87	1 2 3 4 1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98		
99	90.87	1 2 3 4 1 2 3 4 1 2 3 4	imber V	99	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36		
99 1 2	91.04	1 2 3 4 1 2 3 4 1 2 3 4	imber V	99 1 2	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36 91.75		
99 1 2	91.04	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4	imber V	99 1 2	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36 91.75 92.13		
99 1 2	91.04	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4	imber V	99 1 2	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36 91.75 92.13		
99 1 2	90.87 91.04 91.31 91.56	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4	imber V	99 1 2	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36 91.75 92.13 91.16 91.54		
99 1 2	91.04	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4	imber V	99 1 2	90.30 90.68 91.07 91.45 90.46 90.84 91.23 91.61 90.73 91.11 91.50 91.88 90.98 91.36 91.75 92.13		

Cont.....

	92.07	1		91.50			
_		2	-	91.88			
5		3	5	92.27			
		4		92.65			
Software Details – 1							
Game		BIOS		BIOS			

10163109 Platform/Cabinet Details

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)

2021

2020

Software Details - 2

Game	BIOS	
10163109	6040	

Platform/Cabinet Details

Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either ticket printer and/or hopper option) or (configured for CCCE only – no coin, no hopper, no BNA and no printer)

Gen 8 Helix Slant - Casino Top

- Low Boy with Super Screen Top Box (\$23-32)

(Configured with ticket printer only) or (Configured for CCCE only – no BNA and no printer)

Specific Approval Conditions

This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit' and on the Gen 8 Helix platform in conjunction with the 'Button Deck LCD 13BTN Assembly'.

Application Reference No.	01-A1551/S01
---------------------------	--------------

New Gaming Machine							
Game Name	Rhino Rumb	Rhino Rumble (4 iSAP Levels)					
Specification Number	44.BF205						
Manufacturer	Ainsworth G	ame Technolog	y Limited				
Category	Gaming Mad	chine					
Gaming Machine Type	iSAP						
Game Type	Spinning Re	el					
Game Identifier	GDNSIB1E						
Technical Standards	NS Rev 10.3	+ NSW Append	ix Rev 10.3				
Submission Standards	NSW CPTS F	ev 2.3; TITO Ted	chnical Standa	ard V4.20			
	NSW Jackpo	t Technical Stan	idard Rev 1.3				
Progressive Levels	iSAP	Туре	Levels	Wins Transferred to			
Supported	Total Wins meter						
	Yes Standard 4 Yes						
Maximum Bet Value	\$10.00						
Base Credit Value	1c, 2c						
Variation Details							

Variation Details

Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max RTP%
51		64.25	SC51-1C	26.759871	01.01
		64.25	SC51-2C	20./598/1	91.01
53	10.20	63.77	SC53-1C	26.468568	90.24
	1c, 2c	05.77	SC53-2C	20.406506	90.24
54		62.26	SC54-1C	26.025852	90.20
		63.26	SC54-2C	20.025852	89.29

Platform/Cabinet Details

A560X-S32 (with primary 32" LCD, optional secondary A560 LCD topper, optional oval topper, configured with either ticket printer and/or hopper option)

Specific Approval Conditions

- 1. The A560 Topper may be optionally installed on the A560X-S32 platform when operating this game.
- 2. This game must only be configured with either the 15 button standard panel or the OLED panel.

Application Reference No.	44-A0923/S01

Gaming Machine Software Bugfix						
Game Name			Inca Reef Grand (4 iSAP Levels)			
Specification Number			F159			
Manufacturer			worth Game Ted	hnology Limit	ted	
Gaming Machine Type		iSAP				
Game Type		Spini	ning Reels			
Game Identifier		GDNSIG1M				
Technical Standards		NS 10.3 + NSW Appendix Rev 10.3				
Submission Standards		NSW CPTS Rev 2.3; TITO Technical Standard V4.20				
		NSW Jackpot Technical Standard Rev 1.3				
Progressive Levels	iSA	·P	Туре	Levels	Wins Transferred to	
Supported					Total Wins meter	
	Ye	:S	Standard	4	Yes	
Maximum Bet Value	\$9.00					
Base Credit Value		1c, 2c				

Variation Details

Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min/Max PRTP%
1	1c	83.30	SC011	7.041725	90.34
2	1c	84.93	SC021	7.041725	91.97
61	2c	83.30	SC612	6.910346	90.21
62	2c	84.93	SC622	6.910346	91.84

Platform/Cabinet Details

A-560L — Low Boy (with Primary LCD and 32" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions

- 1. This approval replaces the previous approval for this game notified under NI2014-419 on 9 September 2014.
- 2. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel).
- 3. The 'Inca Reef Grand' Front Bezel Assembly is required for the 32 inch LCD Topper when operating this game.

Application Reference No.	44-A0926/S01