

Australian Capital Territory

# Gaming Machine Approval 2015 (No 23)

Notifiable instrument NI2015–373

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2015 (No 23)*.

## 2 Commencement

This instrument commences the day after the date of notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney  
Delegate  
ACT Gambling and Racing Commission

6 July 2015

New Ticket Printer		
<b>Device Name</b>	Ticket Printer	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Category</b>	Hardware Component	
<b>Category Type</b>	Gaming Machine	
<b>Technical Standards</b>	NS 10.3 + NSW Appendix	
<b>Submission Standards</b>	NSW CPTS 2.4; TITO Technical Standard V4.20	
<b>Hardware Details:</b>		
<b>Device</b>	<b>Description</b>	<b>Part Number</b>
Ticket Printer	TransAct Epic 950 Thermal - 200 Tickets	011 804
	Extension Ticket Holder - 600 Tickets	011 878
<b>Software Details:</b>		
<b>Description</b>	<b>Firmware ID</b>	<b>Firmware Name</b>
Ticket Printer Firmware	S02492	S02492.cbt
<b>Platform/Cabinet Details</b>		
A560-H – High Boy (with Primary 22” LCD , Secondary 22” LCD, optional A560 19” LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L – Low Boy (with Primary 22” LCD and A560 19” LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L – Low Boy (With Primary LCD and 32” LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L Low Boy (with Primary LCD, 32” Wide Boy Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-ST – Slant Top (with Primary 24” LCD, Secondary 27” LCD Optional 24” LCD Topper, Configured with Ticket Printer only)		
A560X-H (with Primary 22” LCD , Secondary 22” LCD, optional A560 19” LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-L (with Primary 22” LCD and A560 19” LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-S32 – Split cabinet with 32inch Primary LCD Monitor, optional Secondary A560 LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-ST – (with Primary 24” LCD , Secondary 27” LCD, optional 24” LCD topper, Configured with Ticket Printer only)		
<b>Application Reference No.</b>	44-A0918/S01	

New Ticket Printer		
<b>Device Name</b>	Nanoptix PayCheck4 Ticket Printer	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Category</b>	Hardware Component	
<b>Category Type</b>	Gaming Machine	
<b>Technical Standards</b>	NS 10.3 + NSW Appendix	
<b>Submission Standards</b>	NSW CPTS 2.4; TITO Technical Standard V4.20	
<b>Hardware Details:</b>		
<b>Device</b>	<b>Description</b>	<b>Part Number</b>
Ticket Printer	Nanoptix PayCheck4 Printer	025 015 Rev D
	Nanoptix PayCheck4 firmware V6_46G	
<b>Software Details:</b>		
<b>Description</b>	<b>Firmware ID</b>	
Ticket Printer Firmware	Paycheck4_V6_46G	
<b>Platform/Cabinet Details</b>		
A560-H – High Boy (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L – Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L – Low Boy (With Primary LCD and 32" LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-L Low Boy (with Primary LCD, 32" Wide Boy Topper, Configured with either Ticket Printer and/or Hopper option)		
A560-ST – Slant Top (with Primary 24" LCD, Secondary 27" LCD Optional 24" LCD Topper, Configured with Ticket Printer only)		
A560X-H (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-S32 – Split cabinet with 32inch Primary LCD Monitor, optional Secondary A560 LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)		
A560X-ST – (with Primary 24" LCD , Secondary 27" LCD, optional 24" LCD topper, Configured with Ticket Printer only)		
<b>Application Reference No.</b>	44-A0904/S01; 44-A0933/S01	

New Gaming Machine and updated Supporting Software					
<b>Game Name</b>		Soul Queen (4 iSAP Levels)			
<b>Specification Number</b>		44.BF210			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Spinning Reel			
<b>Game Identifier</b>		GDNSQQ2F			
<b>Technical Standards Submission Standards</b>		NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.3; NSW Jackpot Technical Standard Rev 1.3 TITO Technical Standard V4.20			
<b>Progressive Levels Supported</b>		<b>iSAP</b>	<b>Type</b>	<b>Levels</b>	<b>Wins Transferred to Total Wins meter</b>
		Yes	Standard	4	Yes
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c , 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>Setting Combination</b>	<b>iSAP RTP%</b>	<b>Min - Max RTP%</b>
51	1c	67.05	SC51-1c	24.321171	91.37
	2c		SC51-2c		
53	1c	66.00	SC53-1c	24.141411	90.14
	2c		SC53-2c		
54	1c	65.33	SC54-1c	23.702152	89.03
	2c		SC54-2c		
<b>Software details 1:</b>					
<b>Function</b>			<b>Identifier</b>		
Game			GDNSQQ2F		
Base			NX1I2I9P		
BIOS			A003E002		
<b>Platform/Cabinet Details</b>					
A560-H – High Boy (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-L – Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-ST – Slant Top (with Primary 24" LCD, Secondary 27" LCD Optional 24" LCD Topper, Configured with Ticket Printer only)					

Continued...

<b>Software details 2:</b>	
<b>Function</b>	<b>Identifier</b>
Game	GDNSQQ2F
Base	NX1D1E0H
BIOS	B001E001
<b>Platform/Cabinet Details</b> A560X-H (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option) A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option) A560X-ST – (with Primary 24" LCD , Secondary 27" LCD, optional 24" LCD topper, Configured with Ticket Printer only)	
<b>Specific Approval Conditions</b> <ol style="list-style-type: none"> <li>1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform)</li> <li>2. The A560 Topper must be installed on the A560 Low Boy &amp; A560X-L platforms when operating this game.</li> <li>3. This game can be operated with the optional A560 Topper on the A560 High boy and A560X-H platforms</li> <li>4. This Game can be operated with the optional 24" LCD Topper on the A560 Slant Top and A560X-ST platforms.</li> </ol>	
<b>Application Reference No.</b>	44-A0919/S01

New Coin Out Hardware	
<b>Device Name</b>	Coin Out Blanking Plate
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Hardware Component
<b>Category Type</b>	Gaming Machine
<b>Technical Standards</b>	NS 10.3 + NSW Appendix
<b>Submission Standards</b>	
<b>Hardware Details:</b>	
<b>Device</b>	<b>Part Number</b>
Coin Out Blanking Plate	ATA P/N: 170595 Rev A01
<b>Platform/Cabinet Details</b> Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)	
<b>Application Reference No.</b>	01-A1573/S01

New Gaming Machine				
<b>Game Name</b>	Multistar Double Diamond			
<b>Specification Number</b>	18.DG006			
<b>Manufacturer</b>	IGT (Australia) Pty Limited			
<b>Category</b>	Gaming Machine			
<b>Gaming Machine Type</b>	MGGM – Mutli Denom – iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Game Identifier</b>	X97400GA			
<b>Technical Standards Submission Standards</b>	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.4; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3			
<b>Progressive Levels Supported</b>	<b>iSAP</b>	<b>Type</b>	<b>Levels</b>	<b>Wins Transferred to Total Wins meter</b>
	Yes	Standard	2	Yes
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	5c, 10c			
<b>Component Game Set Details</b>				
<b>Game Number</b>	<b>Game Name</b>	<b>BCV</b>		
1	Pot of Gold	10c		
2	Pot of Gold	5c		
3	Wings of Egypt	10c		
4	Wings of Egypt	5c		
5	Sundance	10c		
6	Sundance	5c		
<b>Platform/Cabinet Details:</b> AVP BC20 – Video Top – Video Top Universal – Slant Top				

Continued...

<b>Multi-Game Combination</b>				
<b>MGC</b>	<b>CRP%</b>	<b>Game Number</b>	<b>Variation</b>	<b>SDB RTP%</b>
1	90.47	1	2	90.47
		2		90.47
		3		90.47
		4		90.47
		5		90.47
		6		90.47
2	91.97	1	3	91.97
		2		91.97
		3		91.97
		4		91.97
		5		91.97
		6		91.97
3	89.47	1	7	89.47
		2		89.47
		3		89.47
		4		89.47
		5		89.47
		6		89.47
<b>Specific Approval Conditions:</b>				
<ol style="list-style-type: none"> <li>1. The 'Dynamic Button Panel Assembly' must be installed for the above-mentioned game when operating on the given platforms.</li> <li>2. The above game may operate with the optional Multilayer Display on the AVP BC20 Video Top Platform.</li> </ol>				
<b>Application Reference No.</b>	18-A5401/S01			

New Gaming Machine					
<b>Game Name</b>		Heart Queen (4 iSAP Levels)			
<b>Specification Number</b>		44.BF211			
<b>Manufacturer</b>		Ainsworth Game Technology			
<b>Category</b>		Gaming Machine			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Spinning Reels			
<b>Game Identifier</b>		GDNSQQ1E			
<b>Technical Standards Submission Standards</b>		NS Rev 10.3 + NSW Appendix Rev 10.3; NSW CPTS Rev 2.4; NSW Jackpot TS Rev 1.3; TITO TS V4.20			
<b>Progressive Levels Supported</b>		<b>iSAP</b>	<b>Type</b>	<b>Levels</b>	<b>Wins Transferred to Total Wins meter</b>
		Yes	Standard	4	Yes
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>BCV</b>	<b>Game RTP%</b>	<b>Setting Combination</b>	<b>iSAP RTP%</b>	<b>Min - Max RTP%</b>
51	1c	66.99	SC51-1c	24.336802	91.32
	2c		SC51-2c		
53	1c	66.33	SC53-1c	23.681370	90.01
	2c		SC53-2c		
54	1c	65.70	SC54-1c	23.492853	89.19
	2c		SC53-2c		
<b>Software Details 1</b>					
Game		GDNSQQ1E			
Base		NX1I2I9P			
Bios		A003E002			
<b>Platform/Cabinet Details</b>					
A560-H – High Boy (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-L – Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)					
A560-ST – Slant Top (with Primary 24" LCD, Secondary 27" LCD Optional 24" LCD Topper, Configured with Ticket Printer only)					



Continued...

<b>Software Details 2</b>	
Game	GDNSQQ1E
Base	NX1D1E0H
Bios	B001E001
<p><b>Platform/Cabinet details:</b>                      A560X-H (with Primary 22" LCD , Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)                      A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)                      A560X-ST – (with Primary 24" LCD , Secondary 27" LCD, optional 24" LCD topper, Configured with Ticket Printer only)</p>	
<p><b>Specific Approval Conditions:</b></p> <ol style="list-style-type: none"> <li>1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED Panel on the A560 platform).</li> <li>2. The A560 Topper must be installed on the A560 Low Boy &amp; A560X-L platforms when operating the above-mentioned game.</li> <li>3. The above-mentioned game can be operated with the optional A560 topper when operating on the A560 High Boy and the A560X-H Platforms.</li> <li>4. The above-mentioned game can be operated with the optional 24" LCD Topper on the A560 Slant Top and A560X-ST platforms</li> </ol>	
<b>Application Reference No.</b>	44-A0937/S01