

Australian Capital Territory

Gaming Machine Approval 2015 (No 37)

Notifiable instrument NI2015–534

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2015 (No 37)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

14 September 2015

'Synergy X Platform Conversion Kit'	
Device Name	Synergy X Platform Conversion Kit
Manufacturer	Ainsworth Game Technology Limited
Category	Gaming Machine
Type	Hardware Component
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)
Submission Standards	NSW CPTS 2.4
Platform / Cabinet Details:	
A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional third A560 LCD Topper, optional Oval Topper; Configured with either Ticket Printer and/or Hopper option)	
A560X-L (with Primary 22" LCD, optional A560 19" LCD Topper or 32" LCD Topper or 32" Wide Boy Topper; Configured with either Ticket Printer and/or Hopper option).	
Specific Approval Conditions	
When the A560 High Boy & A560 Low Boy gaming machines are converted to the A560X-H & A560X-L gaming machines respectively, a new gaming machine compliance plate must also be installed to reflect the new model number.	
Additional Information	
The "Synergy X Conversion Kit" for the A560H & A560L can be installed with or without the "Optional A560 Audio System Upgrade"	
Application Reference No.	44-A0944/S01

New Multigame Gaming Machine Game					
Game Details 1.					
Game Name		Double Shot King Spin (3 iSAP Levels)			
Manufacturer		Ainsworth Game Technology Limited			
Specification Number		44.QDG00			
Gaming Machine Type		MGGM – Multi Denomination - iSAP			
Game Type		Spinning Reel			
Technical Standards Submission Standards		NS 10.3 + NSW Appendix (dated 24/4/13) Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) NSW CPTS 2.4; TITO TS V4.20 NSW JP TS Rev 1.3 Gaming Machine Prohibited Features Register version F			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	3	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c (selectable by player)			
Component Game Set Details					
Game Number		Game Name			BCV
1		Double Dragons Double Shot King Spin			1c, 2c, 5c, 10c
2		Royal Diamonds Double Shot King Spin			1c, 2c, 5c, 10c
3		Year of the Snake Double Shot King Spin			1c, 2c, 5c, 10c
4		Year of the Tiger Double Shot King Spin			1c, 2c, 5c, 10c
Multi-Game Combination					
MGC	CRP%	BCV	Game Number	Variation	SDB RTP%
1	90.92	1c, 2c, 5c, 10c	1	51	90.96
			2		90.95
			3		90.89
			4		90.91
2	89.93	1c, 2c, 5c, 10c	1	53	89.97
			2		89.96
			3		89.89
			4		89.92
3	88.77	1c, 2c, 5c, 10c	1	54	88.81
			2		88.80
			3		88.73
			4		88.76
Software Details					
Game		Base		BIOS	
GDNSOT1I		NX1D1E0I		B001E001	

Continued...

Platform/Cabinet Details

A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)

Specific Approval Conditions:

1. The above-mentioned game must be authorised at a BCV of 1 cent only.
2. The above-mentioned game must operate with the 15 Button OLED Panel.
3. The A560 Topper must be installed on the A560X-L platform when operating the above-mentioned game.
4. The above-mentioned game can be operated with the optional A560 Topper when operating on the A560X-H platform.
5. The above-mentioned game can be operated with the optional 24" LCD Topper on the A560X-ST platform.

Application Reference No.

44-A0948/S01

New Gaming Machine Game						
Game Name		Ming Warrior (2 iSAP Levels)				
Manufacturer		Ainsworth Game Technology Limited				
Specification Number		44.BG000				
Gaming Machine Type		iSAP				
Game Type		Spinning Reel				
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3				
Submission Standards		Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20				
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter	
		Yes	Random	2	Yes	
Maximum Bet Value		\$10.00				
Base Credit Value		20c, 50c, \$1.00 (selectable by player)				
Variation Details						
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%	
66	20c, 50c, \$1.00	86.04	SC1-20c, SC1-50c, SC1-100c	4.193333	90.24	
69	20c, 50c, \$1.00	88.09	SC1-20c, SC1-50c, SC1-100c	4.193333	92.28	
76	20c, 50c, \$1.00	86.04	SC2-20c, SC2-50c, SC2-100c	4.173333	90.22	
79	20c, 50c, \$1.00	88.09	SC2-20c, SC2-50c, SC2-100c	4.173333	92.26	
Software Details						
Game		Kernel		BIOS		
GDNSNA1C		NX1E1E0J		B001E001		
Platform/Cabinet Details						
A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)						
A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)						
A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)						
A600-H (with Primary 23.8" LCD, Secondary 23.8" LCD, optional 24" LCD Topper, Configured with either Ticket Printer and/or Hopper option)						
Specific Approval Conditions:						
1. The above-mentioned game must operate with the 15 Button OLED Panel.						
2. The A560 Topper must be installed on the A560X-L platform when operating the above-mentioned game.						
3. The above-mentioned game can be operated with the optional A560 Topper on the A560X-H platform.						
4. The above-mentioned game can be operated with the optional 24" LCD Topper on the A560X-ST and A600-H platforms.						
Application Reference No.		44-A0952/S01				

New Gaming Machine Game					
Game Name		Spartan Spirit (2 iSAP Levels)			
Manufacturer		Ainsworth Game Technology Limited			
Specification Number		44.QBG07			
Gaming Machine Type		iSAP			
Game Type		Spinning Reel			
Technical Standards		NS Rev 10.3 + NSW Appendix Rev 10.3			
Submission Standards		Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	2	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		5c, 10c (selectable by player)			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max P RTP%
51	5c	90.01	SC51-5c	1.250044	91.26
	10c		SC51-10c	1.250021	
52	5c	90.99	SC52-5c	1.250043	92.24
	10c		SC52-10c	1.250021	
53	5c	89.42	SC53-5c	1.250042	90.67
	10c		SC53-10c	1.250021	
Software Details					
Game		Kernel		BIOS	
GDNSIT1D		NX1E1E0J		B001E001	
Platform/Cabinet Details					
A560X-L (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)					
A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)					
A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)					
A600-H (with Primary 23.8" LCD, Secondary 23.8" LCD, optional 24" LCD Topper, Configured with either Ticket Printer and/or Hopper option).					
Specific Approval Conditions:					
1. The above-mentioned game must be authorised at a BCV of 5 cents only.					
2. The above-mentioned game must operate with the 15 Button OLED Panel.					
3. The A560 Topper must be installed on the A560X-L platform when operating the above-mentioned game.					
4. The above-mentioned game can be operated with the optional A560 Topper on the A560X-H platform.					
5. The above-mentioned game can be operated with the optional 24" LCD Topper on the A560X-ST and A600-H platforms.					
Application Reference No.		44-A0960/S01			

New Multigame Gaming Machine Game				
Game Name	African Big 5			
Specification Number	1.DG009			
Manufacturer	Aristocrat Technologies Australia Pty Ltd			
Gaming Machine Type	MGGM – Multi Denomination – iSAP			
Game Type	Spinning Reel			
Technical Standards Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13) NSW CPTS 2.4; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.3			
Progressive Levels Supported	iSAP	Type	Levels	Wins Transferred to Total Wins meter
	Yes	Standard	2	Yes
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c (selectable by player)			
Component Game Set Details				
Game Number	Game Name			BCV
1	African Big 5			1c
2	African Big 5			2c
Multi-Game Combinations				
MGC	CRP%	Game Number	Variation	SDB PRTP%
99	90.70	1	99	90.70
		2	99	90.90
1	90.10	1	1	90.10
		2	1	90.30
2	91.10	1	2	91.10
		2	2	91.30
3	91.70	1	3	91.70
		2	3	91.90
4	92.10	1	4	92.10
		2	4	92.30
5	92.70	1	5	92.70
		2	5	92.90
Software Details 1				
Game	System Software		BIOS	
10263165	50202003		2020 & 2021	
Platform/Cabinet Details				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD, Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
Software Details 2				
Game	System Software		BIOS	
10263165	50202003		6040 & 6110	

Continued...

Platform/Cabinet Details	
Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)	
Gen 8 Helix Slant - Casino Top (S23/23)	
- Low Boy with Super Screen Top Box (S23/32) (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)	
Specific Approval Conditions	
1. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Interactive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13 BTN Assembly'.	
2. This approval of 'African Big 5' replaces the approval of 'African Big 5' referred to in Notifiable Instrument NI2012-498 dated 24 August 2015.	
Application Reference No.	01-A1557/S01

New Multigame Gaming Machine Game				
Game Name	Globetrotter			
Specification Number	1.DG010			
Manufacturer	Aristocrat Technologies Australia Pty Ltd			
Gaming Machine Type	MGGM – Multi Denomination – iSAP			
Game Type	Spinning Reel			
Technical Standards Submission Standards	NS 10.3 + NSW Appendix (dated 24/04/13); Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15); NSW CPTS 2.4; TITO Technical Standard V4.20; NSW Jackpot Technical Standard Rev 1.3			
Progressive Levels Supported	iSAP	Type	Levels	Wins Transferred to Total Wins meter
	Yes	Standard	2	Yes
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c (selectable by player)			
Component Game Set Details				
Game Number	Game Name			BCV
1	Globetrotter			1c
2	Globetrotter			2c
Multi-Game Combinations				
MGC	CRP%	Game Number	Variation	SDB PRTP%
99	90.70	1	99	90.70
		2	99	90.90
1	90.10	1	1	90.10
		2	1	90.30
2	91.10	1	2	91.10
		2	2	91.30
3	91.70	1	3	91.70
		2	3	91.90
4	92.10	1	4	92.10
		2	4	92.30
5	92.70	1	5	92.70
		2	5	92.90
Software Details 1				
Game	System Software		BIOS	
10163167	50202003		2020 & 2021	
Platform/Cabinet Details				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD, Stand-alone) (Configured with either Ticket Printer and/or Hopper option)				
Software Details 2				
Game	System Software		BIOS	
10163167	50202003		6040 & 6110	

Continued...

Platform/Cabinet Details	
Gen 8 Helix Upright – Casino Top (U23/23) (Configured with either Ticket Printer and/or Hopper option) OR (Configured for CCCE only – No Coin, No Hopper, No BNA & No Printer)	
Gen 8 Helix Slant - Casino Top (S23/23) - Low Boy with Super Screen Top Box (S23/32) (Configured with Ticket Printer only) OR (Configured for CCCE only – No BNA & No Printer)	
Specific Approval Conditions	
1. This MGGM game must only operate on the Gen7 Wide-Screen platform in conjunction with the 'Nteractive Button Midtrim Deck Kit', and on the Gen8 Helix platform in conjunction with the 'Button Deck LCD 13 BTN Assembly'.	
2. This approval of 'Globetrotter' replaces the approval of 'Globetrotter' referred to in Notifiable Instrument NI2012-498 dated 24 August 2015.	
Application Reference No.	01-A1579/S01