Australian Capital Territory

Planning (Tuggeranong District) Technical Specifications 2024

Notifiable instrument NI2024–536

made under the

Planning Act 2023, s 51 (Technical specifications)

1 Name of instrument

This instrument is the *Planning (Tuggeranong District) Technical Specifications 2024.*

2 Commencement

This instrument commences on 27 September 2024.

3 Technical specifications

I make the technical specifications at schedule 1.

4 Revocation

This instrument revokes the *Planning (Tuggeranong District) Technical* Specifications 2023 (NI2023-551).

George Cilliers Chief Planner 13 September 2024 Schedule 1



DS8 – Tuggeranong District Specifications

Table of Contents

Table of Contents			
Tugge	eranong District planning technical specifications4		
1.	Bonython5		
2.	Calwell5		
3.	Chisholm5		
4.	Conder5		
5.	Gilmore6		
6.	Gordon6		
7.	Gowrie6		
8.	Greenway6		
	Building setbacks		
9.	Isabella Plains		
10.	Kambah		
	Assessment Outcome 18		
	Assessment Outcome 2		
11.	Macarthur8		
12.	Monash8		
13.	Richardson9		
14.	Tharwa9		
	Fences		
	Retaining walls and earthworks9		
	Wastewater9		
15.	Theodore10		
16.	Wanniassa10		

Tuggeranong District planning technical specifications

The primary assessment consideration for a development application is the assessment outcomes in the Territory Plan. In demonstrating compliance with the assessment outcomes, consideration may be given to the relevant planning technical specifications which may serve as a benchmark. While all assessment outcomes are to be met, not all outcomes are covered by a specification.

Planning technical specifications are used as a possible solution or to provide guidance for identified aspects of a development proposal. The specifications may also be used as a reference or benchmark in the preparation and assessment of development proposals to demonstrate compliance with the assessment outcomes, and the Territory Plan.

Where a proposed development complies with a relevant provision in the planning technical specifications and the development comprehensively addresses the assessment outcome, further assessment regarding those specific provisions will not be required.

The specifications in the Tuggeranong District Specifications can be used to demonstrate compliance with the assessment outcomes in the Tuggeranong District Policy or the relevant zone policy. Where there is a specific assessment outcome in the Tuggeranong District Policy, this takes precedence over the equivalent outcome in the zone policy. Where there is no specific assessment outcome in the Tuggeranong District Policy, the specification can be used to demonstrate compliance with the assessment outcomes in the zone policy. Where there is no specific assessment outcome in the Tuggeranong District Policy, the specification can be used to demonstrate compliance with the assessment outcomes in the zone policy.

The Territory Planning Authority may consider advice or written support from a referral entity to demonstrate compliance with a relevant assessment outcome. Where endorsement from an entity is noted as a planning specification, entity referral may be required.

Consistent with the Tuggeranong District Policy, this Tuggeranong District Specifications comprises specifications for specific localities, structured according to the localities.

These specifications will only apply to the specific sites or locations they refer to and should be used in conjunction with the relevant district policy, i.e., *Part D8: Tuggeranong District Policy*.

1. Bonython

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Bonython:

No applicable specification for this suburb.

2. Calwell

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Calwell:

No applicable specification for this suburb.

3. Chisholm

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Chisholm:

No applicable specification for this suburb.

4. Conder

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Conder:

No applicable specification for this suburb.

5. Gilmore

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Gilmore:

No applicable specification for this suburb.

6. Gordon

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Gordon:

No applicable specification for this suburb.

7. Gowrie

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Gowrie:

No applicable specification for this suburb.

8. Greenway

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Greenway:

Assessment Outcome	Refer to zone assessment outcome
Specification	
Building setbacks	 8.1. The minimum setback of dwellings from the northern boundary of block 6 section 10 in <u>Figure 1</u> is 10m.




Figure 1 Greenway – lakeside residential

9. Isabella Plains

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Isabella Plains:

No applicable specification for this suburb.

10. Kambah

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Kambah:

	riety of uses and allow for good solar access onto public spaces, particularly the ntral courtyard.	
No applicable specification for this assessment outcome. Application must respond to the assessment outcome.		

Assessment Outcome 2	Development and active uses in the Kambah Group Centre focus on the central courtyard and open spaces, promoting community and outdoor activity.
No applicable specification	n for this assessment outcome. Application must respond to the assessment outcome.

11. Macarthur

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Macarthur:

No applicable specification for this suburb.

12. Monash

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Monash:

No applicable specification for this suburb.

13. Richardson

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Richardson:

No applicable specification for this suburb.

14. Tharwa

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Tharwa:

Assessment Outcome	Refer to zone assessment outcome
Specification	
Fences	 14.1. Fencing complies with the following: a) Maximum height above ground level: i) In the front zone – 1.2m. ii) In the primary building zone and rear zone – 1.8m b) Made using transparent materials such as wire, wire mesh or open timber. c) Privacy screening is provided through landscape planting. d) Non-transparent fences such as sheet metal are not permitted. Courtyard walls are not permitted in the front zone or for use as boundary fencing.
Retaining walls and earthworks	 14.2. Development complies with the following: a) Retaining walls are a maximum of 1m in height and incorporated with the primary building to minimise visual impacts. b) Where earthworks are required, battered soil slopes in conjunction with ground-cover plantings are used to accommodate level changes in preference to engineered retaining walls.
Wastewater	 14.3. Onsite wastewater treatment systems located within 300m of a waterway are endorsed by the ACT Environment Protection Authority (EPA). <u>Note</u>: Any new development or re-development of onsite wastewater treatment systems located within 300m of a waterway will be required to be referred to the ACT EPA for assessment.

15. Theodore

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Theodore:

No applicable specification for this suburb.

16. Wanniassa

The following specifications provide possible solutions that should be considered in planning, placing, designing and using buildings and structures for proposed development in Wanniassa:

No applicable specification for this suburb.